



MERITOR®

An **ArvinMeritor**® Brand

DRIVELINE COMPONENTS




PB-9895
Revised 11/09


TABLE OF CONTENTS


SEE FOLLOWING PAGES
FOR DETAILS


Companion Flanges and Flange Yokes	1
Slip Yokes	2
End Yokes	3
Easy Service Yokes	4
Weld Yokes	5
Yoke and Tube Assemblies	6
Bearing Stubs	7
Spline Plugs	8
Shaft Yokes	9
Small Parts and Tubing	10
U-Joint Kits	11
Center Bearings	12
C.V. Components and P.T.O. Assemblies	13
L6N Steering Components	14
10N Series	15
Companion Flange and End Yoke Application Guide Index	16

YOKE IDENTIFICATION

ROUND BEARING	X	Y	Z	SERIES	TYPE
	ACROSS EARWORK	BETWEEN EARWORK	BEARING DIA.		
		1.44"	.97"	L6N	
	2.19"		.94"	10N	
		2.38"	1.06"	131N	ISR
	3.47"		1.06"	131N	OSR
		2.56"	1.19"	135N	ISR
	3.88"		1.19"	135N	OSR
		3.13"	1.19"	141N	ISR
	4.44"		1.19"	141N	OSR
		3.13"	1.38"	148N	ISR
	4.44"		1.38"	148N	OSR
	4.19"		1.38"	148N	BRG. ST.
	5.25"		1.38"	155N	OSR
	4.97"		1.38"	155N	BRG. ST.
	5.31"		1.88"	16N	
	6.09"		1.94"	17N	
	7.00"		1.94"	176N	
	7.55"		1.94"	18N	
	5.19"		1.63"	750N	
	6.06"		1.94"	850N	
	7.89"		2.50"	950N	
	7.00"		2.06"	20RPL	
	8.33"		2.06"	25RPL	

U-BOLT AND STRAP & BOLT	X	Z	SERIES
	BETWEEN LUGS	BEARING DIM.	
	3.22"	1.06"	131N
	3.63"	1.06"	133N
	3.63"	1.19"	135N
	4.19"	1.19"	141N
	4.19"	1.38"	148N
	4.97"	1.38"	155N
	5.31"	1.88"	16N
	6.19"	1.94"	17N
	7.09"	1.94"	176N
	7.63"	1.94"	18N

RPL DRIVELINE	X	SERIES
	BETWEEN LUGS	
	7.06"	20WYS
	8.38"	25WYS

WING BEARING	X	Y	SERIES
	SWING DIA.	PILOT DIA.	
	5.63"	5.31"	58WB
	5.84"	5.53"	62N
	6.22"	5.84"	72N
	6.88"	6.50"	85WB
	8.50"	8.13"	82N
	8.63"	8.25"	92N

ISR - Inside Snap Ring

OSR - Outside Snap Ring


BRG. ST. - Bearing Strap

TABLE OF CONTENTS (Cont.)

Supercession Listing	17
Cross Reference	18
Numerical Parts Listing	19

For additional parts and information, visit our online catalog at:
XpresswayPlus.ArvinMeritor.com

MERITOR XTENDED LUBE – MXL™ DRIVELINES



Available in popular sizes: 17N, 176N and 18N in both easy service and full round styles.

Moving you past your competition is the mobility that ArvinMeritor gives you. And, what better example of this mobility can be seen than in Meritor® universal joints and driveline components?

These components have been linking transmissions and drive axles for trouble-free driving for decades. Now Meritor has combined technologies to create the Meritor XTended Lube - MXL™ Driveline.

*Inspection intervals may differ. See ArvinMeritor driveline manual for details.

Features and Benefits:

○ Extended Lubrication Intervals

- Lube intervals of 100,000 miles for both slip section and u-joint reduce operating and maintenance costs

○ Advanced Sealing - Slip Section

- Field proven internally mounted advanced nitrile seal design ensures lubrication is protected from contaminants and prevents water intrusion



- Seal shroud incorporated from RPL design improves sealing characteristics and retains seals securely in place

○ Maximum Life - U-Joints

- Incorporates and builds upon the proven RN series U-joint design with RPL premium sealing technology
- U-joints are equipped with triple-lip seals to keep lubrication in and contaminants out for longer life
- U-joints feature proven technology including nylon thrust washers that eliminate metal-to-metal contact, preventing wear and extending life
- 3 year, 350,000 mile linehaul warranty
- 100,000 mile lubrication intervals for linehaul applications



○ Center Bearing - Self Aligning

- Standard on MXL
- Accommodates +/- 5 degree driveline angularity
- Sealed bearing with integral deflector shield and grease barrier protects the bearing against contamination without the use of external deflectors



○ Additional Performance Advantages

- Available in both full round and easy service yoke configurations
- Corrosion resistant seal guard protects and secures advanced slip seal improving durability over "booted" designs
- Standard with Polyglide™ coating which minimizes axial loads by reducing friction
- Robust easy service u-joint retention system eliminates spinning cups, through improved clamping force
- Tighter balance specifications reduces the potential for vibrations and ensures smooth operating performance

DECIMAL & MILLIMETER EQUIVALENTS

<u>INCH</u>	<u>INCH</u>	<u>MM</u>	<u>INCH</u>	<u>INCH</u>	<u>MM</u>
1/64	.0156	.397	33/64	.5156	13.097
1/32	.0313	.794	17/32	.5313	13.494
3/64	.0469	1.191	35/64	.5469	13.890
1/16	.0625	1.587	9/16	.5625	14.287
5/64	.0781	1.984	37/64	.5781	14.684
3/32	.0938	2.381	19/32	.5938	15.081
7/64	.1094	2.778	39/64	.6094	15.478
1/8	.125	3.175	5/8	.625	15.875
9/64	.1406	3.572	41/64	.6406	16.272
5/32	.1563	3.969	21/32	.6563	16.669
11/64	.1719	4.366	43/64	.6719	17.065
3/16	.1875	4.762	11/16	.6875	17.462
13/64	.2031	5.159	45/64	.7031	17.859
7/32	.2188	5.556	23/32	.7188	18.265
15/64	.2344	5.953	47/64	.7344	18.653
1/4	.25	6.350	3/4	.75	19.050
17/64	.2656	6.747	49/64	.7656	19.447
9/32	.2813	7.144	25/32	.7813	19.884
19/64	.2969	7.541	51/64	.7969	20.240
5/16	.3125	7.937	13/16	.8125	20.637
21/64	.3281	8.334	53/64	.8281	21.034
11/32	.3438	8.731	27/32	.8438	21.431
23/64	.3594	9.128	55/64	.8594	21.828
3/8	.375	9.525	7/8	.875	22.225
25/64	.3906	9.922	57/64	.8906	22.622
13/32	.4063	10.319	29/32	.9063	23.019
27/64	.4219	10.716	59/64	.9219	23.415
7/16	.4375	11.113	15/16	.9375	23.812
29/64	.4531	11.509	61/64	.9531	24.209
15/32	.4688	11.906	31/32	.9688	24.606
31/64	.4844	12.303	63/64	.9844	25.003
1/2	.5	12.700	1	1.000	25.400

DRIVELINE SERIES INFORMATION CHART

SERIES	PRODUCT LINE	APPLICATION
L6	Steering	- Medium/Heavy Truck - Off-Highway
L15	Marine	- Inboard/Outboard Drives
121N 131N 133N 135N	Light/Medium Truck	- Components - Assemblies
141N 148N 155N	Medium Truck	- Class 5 & 6 - Off-Highway - Flange/Drum Components - Components - Assemblies
10N	Heavy Truck	- Components - Assemblies
16N 17N 176N 18N	Heavy Truck	- Class 7 & 8 - Off-Highway - Easy Service and Round - Components - Assemblies
58WB 85WB 62N 72N 82N 92N	Wing Style	- Off-Highway - Construction - Heavy Truck - Components - Assemblies
750N 850N 950N	Axle Shafts	- Military - Off-Highway - Construction
WCS	Companion Flange	- Military - Off-Highway - Construction
CB	Center Bearings	- Medium Truck thru Off-Highway
CP	Center Parts Kits	- All Above Series
RPL	Heavy Truck	- Components - Assemblies

XpresswayPlus.ArvinMeritor.com



XpresswayPlus.ArvinMeritor.com

For all of your parts-ordering needs

Don't forget about using *XpresswayPlus* for:

- Ordering parts online
- Order status
- Price and availability
- Invoice Lookup
- Parts Catalog
- Online e-mail or phone numbers for Customer Service, Information Services, Marketing, Catalog, and eSupport
- Reference Library
- The Company Store
- Literature
- Dealer/Distributor locator

XpresswayPlus is easy to use, can reduce phone calls, and save you valuable time.

WHAT YOU NEED:	WHERE TO LOOK:
ACCOUNT CHANGE	CUSTOMER SERVICE
AFTERMARKET & PRODUCTION ASSEMBLIES	CATALOG
APPLICATION INFORMATION	CATALOG
BILL-OF-LADING NUMBER	ORDER STATUS
BILL-OF-MATERIAL	CATALOG
BULLETINS	REFERENCE LIBRARY
CONTACT NAMES & NUMBERS	CUSTOMER SERVICE
FIELD SUPPORT REPRESENTATIVES	CUSTOMER SERVICE
INVOICE (VIEW & PRINT)	ORDER STATUS
NEWSLETTER	REFERENCE LIBRARY
ORDER DETAILS	ORDER STATUS
ORDER HISTORY FILE	ORDER STATUS
ORDER MERCHANDISE	COMPANY STORE
ORDER SUBMIT	CREATE NEW ORDER
ORDER SUBMIT - STOCK UPLOAD (MULTIPLE LINES)	CREATE NEW ORDER
PART DETAILS	CATALOG
PART IMAGES	CATALOG
PART NUMBER COMPARISON	CATALOG
PARTS BOOKS	REFERENCE LIBRARY
PASSWORD CHANGE	CUSTOMER SERVICE
PRICE (LIST)	CATALOG
PRICE (NET) & AVAILABILITY	PRICE & AVAILABILITY
PRODUCT BROCHURES	REFERENCE LIBRARY
PRODUCT UPDATES	REFERENCE LIBRARY
PROOF-OF-DELIVERY	ORDER STATUS
REQUEST-FOR-QUOTATION (FOR MERITOR BRAND)	PRICE REQUEST
SALES LITERATURE	REFERENCE LIBRARY
SEND QUESTIONS, COMMENTS, ISSUES	CONTACT US
SHIPPER NUMBER	ORDER STATUS
TECH TIPS	REFERENCE LIBRARY
TRACKING NUMBER	ORDER STATUS
WARRANTY INFORMATION	REFERENCE LIBRARY
WHERE-USED INFORMATION	CATALOG


INDEX

Companion Flanges and Flange Yokes	Page
BRAKE FLANGE YOKES	
Round Bearings	1-4
Wing Bearings.....	1-5
COMPANION FLANGES	
Round.....	1-1
FLANGE YOKES	
Bearing Plate	1-3
Outside Snap Ring.....	1-2
Wing Bearings.....	1-3


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below. Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER



COMPANION FLANGES - ROUND




Spline Size	Face to End	Spline Length	Hub Dia.	Pilot Dia. M=Male F=Female	Bolt Circle Dia.	Hole Dia.	Flange O.D.	Style	Part Number
1.75"-10	3.50"	2.00"	2.50"	M-3.75"	4.75"	.50"	5.75"	1	148N-1-6081X
1.75"-34	2.94"	2.25"	2.50"	F-6.63"	6.13"	.38"	6.88"	1	3WCS28-93A ¹
1.97"-10	3.38"	2.62"	2.75"	F-7.75"	7.25"	.38"	8.00"	1	5WCS31-7A1 ¹
2.00"-39	3.31"	2.31"	3.00"	F-7.75"	7.25"	.41"	8.00"	1	5WCS32-86A
2.00"-39	3.31"	2.44"	2.75"	F-7.75"	7.25"	.38"	8.00"	1	5WCS32-103
2.00"-39	3.31"	2.63"	2.75"	F-7.75"	7.25"	.38"	8.00"	1	5WCS32-103A1 ¹
2.00"-39	3.38"	2.44"	2.75"	F-3.86"	5.08"	.58"	6.30"	2	3WCS32-75A1
2.38"-46	3.56"	2.32"	3.25"	F-7.75"	7.25"	.44"	8.00"	2	5WCS38-23A2
2.38"-46	3.64"	2.88"	3.25"	F-7.75"	7.25"	.44"	8.00"	2	5WCS38-24A
2.38"-46	3.88"	2.32"	3.25"	F-7.75"	7.25"	.38"	8.00"	1	5WCS38-18A
2.53"-16	3.50"	2.75"	3.50"	F-7.75"	7.25"	.44"	8.00"	1	5WCS40-45A ²
2.53"-16	3.68"	2.75"	3.50"	F-7.75"	7.25"	.44"	10.06"	1	5WCS40-39 ³

¹ Includes deflector/slinger.

³ Has additional pilot and threaded holes for mounting a parking brake drum. Includes wear sleeve and deflector.

² Includes wear sleeve/wiper.

FLANGE YOKES - OUTSIDE SNAP RING



Center to Face	Yoke Dim. Across Ears	Pilot Dia. M=Male F=Female	Bolt Circle Dia.	Bearing Cap Dia.	Hole Dia.	Flange O.D.	Joint Angle	Part Number
----------------	-----------------------	----------------------------------	------------------	------------------	-----------	-------------	-------------	-------------

1210 SERIES

U-JOINT KIT: CP443X

1.48"	2.69"	M-2.25"	2.75"	1.06"	.31"	3.36"	20°	121N-2-899
1.50"	2.69"	M-1.81"	2.16"	1.06"	.31"	3.81"	20°	121N-2-2323
1.63"	2.69"	M-2.00"	3.50"	1.06"	.50"	4.88"	20°	121N-2-1049
1.63"	2.69"	F-2.87"	3.94"	1.06"	.39"	4.88"	20°	121N-2-1050
1.81"	2.69"	M-1.77"	2.39"	1.06"	.39"	4.62"	20°	121N-2-686

131N SERIES

U-JOINT KIT: CP153X or CP200X

1.38"	3.47"	M-2.38"	3.13"	1.06"	.38"	3.88"	20°	131N-2-329
1.38"	3.47"	M-2.75"	3.75"	1.06"	.44"	4.63"	20°	131N-2-479
1.38"	3.47"	M-3.63"	2.63"	1.06"	.38"	3.63"	20°	131N-2-349
1.38"	3.47"	M-3.75"	4.75"	1.06"	.50"	5.88"	20°	131N-2-579
1.63"	3.47"	M-1.81"	2.21"/2.52"	1.06"	.31"	4.25"	15°	131N-2-799
1.63"	3.47"	M-1.81"	2.36"	1.06"	.39"	4.25"	15°	131N-2-799-1
1.63"	3.47"	F-2.00"	3.50"	1.06"	.50"	4.75"	20°	131N-2-939
1.63"	3.47"	M-2.25"	2.75"	1.06"	.31"	3.36"	15°	131N-2-899-1

135N SERIES

U-JOINT KIT: CP178X

1.56"	3.88"	M-2.75"	3.75"	1.19"	.44"	4.63"	20°	135N-2-119
-------	-------	---------	-------	-------	------	-------	-----	------------

141N SERIES

U-JOINT KIT: CP141N or CP160X

1.69"	4.44"	M-2.75"	3.75"	1.19"	.44"	4.63"	22°	141N-2-159
2.00"	4.44"	M-3.75"	4.75"	1.19"	.50"	5.88"	30°	141N-2-429

148N SERIES

U-JOINT KIT: CP148N or CP188X


2.00"	4.19"	M-3.75"	4.75"	1.38"	.51"	5.88"	20°	148N-2-479
-------	-------	---------	-------	-------	------	-------	-----	------------

155N SERIES

U-JOINT KIT: CP155N or CP155X

1.97"	4.97"	3.75"	4.75"	1.38"	.51"	5.88"	22°	155N-2-669 ⁹
-------	-------	-------	-------	-------	------	-------	-----	-------------------------

FLANGE YOKES - BEARING PLATE



Center to Face	Yoke Dimension Across Ears	Pilot Dia. M=Male F=Female	Bolt Circle Dia.	Bearing Cap Dia.	Hole Dia.	Flange O.D.	Style	Joint Angle	Part Number
----------------	----------------------------	----------------------------	------------------	------------------	-----------	-------------	-------	-------------	-------------

16N SERIES

U-JOINT KIT: CP16NS or CP279X


2.75"	5.31"	M-6.62"	6.13"	1.63"	.38"	6.88"	1	22°	16N-2-279
2.75"	5.31"	M-7.75"	7.25"	1.63"	.38"	8.00"	2	22°	16N-2-629

17N SERIES

U-JOINT KIT: CP17NS or CP280X

3.00"	6.09"	M-7.75"	7.25"	1.94"	.38"	8.00"	1	22°	17NF20
3.00"	6.09"	M-7.75"	7.25"	1.94"	.40"	8.00"	2	22°	17NF1
3.00"	6.09"	M-7.75"	7.25"	1.94"	.44"	8.00"	1	22°	17N-2-739
3.00"	6.09"	M-7.75"	7.25"	1.94"	.44"	8.00"	1		17NF27 ⁴
3.00"	6.09"	M-7.75"	7.25"	1.94"	.44"	8.00"	1		17NF28 ⁵

FLANGE YOKES - WING BEARINGS



Face to Face	Bolt Circle Dia.	Bolt Holes			Drum Pilot Dia. M=Male F=Female	Pilot Dia.	Flange Thickness	Slot Width	Kit Mtg. Holes	Part Number
		Dia.	No.	Spaced						

92N SERIES


U-JOINT KIT: CP92N-DWT, CP92N-HB, CP92N-HWD, or PERMALUBE

2.94"	7.25"	.44"	12	Unequally	M-7.75"	8.13"	.31"	.63"	.50"-20TH	92NF26
-------	-------	------	----	-----------	---------	-------	------	------	-----------	--------

⁴ Flange has eight holes equally spaced, dished out for nut clearance for ZF and Voith transmissions.

⁵ Flange has eight holes equally spaced, dished out for nut clearance for Allison transmission.

BRAKE FLANGE YOKES - ROUND BEARINGS



Spline Size	Ctr. to End	Hub Dia.	Bore Lgth.	Yoke Dim. Across Ears	Brg. Cap Dia.	Pilot Dia.	Outbrd Pilot Mtg. Surface	Inbrd Pilot Mtg. Surface	B. C. Dia.	Bolt Hole Size	Style	Joint Angle	Part Number
-------------	-------------	----------	------------	-----------------------	---------------	------------	---------------------------	--------------------------	------------	----------------	-------	-------------	-------------

141N SERIES

U-JOINT KIT: CP141N or CP160X

1.50"-35	5.06"	2.50"	2.00"	4.19"	1.19"	4.73"	3.56"		5.75"	.50"-13TH	2	22°	141TYSB24-6 ⁶
1.50"-35	5.06"	2.50"	2.00"	4.19"	1.19"	4.73"	3.56"		5.75"	.50"-13TH	2	22°	141TYSB24-6A ⁷
1.75"-10	5.06"	2.50"	2.00"	4.19"	1.19"	4.73"	3.56"	3.19"	5.75"	.50"-13TH	1		141NYSB28-4 ⁶
1.81"-34	9.38"	3.38"	2.75"	4.19"	1.19"	4.19"		6.97"	5.50"	.45"-DR	2		141TYSB29-1A

148N SERIES

U-JOINT KIT: CP148N or CP188X

1.75"-10	5.06"	2.50"	2.00"	4.19"	1.38"	4.73"	3.56"	3.19"	5.75"	.50"-13TH	1	20°	148NYSB28-17 ⁶
1.78"-34	6.19"	2.56"	2.75"	4.97"	1.38"	3.75"		3.55"	4.75"	.50"-13TH	2		148TYSB29-1
1.78"-34	6.25"	2.56"	2.75"	4.19"	1.38"	6.44"	3.55"		7.25"	.38"-24TH	2		148TYSB28-11A ⁶
1.81"-34	6.19"	2.56"	2.75"	4.19"	1.38"	3.75"	3.05"	3.55"	4.75"	.50"-13TH	1	40°	148NYSB29
2.00"-38	6.00"	2.75"	2.13"	4.19"	1.38"	6.45"	4.19"	3.69"	7.25"	.38"-24TH	2		148TYSB32-2A ⁶

155N SERIES

U-JOINT KIT: CP155N or CP155X



1.78"-34	6.25"	2.56"	2.75"	4.97"	1.38"				7.25"	TH	2		155TYSB28-22A
1.78"-34	6.25"	2.56"	2.75"	4.97"	1.38"	3.75"		3.55"	7.25"	.38"-24TH	2		155TYSB28-14A ⁸
1.78"-34	6.25"	2.56"	2.75"	4.97"	1.38"	6.44"	3.80"		7.25"	.41"-DR	2		155TYSB28-40A
2.00"-38	5.98"	2.75"	2.13"	4.97"	1.38"	6.44"		4.19"	7.25"	.38"-24TH	2		155TYSB32-13A

⁶ Pilot diameter is located on earwork side of flange.

⁷ Includes drum, capscrews and washers.



⁸ Pilot diameter is located on earwork side of flange. Flange has eight holes equally spaced.

BRAKE FLANGE YOKES - ROUND BEARINGS

Spline Size	Center to End	Yoke Dim Across Ears	Brg Cap Dia.	Hub Dia.	Hub Lgth	Bore Lgth	Barrel Dia.	Center Bore Dia.	Pilot Dia.	Bolt Circle Dia.	Bolt Hole Size	Outbrd Pilot Mtg Surface	Inbrd Pilot Mtg Surface	Part Number
141N SERIES U-JOINT KIT: CP141N or CP160X														
1.38"-32	8.55"	4.19"	1.19"	2.13"	1"	3.72"	1.77"	1.44" x .41"	3.38"	5.50"	.45"-DR	6.77"	6.17"	141TYSB22-18A ⁷
1.38"-32	8.72"	4.19"	1.19"	2.13"	1"	3.66"	1.69"	1.44" x .39"	3.56"	5.50"	.45"-DR	6.97"	6.35"	141TYSB22-11A ⁷

BRAKE FLANGE YOKES - WING BEARINGS

Spline Size	Face to End	Hub Dia.	Bore Lgth	Pilot Dia.	Drum Pilot Dia.	Outbrd Pilot Mtg Surface	Inbrd Pilot Mtg Surface	Bolt Circle Dia.	Flange O.D.	Bolt Hole Size	Kit Mtg. Holes	Slot Width	Part Number
85WB SERIES U-JOINT KIT: CP85WB-DWT, CP85WB-HB, CP85WB-HWD, or PERMALUBE													
2.25"-10	4.31"	3.00"	3.00"	6.50"	6.78"	3.22"		7.81"	8.69"	.45"-DR	.50"-20TH	.63"	85WBYSB36-30 ⁶
2.38"-46	4.31"	3.25"	2.88"	6.50"	6.75"	3.08"		7.81"	8.69"	.45"-DR	.50"-20TH	.63"	85WBYSB38-16 ⁶
92N SERIES U-JOINT KIT: CP92N-DWT, CP92N-HB, CP92N-HWD, or PERMALUBE													
2.25"-10	7.63"	3.25"	3.00"	8.25"	10.50"	6.66"	6.00"	12.00"	13.63"	.63"-11TH	.50"-20TH	.63"	92NYSB36-72 ¹⁰

¹⁰ Flange has ten holes equally spaced.
⁷ Includes drum, capscrews and washers.

⁶ Pilot diameter is located on earwork side of flange.

DRIVELINE TIPS I

1. Check for excess tolerances before lubing application. Lube may mask, or hide excessive play and tolerances.
2. U-Joint maximum end play is .006. More than that will result in failure.
3. Slip movement, up and down, maximum allowance is .017. More than that will result in failure.
4. Dents, missing weights, dirt and foreign material buildup on shaft, can cause vibration and balance issues, resulting in failure that can also cause damage to transmission and axle.
5. Center Bearings, new self aligning style, has gold colored collar, without deflectors. Self align style became available in 2002 and will allow + / -5° angle deflection.
6. Driveshaft standard slip application has splines that face the power source and end yoke.
7. Driveshaft outboard slip assembly has splines that face toward rear of application.
8. Phasing - mark slip position with paint stripe during disassembly to make sure that you reassemble in same position and phasing to avoid timing and vibration issues.
9. Lubrication Basic Procedures:
U-joints - make sure that grease purges at all four seals, to ensure that old grease does not contaminate new grease, potential chemical incompatibility.
Slip Splines - 6 to 8 pumps from grease gun is acceptable.
10. Refer to Maintenance manual MM-96147 for additional information regarding torque specifications and troubleshooting information.

SECTION 2


INDEX

Slip Yokes	Page
SLIP YOKES	
Bearing Plate	2-2
Inside Snap Rings.....	2-2
Outside Snap Rings	2-1
Wing Bearings.....	2-4
TRANSMISSION SLIP YOKES	
Inside Snap Rings.....	2-5
Outside Snap Rings	2-5


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below.
Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.

MERITOR ENGINEERING NUMBER




MERITOR AFTERMARKET NUMBER



SLIP YOKES - OUTSIDE SNAP RINGS

2




Spline Size	Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Dia.	Dust Cap Style	Dust Cap	Joint Angle	Part Number
121N SERIES U-JOINT KIT: CP443X								
1.25"-14	6.41"	5.13"	2.69"	1.06"	2 Snap-On	R280196	20°	121N-3-8861KX ¹
1.25"-14	8.02"	6.75"	2.69"	1.06"	2 Snap-On	R280196	20°	121N-3-8961KX ¹
131N SERIES U-JOINT KIT: CP153X or CP200X								
1.25"-16	6.56"	6.03"	3.47"	1.06"	1	ND2K	30°	131N-3-4441KX
1.38"-16	5.38"	4.84"	3.47"	1.06"	2 Snap-On	R280194	15°	131N-3-128KX
1.38"-16	6.00"	4.95"	3.47"	1.06"	2 Snap-On	R280194	20°	131N-3-7981KX
1.38"-16	6.88"	5.34"	3.47"	1.06"	2 Snap-On	R280194	30°	131N-3-8001KX
1.38"-16	7.88"	6.34"	3.47"	1.06"	2 Snap-On	R280194	30°	131N-3-8021KX
1.38"-31	6.63"	6.09"	3.47"	1.06"	2	ND3A	15°	131N-3-7171KX
1.50"-16	6.88"	6.34"	3.47"	1.06"	2	ND3A	30°	131N-3-6061KX
133N SERIES U-JOINT KIT: CP213X								
1.38"-15	6.63"	6.09"	3.88"	1.06"	2 Snap-On	R280194	15°	133N-3-7681KX
1.38"-16	6.00"	4.95"	3.88"	1.06"	2 Snap-On	R280194	15°	133N-3-7961KX
1.38"-16	7.50"	6.41"	3.88"	1.06"	2 Snap-On	R280194	19°	133N-3-8041KX
135N SERIES U-JOINT KIT: CP178X								
1.38"-16	5.25"	4.66"	3.88"	1.19"	1	ND3E	15°	135N-3-758KX
1.38"-16	5.25"	5.22"	3.88"	1.19"	1 Snap-On	R280195	15°	135N-3-1501KX
1.38"-31	6.63"	6.03"	3.88"	1.19"	2	ND3A	20°	135N-3-2471KX
1.50"-16	5.81"	5.22"	3.88"	1.19"	2	ND3A	20°	135N-3-598KX
1.50"-16	6.72"	6.13"	3.88"	1.19"	2	ND3A	20°	135N-3-1561KX
1.50"-16	7.31"	6.72"	3.88"	1.19"	2	ND3A	20°	135N-3-488KX
141N SERIES U-JOINT KIT: CP141N or CP160X								
1.38"-16	5.25"	4.66"	4.44"	1.18"	1	ND3E	20°	141N-3-788KX
1.38"-16	5.81"	5.22"	4.44"	1.18"	1 Snap-On	R280195	20°	141N-3-1481KX
1.50"-16	5.25"	4.66"	4.44"	1.18"	1	ND3K	20°	141N-3-2041KX
1.50"-16	6.50"	5.91"	4.44"	1.18"	2	ND3A	20°	141N-3-118KX
1.50"-16	7.81"	7.22"	4.44"	1.18"	2	ND3A	28°	141N-3-508KX
148N SERIES U-JOINT KIT: CP148N or CP188X								
1.56"-16	6.81"	5.45"	4.44"	1.38"	2	ND3H	21°	148N-3-1601KX
1.56"-16	9.50"	7.50"	4.44"	1.38"	2	ND3H	35°	148N-3-1641KX
155N SERIES U-JOINT KIT: CP155N or CP155X								
1.75"-16	6.88"	5.81"	4.97"	1.38"	2 Snap-On	SERUR21-3	22°	155N-3-1241X
20R SERIES U-JOINT KIT: CP20RPLS								
2.50"-16	11.45"	8.53"	7.25"	2.06"	3	KIT 20RPL SEAL	32°	20RLS40-2A1S ²
2.50"-16	12.05"	8.53"	7.25"	2.06"	3	KIT 20RPL SEAL	44°	20RLS40-3A1S ²
2.50"-16	12.15"	9.23"	7.25"	2.06"	3	KIT 20RPL SEAL	27°	20RLS40-11A1S
25R SERIES U-JOINT KIT: CP25RPLS								
3.00"-16	11.28"	8.53"	8.58"	2.06"	3	DEFR61-3 and SERUR40-21	22°	25RLS48-1A1S ³

¹ Spline is 14 based on 16 spacing.

³ Slip Yoke Assembly includes dust seal and shroud. Use RPL-Lube-50 grease supplied with slip yoke in installation. If using as a replacement for 25RLS40-1A2, then must replace with kit 25RPLSLIP which includes Slip Yoke and Spline Plug.


² Slip Yoke Assembly includes dust seal and shroud. Use RPL-Lube-50 grease supplied with slip yoke in installation.

SLIP YOKES - INSIDE SNAP RINGS




Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Dia.	Dust Cap	Joint Angle	Part Number
3R SERIES 1.38" - 31 SPLINE (Based on 32 Involute Spline) U-JOINT KIT: CP3147X						
7.38"	6.02"	2.56"	1.13"	ND3A	22°	R3R-3-9165KX
131N SERIES 1.38" - 16 SPLINE U-JOINT KIT: CP1306X						
6.88"	5.68"	2.13"	1.08"	R280194	18°	131N-3-7260KX

SLIP YOKES - BEARING PLATE



Spline Size	Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Dia.	Dust Cap Style	Dust Cap	Joint Angle	Part Number
16N SERIES U-JOINT KIT: CP16NS or CP279X								
2.00"-16		8.60"			2 Snap On	SERUR25-4		16NLS32-47A1
2.00"-16	7.81"	6.38"	5.31"	1.88"	2 Snap-On	SERUR25-4	22°	16N-3-108X
2.00"-16	8.94"	7.50"	5.31"	1.88"	2 Snap-On	SERUR25-4	21°	16N-3-128X
2.00"-16	9.31"	7.38"	5.31"	1.88"	2 Snap-On	SERUR25-2	30°	16N-3-288X
2.00"-16	10.31"	8.38"	5.31"	1.88"	2 Snap-On	SERUR25-4	27°	16N-3-1411X
2.00"-16	10.81"	8.38"	5.31"	1.88"	2 Snap-On	SERUR25-4	35°	16N-3-2261X
17N SERIES U-JOINT KIT: CP17NX or CP280X								
2.50"-10	8.84"	7.13"	6.09"	1.94"	1	DC17N		17N-3-1461X
2.50"-16	6.73"	5.00"	6.09"	1.94"	2 Snap-On	SERUR33-5		17N-3-2761X
2.50"-16	7.97"	6.25"	6.09"	1.94"	2 Snap-On	SERUR33-5		17NLS40-98CA
2.50"-16	8.84"	7.13"	6.09"	1.94"	2 Snap-On	SERUR33-5		17N-3-2631X
2.50"-16	9.59"	7.88"	6.09"	1.94"	2 Snap-On	SERUR33-5	22°	17N-3-2671X
2.50"-16	10.41"	7.50"	6.09"	1.94"	2 Snap-On	SERUR33-5		17N-3-3021X
2.50"-16	11.41"	8.50"	6.09"	1.94"	2 Snap-On	SERUR33-5		17NLS40-124A
2.50"-16	11.41"	8.50"	6.09"	1.94"	1	DC17N-3		17NLS40-82DC
2.50"-16	11.69"	9.25"	6.09"	1.94"	2 Snap-On	SERUR33-5	30°	17N-3-2651X
2.50"-16	11.72"	8.50"	6.09"	1.94"	2 Snap-On	SERUR33-5		17N-3-2571X
2.50"-16	11.97"	9.06"	6.09"	1.94"	2 Snap-On	SERUR33-5		17NLS40-121A
2.50"-16	12.72"	9.63"	6.09"	1.94"	1	DC17N-3	45°	17N-3-2401X

SLIP YOKES - BEARING PLATE




Spline Size	Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Dia.	Dust Cap Style	Dust Cap	Joint Angle	Part Number
18N SERIES		U-JOINT KIT: CP18NS or CP281X						
3.00"-16	7.06"	5.56"	7.55"	1.94"	2 Snap-On	SERUR40-9	30°	18NLS48-13A
3.00"-16	8.94"	7.97"	7.55"	1.94"	2 Snap-On	SERUR40-9	30°	18N-3-1431X
3.00"-16	10.25"	7.94"	7.55"	1.94"	2 Snap-On	SERUR40-9	30°	18N-3-1351X
3.00"-16	11.88"	9.56"	7.55"	1.94"	2 Snap-On	SERUR40-9	30°	18N-3-1371X
176N SERIES		U-JOINT KIT: CP176NS or CP407X						
2.50"-16	9.25"	7.88"	7.00"	1.94"	2 Snap-On	SERUR33-5	30°	176N-3-41X
2.50"-16	11.16"	9.25"	7.00"	1.94"	2 Snap-On	SERUR33-5	30°	176N-3-21X



MERITOR

an **ArvinMeritor** brand


SLIP YOKES - WING BEARINGS



Spline Size	Face to End	Length of Hole	Pilot Diameter	Slot Width	Dust Cap Style	Related Dust Cap Group	Kit Mtg. Holes	Part Number
58WB SERIES U-JOINT KIT: "CP58WB-DWT, CP58WB-HB, CP58WB-HWD, or PERMALUBE"								
1.75"-16	6.75"	5.50"	5.31"	0.63"	3 Threaded	SERUR25-4	.47"-DR	58WBLS28-41A
1.75"-16	8.75"	7.50"	5.31"	0.63"	3 Threaded	SERUR25-4	.47"-DR	58WBLS28-42A
62N SERIES U-JOINT KIT: CP62N-DWT, CP62N-HB, CP62N-HWD, or PERMALUBE								
1.75"-10	5.63"	5.00"	5.53"	.56"	1	DC62N-1	.38"-24TH	62NLS28-43DC
1.75"-10	7.38"	6.44"	5.53"	.56"	2	DC62N	.41"-DR	62NLS28-3DC
1.75"-16	6.38"	5.50"	5.53"	.56"	3 Threaded	SERUR22-4	.41"-DR	62NLS28-82A
1.75"-16	9.50"	8.00"	5.53"	.56"	3 Threaded	SERUR22-4	.41"-DR	62NLS28-2A
72N SERIES U-JOINT KIT: CP72N-DWT, CP72N-HB, CP72N-HWD, or PERMALUBE								
2.00"-10	7.44"	6.50"	5.84"	.63"	3 Threaded	SERUR25-1	.50"-20TH	72NLS32-1DC
2.00"-16	7.06"	6.06"	5.84"	.63"	3 Threaded	SERUR25-1	.47"-DR	72NLS32-142A
2.00"-16	10.88"	9.25"	5.84"	.63"	3 Threaded	SERUR25-1	.47"-DR	72NLS32-20DC
82N SERIES U-JOINT KIT: CP82N-DWT, CP82N-HB, CP82N-HWD, or PERMALUBE								
2.50"-16	8.56"	7.56"	8.13"	.63"	3 Threaded	SERUR33-4	.47"-DR	82NLS40-83A
2.50"-16	9.75"	8.63"	8.13"	.63"	3 Threaded	SERUR33-4	.47"-DR	82NLS40-85A
92N SERIES U-JOINT KIT: CP92N-DWT, CP92N-HB, CP92N-HWD, or PERMALUBE								
3.00"-10	6.75"	5.50"	8.25"	.63"	1	DC92N	.50"-20TH	92NLS48-3DC
3.00"-16	9.63"	8.50"	8.25"	.63"	3 Threaded	SERUR40-3	.50"-20TH	92NLS48-47DC
3.00"-16	10.63"	9.50"	8.25"	.63"	3 Threaded	SERUR40-3	.53"-DR	92NLS48-66A


TRANSMISSION SLIP YOKES - OUTSIDE SNAP RINGS

2



Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Diameter	Seal Diameter	Joint Angle	Spline Length	Part Number
121N SERIES		0.998" - 20 SPLINE (Based on 22 Involute Spline)			U-JOINT KIT: CP443X		
6.00"	4.73"	2.69"	1.06"	1.38"	20°	CB	121N-3-686X
121N SERIES		1.005" - 22 SPLINE (Based on 24 Involute Spline)			U-JOINT KIT: CP443X		
4.75"	3.48"	2.69"	1.06"	1.38"	20°	CB	121N-3-1224-1X
6.00"	4.73"	2.69"	1.06"	1.38"	20°	CB	121N-3-1224X
121N SERIES		1.102" - 21 SPLINE (Involute Spline)			U-JOINT KIT: CP443X		
6.00"	4.73"	2.69"	1.06"	1.50"	20°	FS	121N-3-2321X

TRANSMISSION SLIP YOKES - INSIDE SNAP RINGS




Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Diameter	Seal Diameter	Spline Length	Part Number
3R SERIES		1.17" - 26 SPLINE (Based on 27 Involute Spline)			U-JOINT KIT: CP3147X	
5.47"	4.59"	2.56"	1.13"	1.50"	FS	R3R-3-6081X
3R SERIES		1.39" - 31 SPLINE (Based on 32 Involute Spline)			U-JOINT KIT: CP3147X	
7.50"	6.50"	2.56"	1.13"	1.88"	CB	R3R-3-9131X
7.50"	6.50"	2.56"	1.13"	1.88"	FS	R3R-3-9161X
8.06"	6.70"	2.56"	1.13"	1.88"	FS	R3R-3-9101X

Spline Length: CB - Counterbore in end of barrel. FS - Fully Splined

MERITOR PERMALUBE™ RPL SERIES DRIVELINES

Performance Advantages:

- Proven longer U-joint life on today's gear fast/run slow drivetrains
- The only driveline available that is permanently lubricated and sealed for life
- Permanent lubrication reduces both operating and maintenance costs
- Delivers significantly higher torque capacities



Features and Benefits:

- Designed specifically for the needs of line-haul trucking applications
- Simple bolt-together driveline assembly provides the ultimate in easy service
- Patch Lock Bolts with "Patch Lock" feature assure a secure connection for life
- Both U-joint and slip section are sealed and greased for life which reduces operating costs
- A "first" in on-highway U-joints – double-row needle bearings provide optimum bearing alignment and longer life
- U-joint features nylon thrust washers that eliminate metal-to-metal contact to prevent wear
- Patented U-joint snap ring retention feature correctly positions U-joints for lifetime fit

For more information, call our customer service team at 888.725.9355 or visit www.XpresswayPlus.arvinmeritor.com.

SECTION 3



INDEX

End Yokes	Page
ROUND BEARINGS	
131N Series.....	3-1
16N Series.....	3-1
176N Series.....	3-9
17N Series.....	3-4
18N Series.....	3-11
ROUND BEARINGS STRAIGHT ROUND HOLE	
131N Series.....	3-13
RPL	
20R Series.....	3-22
25R Series.....	3-24
WING BEARINGS	
58WB Series	3-13
62N Series.....	3-14
72N Series.....	3-16
82N Series.....	3-18
92N Series.....	3-20
WING BEARINGS STRAIGHT ROUND HOLE	
58WB SERIES	3-22
72N SERIES.....	3-22
92N SERIES.....	3-22


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below. Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBERS



MERITOR AFTERMARKET NUMBER




ROUND BEARINGS - 131N SERIES




3

ROUND BEARINGS - 16N SERIES



¹³ .375" diameter set screw. Hub not ground.


ROUND BEARINGS - 16N SERIES



U-JOINT KIT:
R279X


Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.77" - 45 SPLINE					
5.36"	2.25"	2.51"	43°	DEFR47-3	16NYS28-64A
1.78" - 34 SPLINE					
4.94"	2.43"	2.62"	27°		16NYS28-60
5.31"	2.75"	2.56"			16N-4-4841X
1.88" - 10 SPLINE					
4.56"	2.38"	2.75"			16NYS30A
5.00"	2.38"	2.75"	32°		16N-4-2501
1.97" - 10 SPLINE					
5.12"	2.62"	2.75"	32°		16N-4-3681
5.12"	2.62"	2.75"	32°	DEFR47-2	16N-4-5281X
5.22"	2.00"	2.50"	35°		16N-4-4551
5.31"	2.25"	2.62"	32°		16N-4-4471
5.38"	2.25"	3.00"	32°		16N-4-4541
2.00" - 10 SPLINE					
5.19"	2.56"	2.94"	32°		16N-4-1631
2.00" - 16 SPLINE					
4.94"	2.38"	3.25"	27°		16NYS32-47
2.00" - 30 SPLINE					
6.00"	2.69"	3.00"	45°		16N-4-5721
2.00" - 38 SPLINE					
4.00"	2.13"	2.75"			16N-4-6321
2.00" - 39 SPLINE					
4.50"	2.00"	2.75"			16NYS32-43
4.72"	2.25"	2.62"	23°		16NYS32-74
4.72"	2.25"	2.62"	23°	DEFR44-11	16NYS32-74A
5.12"	2.44"	2.75"			16N-4-6951X
5.31"	2.25"	2.62"	35°		16N-4-5981
5.31"	2.25"	2.62"	35°	DEFR44-11	16N-4-5991X
5.54"	2.31"	3.00"	27°	DEFR50-19	16NYS32-32A3
5.54"	2.31"	3.00"	30°		16N-4-6271
5.54"	2.31"	3.00"	30°	DEFR50-7	16N-4-6281X
5.94"	2.44"	2.75"		DEFR47-13	16N-4-6961X
5.94"	2.44"	2.75"	45°		16N-4-5441
6.22"	2.31"	3.00"	45°		16N-4-6241
6.22"	2.31"	3.00"	45°	DEFR59-1	16N-4-6291X
6.25"	2.44"	2.75"	45°		16N-4-5461

ROUND BEARINGS - 16N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.03" - 10 SPLINE					
4.50"	2.00"	2.75"	32°		16N-4-4401
2.13" - 32 SPLINE					
5.38"	2.25"	3.00"	36°		16N-4-5751
6.00"	2.25"	3.00"	33°		16N-4-5731
2.14" - 41 SPLINE					
2.18"	4.85"	3.00"	27°	DEFR50-7	16NYS34-23A
2.16" - 16 SPLINE					
6.25"	3.00"	2.94"	29°		16N-4-5031
2.23" - 6 SPLINE					
5.72"	3.25"	3.00"	25°		16NYS36-7
2.25" - 10 SPLINE					
5.50"	3.00"	3.50"	32°		16N-4-3321
5.63"	3.00"	3.00"			16N-4-6891X
2.38" - 36 SPLINE					
5.16"	2.69"	3.00"	27°		16N-4-5631
6.00"	2.69"	3.00"	45°		16N-4-5741
2.38" - 46 SPLINE					
4.94"	2.32"	3.25"			16NYS38-8A
5.50"	2.88"	3.25"	22°	DEFR54-5	16NYS38-11A
6.19"	2.33"	3.25"	42°		16NYS38-12
6.19"	2.32"	3.25"	42°	DEFR56-7	16NYS38-12A

ROUND BEARINGS - 17N SERIES




U-JOINT KIT:
R280X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.63" - 10 SPLINE					
4.73"	2.13"	2.38"			17NYS26
1.75" - 10 SPLINE					
4.88"	2.25"	2.75"	30°		17N-4-2381
4.88"	2.25"	2.75"	30°		17NYS28-11 ¹
5.25"	2.25"	2.62"	30°		17N-4-3391
5.25"	2.25"	2.62"	30°	DEFR42-1	17N-4-4301X
6.12"	2.25"	2.62"	45°		17N-4-4141
6.12"	2.25"	2.62"	45°	DEFR42-1	17N-4-4861X
6.25"	2.25"	2.75"			17N-4-4831X
6.25"	2.25"	2.75"	45°		17N-4-4091
1.75" - 34 SPLINE					
4.88"	2.25"	2.50"	30°	DEFR47-7	17N-4-5131X
4.88"	2.25"	2.50"	30°		17N-4-6331
5.44"	2.44"	2.62"			17NYS28-66A
5.97"	2.25"	2.50"	45°	DEFR47-7	17N-4-5111X
5.97"	2.25"	2.50"	45°		17N-4-6321
1.78" - 34 SPLINE					
5.44"	2.44"	2.62"	33.5°		17N-4-6481
6.31"	2.44"	2.62"	45°		17N-4-6451
7.19"	2.75"	2.56"	33°		17N-4-5031
7.19"	2.75"	2.56"	33°		17N-4-5041X ²
1.79" - 34 SPLINE					
6.31"	2.44"	2.63"		N.S.S.	17N-4-8521X ⁶
1.88" - 10 SPLINE					
4.50"	2.38"	2.75"	22°		17N-4-2271
5.38"	2.38"	2.75"	30°		17N-4-3361
1.94" - 10 SPLINE					
4.56"	2.25"	3.00"	22°		17N-4-3291
1.94" - 30 SPLINE					
4.56"	2.25"	3.00"	20°		17N-4-4371
1.97" - 10 SPLINE					
4.50"	2.25"	2.62"	24.5°		17N-4-4721
4.50"	2.25"	2.62"	24.5°	DEFR56-1	17N-4-4731X
4.50"	2.25"	2.62"	45°		17N-4-2211
4.81"	2.62"	2.75"	26°		17N-4-2161
4.81"	2.62"	2.75"	26°	DEFR47-2	17N-4-4181X
5.00"	3.00"	2.44", 2.81", 3.38"	26°		17N-4-1981 ³
5.00"	2.00"	2.50"	30°		17N-4-3721

¹ Deflector diameter is 2.953 in..
³ Center Bearing yoke.

² Includes washer.
⁶ High Angle Yoke.


ROUND BEARINGS - 17N SERIES



3

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.97" - 10 SPLINE					
5.00"	2.00"	2.62"	30°		17N-4-2391
5.25"	2.25"	2.62"	32°		17N-4-5141
5.25"	2.25"	2.62"	32°	DEFR42-1	17N-4-5151X
5.25"	2.62"	2.75"	30°		17N-4-3221
5.25"	2.62"	2.75"	30°	DEFR47-2	17N-4-4361X
6.12"	2.25"	2.62"	45°		17N-4-4151
6.12"	2.25"	2.62"	45°	DEFR42-1	17N-4-4851X
6.50"	2.62"	2.75"	45°		17N-4-4131
6.50"	2.62"	2.75"	45°	DEFR47-2	17N-4-4481X
1.99" - 30 SPLINE					
6.28"	2.70"	3.00"		DEFR48-6	17N-4-7231X ⁶
2.00" - 10 SPLINE					
5.00"	2.00"	2.75"	33°		17N-4-2371
5.19"	2.56"	2.75"	30°		17N-4-3271
5.19"	2.56"	2.75"	30°	DEFR47-6	17N-4-4391X
5.19"	2.56"	2.94"	30°		17N-4-3241
5.19"	2.56"	2.94"	30°	DEFR47-3	17N-4-4291X
5.19"	2.56"	2.94"	30°	DEFR47-12	17N-4-4741X
5.63"	3.00"	2.94"	30°		17N-4-2191
2.00" - 30 SPLINE					
6.11"	2.69"	3.00"	45°		17N-4-5781
2.00" - 38 SPLINE					
5.00"	3.00"	2.81"	25°		17N-4-7141
2.00" - 39 SPLINE					
4.81"	2.44"	2.75"	26°		17N-4-5541
4.81"	2.44"	2.75"	26°	DEFR47-13	17N-4-6941X
5.00"	2.00"	2.75"	30°		17NYS32-60
5.16"	2.31"	3.00"			17NYS32-100
5.16"	2.31"	3.00"		DEFR59-1	17NYS32-100A
5.16"	2.31"	3.00"	30°	DEFR59-2	17N-4-6411X
5.16"	2.31"	3.00"	32°	DEFR59-2	17NYS32-100A1
5.16"	2.31"	3.00"	32°	DEFR59-5	17NYS32-100A2
5.25"	2.25"	2.62"			17N-4-8531X
5.25"	2.25"	2.62"	33°		17N-4-5991
5.25"	2.44"	2.75"	30°		17N-4-5521
5.25"	2.44"	2.75"	30°	DEFR47-13	17N-4-6951X
5.25"	2.44"	2.75"	30°	DEFR47-5	17NYS32-41A1

ROUND BEARINGS - 17N SERIES



U-JOINT KIT:
R280X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
---------------	---------------	--------------	-------------	-----------	-------------

2.00" - 39 SPLINE

5.25"	2.44"	2.75"	32°	DEFR47-4	17NYS32-41A2
5.25"	2.28"	3.00"	32°	DEFR50-24	17NYS32-92A
6.12"	2.25"	2.62"	45°		17N-4-6011
6.12"	2.25"	2.62"	45°	DEFR44-11	17N-4-6021X
6.25"	2.31"	3.00"	45°	DEFR50-7	17N-4-6391X
6.25"	2.31"	3.00"	45°		17NYS32-99
6.25"	2.31"	3.00"	45°	DEFR59-1	17NYS32-99A
6.25"	2.31"	3.00"	45°	DEFR59-5	17NYS32-99A3
6.50"	2.44"	2.75"	30°		17N-4-5501
6.50"	2.44"	2.75"	30°	DEFR47-13	17N-4-6871X
6.50"	2.44"	2.75"	30°	DEFR47-4	17NYS32-40A1

2.02" - 39 SPLINE

5.25 in	2.50"	2.63"		DEFR44-13	17N-4-9041X
6.13"	2.50"	2.63"		DEFR44-13	17N-4-9001X

2.03" - 10 SPLINE

5.00"	2.00"	2.75"	25°		17N-4-3791
-------	-------	-------	-----	--	------------

2.11" - 32 SPLINE

6.25"	2.25"	3.00"		DEFR48-6	17N-4-7171X ⁶
-------	-------	-------	--	----------	--------------------------

2.13" - 32 SPLINE

4.56"	2.25"	3.00"			17NYS34-15
5.00"	2.25"	3.00"	26°		17N-4-5821
6.25"	2.25"	3.00"	45°		17N-4-5791
6.25"	2.25"	3.00"	45°	DEFR54-1	17NYS34-9A

2.13" - 41 SPLINE

5.16"	2.31"	2.94"	31°		17NYS34-20
5.35"	2.50"	2.94"			17NYS34-29A
5.35"	2.50"	2.94"	31°		17NYS34-29
6.12"	2.50"	2.94"	42.5°		17NYS34-19
6.12"	2.50"	2.94"	42.5°	DEFR48-15	17NYS34-19A1
6.63"	3.00"	2.94"			17N-4-7541
6.63"	3.00"	2.94"			17NYS34-18A1


2.14" - 41 SPLINE

6.13"	2.50"	2.94"		DEFR48-2	17N-4-7561X ⁶
-------	-------	-------	--	----------	--------------------------

2.16" - 16 SPLINE

5.19"	2.50"	2.94"	26°		17N-4-4961
5.19"	2.50"	2.94"	26°	DEFR48-5	17N-4-5061X
5.50"	3.00"	2.94"			17N-4-4171X

ROUND BEARINGS - 17N SERIES





3

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.16" - 16 SPLINE					
5.50"	3.00"	2.94"	23.5°		17N-4-2181
6.31"	3.00"	2.94"	45°		17NYS34-5
6.63"	3.00"	2.94"	40°		17N-4-4591
6.63"	3.00"	2.94"	40°	DEFR48-2	17N-4-5481X
2.22" - 6 SPLINE					
5.31"	3.25"	3.00"	26°		17N-4-3031
5.31"	3.25"	3.00"	26°	DEFR49-1	17N-4-3041X
2.25" - 10 SPLINE					
5.25"	2.88"	3.00"	26°		17N-4-2511
5.25"	2.94"	3.13"	26°		17N-4-2151
5.25"	2.25"	3.13"	30°		17N-4-2441
5.25"	3.00"	3.25"	22°		17N-4-2501
5.25"	2.25"	3.25"	30°		17N-4-1971
5.25"	3.00"	3.50"	22°		17N-4-2141
6.06"	3.00"	3.00"	32°		17N-4-1991
6.06"	3.00"	3.00"	32°	DEFR50-2	17N-4-4411X
7.19"	3.00"	3.00"			17N-4-6891X
2.25" - 6 SPLINE					
5.25"	2.25"	3.25"	30°		17N-4-3501
2.28" - 44 SPLINE					
5.19"	2.50"	2.94"			17N-4-8551X
5.19"	2.50"	2.94"	26°		17N-4-6031
5.19"	2.50"	2.94"	26°	DEFR48-5	17N-4-6041X
2.34" - 16 SPLINE					
4.94"	2.75"	3.31"	26°		17N-4-4601 ³
4.94"	2.75"	3.31"	26°	DEFR55-1	17N-4-5071X
5.19"	2.75"	2.81"	21°		17N-4-5341
2.36" - 18 SPLINE					
5.75"	3.38"	3.50"	26°		17N-4-4561
2.36" - 36 SPLINE					
6.50"	2.69"	3.00"		DEFR48-6	17N-4-7241X ⁶
2.38" - 36 SPLINE					
5.44"	2.69"	3.00"	26°		17N-4-5711
6.50"	2.69"	3.00"	45°		17N-4-5801

3 Center Bearing yoke.

6 High Angle Yoke.

ROUND BEARINGS - 17N SERIES



U-JOINT KIT:
R280X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
---------------	---------------	--------------	-------------	-----------	-------------

2.38" - 46 SPLINE

4.88"	2.33"	3.25"	22°		17NYS38-61
4.88"	2.32"	3.25"	22°	DEFR56-7	17NYS38-61A
4.94"	2.41"	2.95", 3.75"	27°		17N-4-6601 ⁵
5.00"	1.95"	3.25"	32°		17NYS38-78
5.16"	2.41"	3.50"	22°		17N-4-5841
5.38"	2.33"	3.25"	31°		17N-4-7161
5.38"	2.32"	3.25"	31°	DEFR56-7	17N-4-7181X
5.38"	2.32"	3.25"	34°	DEFR56-12	17NYS38-32A2
5.69"	2.62"	3.25"	30°		17N-4-5451
5.69"	2.62"	3.25"	30°	DEFR54-1	17N-4-5461X
5.75"	3.38"	3.50"	26°		17N-4-4771
5.94"	2.88"	3.25"		DEFR54-5	17N-4-6961X
5.94"	2.88"	3.25"			17NYS38-31
5.94"	2.88"	3.25"	45°	DEFR54-1	17N-4-5961X
6.00"	3.20"	3.38"			17NYS38-44A1
6.19"	2.88"	3.25"			17NYS38-17A2
6.19"	2.88"	3.25"	45°		17NYS38-17
6.50"	2.33"	3.25"	45°		17NYS38-38
6.50"	2.32"	3.25"	45°	DEFR56-7	17NYS38-38A
6.93"	2.88"	3.25"	45°	DEFR54-5	17N-4-7851X
6.93"	2.88"	3.25"	45°		17NYS38-63

2.42" - 18 SPLINE

5.81"	3.00"	3.38"	25°		17N-4-4581
-------	-------	-------	-----	--	------------

2.50" - 10 SPLINE

5.16"	2.39"	3.50"	22°		17N-4-4421
5.63"	3.00"	3.75"	30°		17N-4-3611
5.63"	3.00"	3.75"	30°	DEFR62-1	17N-4-6921X

2.53" - 16 SPLINE

5.81"	3.25"	3.25"			17NYS40-37A
6.44"	2.75"	3.25"			17NYS40-106A
6.44"	2.75"	3.25"	40°		17NYS40-106
6.44"	2.75"	3.25"	40°	DEFR60-1	17NYS40-106A1 ⁶


2.63" - 20 SPLINE

5.19"	2.75"	3.00"			17N-4-7071X
5.19"	2.75"	3.75"	26°		17N-4-5351


4 Keyway for speedometer gear on hub.
6 Also includes seal and wiper.

5 Step hub diameter is 2.95 in./3.75 in..

ROUND BEARINGS - 17N SERIES


			U-JOINT KIT: R280X		
Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.75" - 10 SPLINE					
5.31"	2.94"	3.38"	20°		17N-4-4651 ⁴
5.75"	3.00"	3.50"	22°		17N-4-4551
5.75"	3.00"	3.75"	20.5°	DEFR65-1	17N-4-6841X
5.75"	3.00"	3.75"	22°		17N-4-6821
5.75"	3.00"	3.75"	22°	DEFR62-1	17N-4-6931X

ROUND BEARINGS - 176N SERIES

			U-JOINT KIT: R407X		
Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.00" - 10 SPLINE					
5.38"	2.56"	2.94"	30°	DEFR47-9	176N-4-181X
5.38"	2.56"	2.94"	30°		176N-4-71
2.00" - 39 SPLINE					
5.19"	2.31"	3.00"			176NYS32-3A2
5.19"	2.31"	3.00"	29°		176N-4-531
5.19"	2.31"	3.00"	29°	DEFR56-2	176N-4-541X
5.19"	2.31"	3.00"	32°		176NYS32-3
2.03" - 10 SPLINE					
5.00"	2.00"	2.75"	30°		176N-4-421
2.13" - 16 SPLINE					
5.25"	2.50"	2.94"	30°		176N-4-121

⁴ Keyway for speedometer gear on hub.

ROUND BEARINGS - 176N SERIES




U-JOINT KIT:
R407X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.25" - 10 SPLINE					
5.25"	2.25"	3.12", 3.13"	30°		176N-4-411
5.84"	3.00"	3.00"			176N-4-731X
2.28" - 44 SPLINE					
5.25"	2.50"	3"	30°		176N-4-1421
5.25"	2.50"	3.00"			176NYS36-12A
2.34" - 16 SPLINE					
5.50"	2.75"	2.86"	30°		176N-4-161 ³
2.36" - 18 SPLINE					
6.12"	3.38"	3.50"	30°		176N-4-271
2.38" - 36 SPLINE					
5.44"	2.64"	3.00"	30°		176N-4-441
5.56"	2.69"	3.00"			176N-4-851X
2.38" - 46 SPLINE					
5.06"	2.33"	3.25"	29°		176NYS38-14
5.06"	2.32"	3.25"	29°	DEFR56-7	176NYS38-14A
5.38"	2.41"	3.50"	30°		176N-4-391
5.41"	2.41"	2.95"	30°		176NYS38-10
5.44"	2.62"	3.25"		DEFR54-1	176N-4-211X
5.44"	2.62"	3.25"			176NYS38-3
5.63"	2.88"	3.25"		DEFR54-5	176N-4-861X
6.20"	3.20"	3.38"			176N-4-1161X
2.39" - 46 SPLINE					
6.00"	3.38"	3.50"			176N-4-381
2.41" - 44 SPLINE					
5.25"	2.50"	3.00"	30°	DEFR48-10	176N-4-331X
2.50" - 10 SPLINE					
5.81"	2.41"	3.50"	30°		176N-4-151
6.03"	3.00"	2.95", 3.75"	32°		176N-4-651 ⁵
6.03"	3.00"	3.75"	32°	DEFR62-1	176N-4-781X
2.75" - 10 SPLINE					
5.97"	3.00"	3.75"	30°		176N-4-11
5.97"	3.00"	3.75"	30°	DEFR62-1	176N-4-791X

³ Center Bearing yoke.


⁵ Step hub diameter is 2.95 in./3.75 in..

ROUND BEARINGS - 18N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.94" - 30 SPLINE					
5.38"	2.25"	3.00"	30°		18N-4-2051
1.97" - 10 SPLINE					
5.63"	2.25"	2.62"	30°		18N-4-2001
5.63"	2.25"	2.62"	30°	DEFR56-1	18N-4-2351X
2.00" - 10 SPLINE					
5.38"	2.56"	2.94"	30°		18N-4-1921
5.38"	2.56"	2.94"	30°	DEFR47-3	18N-4-2341X
2.00" - 39 SPLINE					
5.19"	2.31"	3.00"	30°		18N-4-3371
5.19"	2.31"	3.00"	30°	DEFR56-2	18N-4-3381X
5.53"	2.44"	2.75"	30°		18N-4-2781
5.53"	2.44"	2.75"	30°	DEFR47-13	18N-4-3571X
2.13" - 41 SPLINE					
5.25"	2.50"	2.94"			18N-4-3691X
5.94"	2.50"	2.94"			18NYS34-5A
2.16" - 16 SPLINE					
5.25"	2.50"	2.94"	30°		18N-4-2441
5.25"	2.50"	2.94"	30°	DEFR55-1	18N-4-2451X
5.81"	3.00"	2.94"	30°		18N-4-2291
2.22" - 6 SPLINE					
6.00"	3.25"	3.00"	30°		18N-4-1971
6.00"	3.25"	3.00"	30°	DEFR49-1	18N-4-2271X
2.25" - 10 SPLINE					
5.84"	3.00"	3.00"	30°		18N-4-1911
5.85"	3.00"	3.00"	30°	DEFR50-2	18N-4-2551X
2.27" - 44 SPLINE					
5.25"	2.50"	2.94"		DEFR48-10	18N-4-4351X
2.28" - 44 SPLINE					
5.25"	2.50"	2.94"	30°		18N-4-3271
5.25"	2.50"	2.94"	30°	DEFR48-10	18N-4-3281X
5.25"	2.50"	3.00"			18NYS36-20A
5.75"	2.80"	2.94"	26°		18NYS36-17
2.34" - 16 SPLINE					
5.50"	2.75"	3.31"	30°		18N-4-1891 ³
5.50"	2.75"	3.31"	30°	DEFR48-5	18N-4-2531X
5.63"	2.75"	2.81"			18N-4-1981

ROUND BEARINGS - 18N SERIES



U-JOINT KIT:
R281X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
---------------	---------------	--------------	-------------	-----------	-------------

2.36" - 18 SPLINE

6.12"	3.38"	3.50"	30°		18N-4-2581
-------	-------	-------	-----	--	------------

2.38" - 36 SPLINE

5.44"	2.69"	3.00"	30°		18N-4-3161
5.44"	2.69"	3.00"	30°	DEFR54-1	18NYS38-6A

2.38" - 46 SPLINE

5.16"	2.32"	3.25"		DEFR56-7	18NYS38-27A
5.16"	2.32"	3.25"	30°		18NYS38-27
5.16"	2.32"	3.25"	30°	DEFR56-10	18NYS38-27A1
5.16"	2.32"	3.25"	30°	DEFR56-12	18NYS38-27A2
5.22"	2.41"	2.95"	30°		18NYS38-15
5.41"	2.41"	3.50"	30°		18N-4-3251
5.44"	2.62"	3.25"	30°		18N-4-2701
5.44"	2.62"	3.25"	30°	DEFR54-1	18N-4-2711X
5.50"	2.75"	3.31"			18N-4-3591
5.69"	2.88"	3.25"			18N-4-3581X
5.69"	2.88"	3.25"	30°		18N-4-3201
5.69"	2.88"	3.25"	30°	DEFR54-1	18N-4-3221X
6.00"	3.20"	3.38"	30°	DEFR55-2	18N-4-3921X
6.00"	3.19"	3.38"	30°		18NYS38-21

2.42" - 18 SPLINE

5.81"	3.00"	3.38"	30°		18N-4-1991
5.81"	3.00"	3.38"	30°	DEFR55-2	18N-4-2361X

2.50" - 10 SPLINE

5.41"	2.41"	3.50"	30°		18NYS40-5
5.88"	3.00"	2.94"	30°		18N-4-1961
5.88"	3.00"	2.94"	30°		18N-4-3451
5.88"	3.00"	3.75"	30°	DEFR62-1	18N-4-3551X


2.63" - 20 SPLINE

5.50"	2.75"	3.00"	30°		18N-4-2011
5.56"	2.75"	3.00"	30°		18N-4-3021

2.75" - 10 SPLINE

6.00"	2.94"	3.38"	30°		18N-4-2171 ⁴
6.06"	3.00"	3.75"	26°		18NYS44-3
6.06"	3.00"	3.75"	30°		18N-4-3491 ⁷
6.06"	3.00"	3.75"	30°	DEFR65-1	18N-4-3501X
6.06"	3.00"	3.75"	30°	DEFR62-1	18N-4-3561X

ROUND BEARINGS STRAIGHT ROUND HOLE

							
Major Diameter	Keyway Width	Center to End	Length thru Hole	Hub Diameter	Set Screw Size - Location	Joint Angle	Part Number
131N SERIES							
1.50"	.38"	2.56"		2.13"	.38"-6		131N-4-1233
1.00"	0.25"	2.56"	1.63"	2.00"	.38"-6	17°	131N-4-473
1.13"	0.25"	2.56"	1.63"	2.00"	.38"-6	17°	131N-4-503
1.25"	0.31"	2.56"	1.63"	2.00"	.38"-6	17°	131N-4-533
1.25"	.25"	2.56"		2.13"	.38"-6		131N-4-573
.88"	.25"	2.56"		2.13"	.38"-6		131N-4-583
1.25"	.31"	2.94"		2.12"	.38"-6		131N-4-783
1.38"	.38"	2.56"		2.00"	.38"-6		131N-4-803

WING BEARINGS - 58WB SERIES

Technical drawing of a wing bearing assembly. The side view shows dimensions: HUB DIA., PILOT DIAMETER 5.31", SPLINE LENGTH, and FACE TO END. The end view shows dimensions: KIT MTG. HOLES, DRILLED (DR) THREADED (TH), SPLINE SIZE, and SLOT WIDTH .63".

U-JOINT KITS:
 CP58WB-DWT
 CP58WB-HB
 CP58WB-HWD
 PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
-------------	---------------	--------------	----------------	-----------	-------------


1.44" - 21 SPLINE					
2.94"	2.28"	2.13"			58WBYS22-3

1.59" - 18 SPLINE					
3.69"	2.06"	2.75"	TH		58WBYS25-8

1.75" - 10 SPLINE					
3.81"	2.19"	2.90"	TH		58WBYS28-6 ³
3.88"	2.25"	2.50"	TH		58WBYS28-82
3.88"	2.25"	2.62"	DR		58WBYS28-51 ⁸
3.88"	2.25"	2.62"	TH		58WBYS28-1

1.75" - 27 SPLINE					
3.69"	2.00"	2.62"	TH		58WBYS28-145
3.69"	2.13"	2.69"			58WBYS28-172


WING BEARINGS - 58WB SERIES



U-JOINT KITS:
CP58WB-DWT
CP58WB-HB
CP58WB-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.75" - 34 SPLINE					
3.88"	2.25"	2.50"	TH	DEFR40-4	58WBYS28-186A
1.88" - 10 SPLINE					
4.00"	2.38"	2.75"	DR		58WBYS30
1.97" - 6 SPLINE					
3.94"	3.00"	2.75"	TH		58WBYS31-13
1.97" - 10 SPLINE					
3.88"	2.25"	2.62"	DR		58WBYS31-21
2.16" - 16 SPLINE					
4.56"	2.88"	2.94"	DR		58WBYS34-7


WING BEARINGS - 62N SERIES



U-JOINT KITS:
CP62N-DWT
CP62N-HB
CP62N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.38" - 10 SPLINE					
2.94"	1.75"	2.13"	DR		62NYS22-10
1.50" - 10 SPLINE					
3.47"	2.19"	2.25"	TH		62NYS24-17
3.47"	2.19"	2.25"	TH	DEFR38-3	62NYS24-17A1
1.63" - 10 SPLINE					
3.13"	2.13"	2.38"	DR		62NYS26-11
3.13"	2.13"	2.38"	DR	DEFR38-1	62NYS26-11A
3.19"	2.13"	2.38"	TH		62NYS26-13


WING BEARINGS - 62N SERIES



U-JOINT KITS:
CP62N-DWT
CP62N-HB
CP62N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.75" - 10 SPLINE					
3.31"	2.25"	2.62"	DR		62NYS28-26
3.31"	2.25"	2.75"	TH		62NYS28-123
3.31"	2.25"	2.75"	TH	DEFR47-4	62NYS28-123A
3.34"	2.19"	2.38"	DR		62NYS28-21
4.25"	2.25"	2.62"	DR		62NYS28-32
1.75" - 34 SPLINE					
3.31"	2.25"	2.50"	TH		62NYS28-160
3.94"	2.25"	2.50"	TH		62NYS28-202
3.94"	2.25"	2.50"	TH	DEFR40-4	62NYS28-202A
4.25"	2.25"	2.50"	TH		62NYS28-155
1.97" - 10 SPLINE					
3.31"	2.25"	2.62"	DR		62NYS31-5
2.00" - 39 SPLINE					
4.00"	2.31"	3.00"	TH	DEFR50-7	62NYS32-48A
2.24" - 16 SPLINE					
3.38"	2.13"	2.62"	DR		62NYS36-2

If you detect any **errors** in this catalog, please let us know.




We want the information to be as accurate as possible; we appreciate your help in making it so.

Please e-mail any comments/suggestions/corrections to us at: catalogfeedback@arvinmeritor.com

or mail to: ArvinMeritor
attn: Catalog Dept.
7975 Dixie Highway
Florence, KY 41042

WING BEARINGS - 72N SERIES




U-JOINT KITS:
CP72N-DWT
CP72N-HB
CP72N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.50" - 10 SPLINE					
3.44"	2.19"	2.25"	DR		72NYS24
3.50"	2.00"	2.25"	TH		72NYS24-22
1.63" - 10 SPLINE					
3.38"	2.13"	2.38"	DR		72NYS26-3
3.38"	2.13"	2.38"	TH		72NYS26-7
1.75" - 10 SPLINE					
3.25"	2.25"	2.62"	DR		72NYS28-1
3.44"	2.19"	2.38"	DR		72NYS28-5
3.50"	2.25"	2.50"	DR		72NYS28-51
3.50"	2.25"	2.62"	DR		72NYS28-2
3.50"	2.25"	2.62"	TH		72NYS28-65 ⁹
3.50"	2.25"	2.75"	DR		72NYS28-6
3.68"	2.18"	2.62"			72NYS28-200
4.00"	2.13"	2.62"	DR		72NYS28-23
4.50"	2.25"	2.75"	DR		72NYS28-10
1.75" - 27 SPLINE					
3.31"	2.00"	2.62"	TH		72NYS28-84
1.75" - 34 SPLINE					
3.75"	2.25"	2.50"	TH		72NYS28-166
3.75"	2.25"	2.50"	TH	DEFR40-4	72NYS28-166A
4.69"	2.25"	2.50"	DR		72NYS28-177
1.78" - 34 SPLINE					
4.56"	2.44"	2.62"	DR		72NYS28-183
4.69"	2.75"	2.56"	TH		72NYS28-141
4.69"	2.76"	2.57"			72NYS28-141A
1.88" - 10 SPLINE					
3.63"	2.38"	2.75"	DR		72NYS30-3
3.63"	2.38"	2.75"	TH		72NYS30-2
3.63"	2.38"	2.75"	TH	DEFR44-1	72NYS30-2A
1.97" - 10 SPLINE					
3.50"	2.22"	2.94"	DR		72NYS31-93
3.50"	2.25"	2.62"	DR		72NYS31-2
3.50"	2.25"	2.62"	DR	DEFR43-1	72NYS31-2A
3.88"	2.62"	2.75"	DR		72NYS31-4
3.88"	2.62"	2.75"	DR	DEFR47-2	72NYS31-4A
3.88"	2.62"	2.75"	TH		72NYS31-3
4.25"	2.00"	2.50"	DR		72NYS31

⁹ Nut seat is 2.88 in..


WING BEARINGS - 72N SERIES



U-JOINT KITS:
CP72N-DWT
CP72N-HB
CP72N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.97" - 10 SPLINE					
4.33"	2.62"	2.75"	DR		72NYS31-8
4.38"	2.25"	2.62"	DR		72NYS31-27
4.50"	2.25"	3.00"	DR		72NYS31-1
2.00" - 10 SPLINE					
3.94"	2.56"	2.94"	TH		72NYS32-9
4.00"	2.13"	2.75"	TH		72NYS32-110
4.25"	2.56"	2.94"	DR		72NYS32-12
4.25"	3.00"	2.75"	DR		72NYS32-104
4.25"	3.00"	2.94"	DR		72NYS32-48
4.25"	3.00"	2.94"	TH		72NYS32-39
4.38"	3.00"	3.25"	DR		72NYS32-16
2.00" - 38 SPLINE					
4.13"	2.13"	2.75"	TH		72NYS32-250
2.00" - 39 SPLINE					
3.81"	2.31"	3.00"	TH		72NYS32-244
3.81"	2.31"	3.00"	TH	DEFR50-7	72NYS32-244A
3.88"	2.00"	2.75"	DR		72NYS32-256
3.88"	2.44"	2.75"	DR		72NYS32-219
3.88"	2.44"	2.75"	TH		72NYS32-220
4.31"	2.44"	2.75"	DR		72NYS32-222
4.31"	2.44"	2.75"	TH		72NYS32-221
2.03" - 10 SPLINE					
3.88"	2.00"	2.75"	DR		72NYS33
2.12" - 41 SPLINE					
4.25"	2.50"	2.94"			72NYS34-42
4.25"	2.50"	2.94"	DR	DEFR48-15	72NYS34-42A1
2.13" - 16 SPLINE					
4.69"	3.00"	2.88"	TH		72NYS34-28
2.16" - 16 SPLINE					
4.25"	3.00"	2.94"	DR		72NYS34-24
2.22" - 6 SPLINE					
4.69"	3.25"	3.00"	DR		72NYS36-22
2.25" - 10 SPLINE					
4.25"	3.00"	3.00"	DR		72NYS36-40
4.25"	3.00"	3.00"	TH		72NYS36-54
4.25"	3.00"	3.00"	TH	DEFR50-2	72NYS36-54A2


WING BEARINGS - 72N SERIES



U-JOINT KITS:
CP72N-DWT
CP72N-HB
CP72N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
2.25" - 10 SPLINE					
4.25"	3.00"	3.50"	DR		72NYS36-13
4.50"	3.00"	3.50"	DR		72NYS36-19
4.50"	3.00"	3.50"	TH		72NYS36-38
2.28" - 17 SPLINE					
3.50"	2.51"	3.00"	TH		72NYS36-1
2.50" - 10 SPLINE					
4.44"	3.00"	2.94"	TH		72NYS40-99

WING BEARINGS - 82N SERIES




U-JOINT KITS:
CP82N-DWT
CP82N-HB
CP82N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.94" - 30 SPLINE					
3.69"	2.25"	3.00"	DR		82NYS31-32
1.97" - 10 SPLINE					
3.88"	2.25"	2.62"	DR		82NYS31-16 ¹⁰
2.00" - 15 SPLINE					
3.88"	2.50"	2.88"	DR		82NYS32
2.00" - 39 SPLINE					
3.88"	2.31"	3.00"	TH	DEFR50-4	82NYS32-74A
3.88"	2.31"	3.00"	TH	DEFR50-6	82NYS32-74A1
2.25" - 10 SPLINE					
4.75"	3.00"	3.00"	TH		82NYS36-26

¹⁰ Counterbore is 2.25 in. at hub end.

WING BEARINGS - 82N SERIES



U-JOINT KITS:
CP82N-DWT
CP82N-HB
CP82N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
2.38" - 46 SPLINE					
4.58"	2.62"	3.25"	TH		82NYS38-15
2.50" - 10 SPLINE					
4.75"	3.00"	2.94"	DR		82NYS40-28

XpresswayPlus.ArvinMeritor.com




XpresswayPlus.ArvinMeritor.com
For all of your parts-ordering needs

Don't forget about using *XpresswayPlus* for:

- Ordering parts online
- Order status
- Price and availability
- Invoice Lookup
- Parts Catalog
- Online e-mail or phone numbers for Customer Service, Information Services, Marketing, Catalog, and eSupport
- Reference Library
- The Company Store
- Literature
- Dealer/Distributor locator

XpresswayPlus is easy to use, can reduce phone calls, and save you valuable time.

WING BEARINGS - 92N SERIES




U-JOINT KITS:
CP92N-DWT
CP92N-HB
CP92N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.77" - 34 SPLINE					
4.25"	2.25"	2.50"			92NYS28-6
2.00" - 39 SPLINE					
3.94"	2.00"	2.75"	TH		92NYS32-27
4.25"	2.31"	3.00"	TH		92NYS32-25
4.25"	2.31"	3.00"	TH	DEFR50-4	92NYS32-25A
4.44"	2.31"	3.00"	DR		92NYS32-26
4.44"	2.31"	3.00"	DR	DEFR50-7	92NYS32-26A
2.03" - 10 SPLINE					
3.94"	2.00"	2.75"	TH		92NYS33-2
2.22" - 6 SPLINE					
5.17"	3.25"	3.00"	DR		92NYS36-41
2.36" - 18 SPLINE					
5.22"	3.38"	3.50"	TH		92NYS38-12
2.38" - 46 SPLINE					
3.94"	2.41"	2.95", 3.75"	TH		92NYS38-67
3.98"	2.62"	3.25"	TH		92NYS38-39
3.98"	2.62"	3.25"	TH		92NYS38-39A
4.12"	2.75"	2.88"			92NYS38-106 ¹²
4.19"	2.88"	3.25"	TH		92NYS38-52
4.19"	2.88"	3.25"	TH	DEFR54-1	92NYS38-52A
4.25"	2.41"	3.50"	TH		92NYS38-69
4.25"	2.41"	3.50"	TH	DEFR54-12	92NYS38-69A
4.50"	2.63"	3.12"			92NYS38-46A
5.01"	3.19"	3.38"	TH		92NYS38-75
5.01"	3.19"	3.38"	TH	DEFR55-3	92NYS38-75A1
2.50" - 10 SPLINE					
4.25"	2.41"	3.50"	TH		92NYS40-17
4.25"	2.41"	3.50"	TH	DEFR54-13	92NYS40-17A
2.63" - 25 SPLINE					
4.13"	3.00"	3.63"	TH		92NYS42-4
2.75" - 10 SPLINE					
4.38"	2.94"	3.38"	TH		92NYS44-18
4.84"	3.00"	3.75"	TH		92NYS44-22 ¹¹
4.84"	3.00"	3.75"	TH	DEFR62-1	92NYS44-22A
2.79" - 54 SPLINE					
4.63"	2.75"	4.15"			92NYS45-2

¹¹ Hub length is .905 in..

¹² Coupling Assembly Yoke. Hub not ground.

WING BEARINGS - 92N SERIES



U-JOINT KITS:
CP92N-DWT
CP92N-HB
CP92N-HWD
PERMALUBE


Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
2.86" - 21 SPLINE					
4.19"	3.00"	4.00"	TH		92NYS44-19
3.19" - 50 SPLINE					
4.00"	2.56"	3.71"	TH		92NYS51



MERITOR


an **ArvinMeritor** brand

WING BEARINGS STRAIGHT ROUND HOLE




Major Diameter	Keyway Width & Location	Face to End	Spline Length	Hub Dia.	Kit Mtg. Holes	Set Screw Size - Location	Part Number
58WB SERIES							
1.50"	NONE	4.94"	3.75"	5.13" R	TH	NONE	58WBYSR24-6
1.63"	0.38"-12	3.81"	2.19"	2.62" R	DR	.44"-12	58WBYSR26
2.00"	0.50"-12	3.81"	2.44"	3.25" R	DR	.31"-12	58WBYSR32-34
72N SERIES							
1.50"	NONE	4.94"	3.75"	4.00" R	TH	NONE	72NYR24-2
92N SERIES							
1.75"	NONE	6.56"	4.89"	5.75" R	TH	NONE	92NYR28-3

RPL - 20R SERIES



Face to End	Spline Length	Hub Diameter	Deflector	Part Number
1.79" - 34 SPLINE				
5.44"	2.43"	2.62"	DEFR44-10	20WYS28-1A
6.28"	2.43"	2.62"	DEFR44-10	20WYS28-2A
2.00" - 39 SPLINE				
4.85"	2.25"	3.00"	DEFR50-24	20WYS32-5A
4.85"	2.31"	3.00"		20WYS32-17
4.85"	2.31"	3.00"	DEFR64	20WYS32-17A
4.90"	2.50"	2.62"	DEFR44-11	20WYS32-9A
5.38"	2.50"	2.62"	DEFR44-13	20WYS32-7A
5.69"	2.25"	3.00"	DEFR50-24	20WYS32-6A
5.75"	2.25"	2.62"	DEFR44-11	20WYS32-10A
5.94"	2.50"	2.62"	DEFR44-13	20WYS32-8A
5.95"	2.31"	3.00"		20WYS32-2

RPL - 20R SERIES




U-JOINT KIT:
CP20RPL

Face to End	Spline Length	Hub Diameter	Deflector	Part Number
2.00" - 39 SPLINE				
5.95"	2.31"	3.00"	DEFR64	20WYS32-2A
2.13" - 41 SPLINE				
5.12"	2.50"	2.94"	DEFR48-15	20WYS34-1A
5.53"	3.00"	2.94"	DEFR48-17	20WYS34-3A
5.94"	2.50"	2.94"	DEFR48-15	20WYS34-2A
6.44"	3.00"	2.94"	DEFR48-17	20WYS34-4A
2.28" - 44 SPLINE				
4.75"	2.50"	2.94"	DEFR48-10	20WYS36-3A
4.81"	2.34"	2.94"	DEFR48-15	20WYS36-2A
4.81"	2.50"	3.00"	DEFR50-24	20WYS36-1A
2.38" - 46 SPLINE				
4.90"	2.32"	3.25"	DEFR64-3	20WYS38-4A
4.90"	2.75"	2.88"		20WYSC38-18 ¹²
5.00"	2.88"	3.25"	DEFR54-5	20WYS38-10A1
5.00"	2.88"	3.25"	DEFR54-1	20WYS38-10A
5.31"	3.20"	3.38"	DEFR55-3	20WYS38-11A
5.95"	2.33"	3.25"	DEFR64-3	20WYS38-3A
6.25"	2.88"	3.25"		20WYS38-8
6.25"	2.88"	3.25"	DEFR64-4	20WYS38-8A
2.50" - 10 SPLINE				
5.15"	3.00"	3.75"	DEFR62-1	20WYS40-2A
2.54" - 49 SPLINE				
5.63"	2.75"	3.75"		20WYS40-3
2.75" - 10 SPLINE				
5.09"	3.00"	3.75"	DEFR62-1	20WYS44-2A
2.79" - 54 SPLINE				
5.25"	2.75"	3.75"		20WYS45
3.54" - 44 SPLINE				
5.90"	3.19"	3.90"		20WYS57-1

¹² Coupling Assembly Yoke. Hub not ground.

RPL - 25R SERIES



U-JOINT KIT:
CP25RPL

Face to End	Spline Length	Hub Diameter	Deflector	Part Number
2.28" - 44 SPLINE				
4.75"	2.50"	2.94"	DEFR48-10	25WYS36-3A
4.81"	2.34"	2.94"	DEFR48-15	25WYS36-2A
4.81"	2.50"	3.00"	DEFR50-24	25WYS36-1A
2.38" - 46 SPLINE				
4.73"	2.32"	3.25"		25WYS38-13
4.73"	2.32"	3.25"	DEFR64-3	25WYS38-13A
4.88"	2.40"	3.75"		25WYS38-9A1
4.90"	2.75"	2.88"		25WYSC38-11 ¹²
5.00"	2.88"	3.25"	DEFR38-8A	25WYS38-8A
5.31"	3.20"	3.38"	DEFR55-3	25WYS38-6A
2.38" - 48 SPLINE				
5.00"	2.88"	3.25"	DEFR54-5	25WYS38-8A1
2.50" - 10 SPLINE				
5.15"	3.00"	3.75"	DEFR62-1	25WYS40-2A
2.54" - 49 SPLINE				
5.18"	3.00"	3.75"	DEFR62-1	25WYS40-4A
6.25"	2.75"	3.75"		25WYS40-3
2.75" - 10 SPLINE				
5.09"	3.00"	3.75"		25WYS44-2
5.09"	3.00"	3.75"	DEFR62-1	25WYS44-2A
2.79" - 54 SPLINE				
5.88"	2.75"	3.75"		25WYS45
3.54" - 44 SPLINE				
6.10"	3.19"	3.90"		25WYS57-1

¹² Coupling Assembly Yoke. Hub not ground.

SECTION 4


INDEX

Easy Service Yokes	Page
131N SERIES	4-2
133N SERIES	4-2
141N SERIES	4-3
148N SERIES	4-4
155N SERIES	4-5
159N SERIES	4-6
16N SERIES	4-7
176N SERIES	4-10
17N SERIES	4-8
18N SERIES	4-11
Easy Service Kits	4-1


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below.
Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




KITS FOR EASY SERVICE YOKES




U-JOINT KITS:

- R674X (Includes Strap)
- R675X (Includes Strap)
- R676X (Includes Strap)
- R677X (Includes Strap)




U-JOINT KITS:

- CP141N
- CP148N
- CP155N




STRAP & BOLT KITS:

- KT16SB
- KT17SB
- KT122
- KT124
- KT125 (Includes 4 Lock Washers)
- KT126 (Includes 4 Lock Washers)



STRAP & BOLT KITS:



- KT121
- KT123



U-BOLT KITS:

- KT117
- KT118



131N SERIES



U-JOINT KIT:
CP153X
CP1200X

Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.15" - 26 SPLINE							
3.00"	1.50"	1.55"					131N-4-4341 ²
3.00"	1.50"	1.55"	DR	KT116			131N-4-8091X


133N SERIES



U-JOINT KIT:
CP213X
CP1203X

Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.40" - 32 SPLINE							
3.88"	2.00"	1.88"					133N-4-5441 ²

141N SERIES




Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.38" - 10 SPLINE							
3.50"	1.75"	2.13"	DR	KT117			141N-4-3941
3.50"	1.75"	2.13"	DR	KT117		DEFR35-3	141NYS22A
1.50" - 10 SPLINE							
3.69"	2.00"	1.81"	DR	KT117	30°		141N-4-6561
3.69"	2.00"	1.81"	DR	KT117	30°	DEFR34-1	141N-4-6631X
3.88"	2.19"	2.25"	DR	KT117	22°		141N-4-2241
1.50" - 35 SPLINE							
5.75"	1.94"	2.50"	TH				141NYS24-4
1.75" - 10 SPLINE							
4.19"	2.19"	2.38"	DR	KT117	30°		141N-4-1841
4.25"	2.19"	2.62"	DR	KT117	30°		141N-4-2511
1.75" - 34 SPLINE							
4.25"	2.18"	2.62"	DR	KT117		DEFR44-1	141NYS28-19A

For additional: Parts Information
Cross Reference
Production Bills of Material

visit our online catalog at: XpresswayPlus.ArvinMeritor.com

148N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
---------------	---------------	--------------	----------------	---------	-------------	-----------	-------------

1.38" - 10 SPLINE

3.96"	1.75"	2.13"	TH				148TYS22A
-------	-------	-------	----	--	--	--	-----------

1.50" - 10 SPLINE

4.03"	2.00"	2.06"	DR	KT118		DEFR40-5	148N-4-3081 ¹²
4.03"	2.00"	1.94"	DR	KT118	30°		148N-4-3091
4.03"	2.00"	1.94"	DR	KT118	30°	DEFR37-1	148N-4-4421X
4.19"	2.19"	2.25"	DR	KT118	30°		148N-4-3781

1.75" - 10 SPLINE

4.22"	2.19"	2.38"	DR	KT118	22°		148N-4-3571
4.28"	2.25"	2.62"	DR	KT118	22°		148N-4-3061 ¹

1.75" - 34 SPLINE

4.47"	2.25"	2.50"	DR	KT123		DEFR40-4	148DYS28A
4.47"	2.25"	2.50"	TH	KT124			148TYS28A

1.78" - 34 SPLINE

4.42"	2.22"	2.62"	DR	KT118	25°		148N-4-10261-1
4.42"	2.22"	2.62"	DR	KT118	25°	DEFR44-1	148N-4-10471-1X

1.97" - 10 SPLINE

4.04"	2.25"	2.62"	DR	KT118	22°		148N-4-3861
-------	-------	-------	----	-------	-----	--	-------------


2.00" - 39 SPLINE

4.75"	2.31"	3.00"	TH	KT124	22°		148TYS32-4
4.75"	2.31"	3.00"	TH	KT124	22°	DEFR50-7	148TYS32-4A

¹ Hub effective length 1.50 in..

¹² Coupling Assembly Yoke. Hub not ground.


155N SERIES



4

Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.50" - 10 SPLINE							
3.78"	2.00"	1.94"	DR	KT118	22°		155N-4-2051
3.81"	2.00"	2.19"	DR	KT118	22°		155N-4-4211
3.81"		2.56"	TH	KT124			155N-4-4211-1 ⁵
3.97"	2.19"	2.13"	DR				155NYS24-6
1.75" - 10 SPLINE							
4.31"	2.25"	2.62"	DR	KT118	20°		155N-4-1891
4.66"	2.25"	2.62"	DR	KT118			155N-4-1901
1.75" - 27 SPLINE							
4.50"	2.00"	2.62"	TH	KT124			155TYS28-26
1.75" - 34 SPLINE							
4.07"	2.25"	2.44"	TH	KT124	25°		155TYSC28-43
4.27"	2.19"	2.62"	TH	KT124	24°		155N-4-5551-1
4.27"	2.19"	2.62"	TH	KT124	24°	DEFR44-1	155N-4-5611-1X
4.66"	2.25"	2.50"	DR	KT118	20°		155N-4-4101
4.66"	2.25"	2.50"	DR	KT118	20°	DEFR40-4	155NYS28-5A
4.66"	2.25"	2.50"	TH	KT124	35°	DEFR40-4	155TYS28-1A
4.69"	2.25"	2.50"	DR	KT123	26°	DEFR40-4	155DYS28-1A
1.79" - 34 SPLINE							
4.37	1.97	2.5		KT124	26		155TYS28-49
4.37	1.97	2.5		KT124	26		155TYS28-49A
1.88" - 10 SPLINE							
4.41"	2.38"	2.75"	TH	KT124			155N-4-1941-1
1.97" - 10 SPLINE							
4.28"	2.25"	2.62"	DR	KT118	20°		155N-4-2431
2.00" - 39 SPLINE							
4.27"	2.25"	2.62"	TH	KT124	22°		155N-4-5031-1
4.27"	2.25"	2.62"	TH	KT124	22°	DEFR44-11	155N-4-6831-1X
4.75"	2.31"	3.00"	DR	KT123	22°		155DYS32-6
4.75"	2.31"	3.00"	DR	KT123	22°	DEFR50-7	155DYS32-6A
4.75"	2.31"	3.00"	TH	KT124	25°		155TYS32-6
4.75"	2.31"	3.00"	TH	KT124	25°	DEFR50-7	155TYS32-6A
4.75"	2.31"	3.00"	TH	KT124	25°		155TYS32-6A3

159N SERIES




Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.77" - 34 SPLINE							
4.11"	2.50"	2.50"	TH			DEFR40-4	159N-4-761-1X



MERITOR

an **ArvinMeritor** brand

If you detect any **errors** in this catalog, please let us know.




We want the information to be as accurate as possible; we appreciate your help in making it so.

Please e-mail any comments/suggestions/corrections to us at: catalogfeedback@arvinmeritor.com


or mail to: ArvinMeritor
attn: Catalog Dept.
7975 Dixie Highway
Florence, KY 41042

16N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.75" - 10 SPLINE							
4.13"	2.25"	2.18", 2.56"	TH	KT16SB			16N-4-1721-1
1.75" - 34 SPLINE							
4.88"	2.25"	2.50"	TH	KT16SB	28°		16N-4-5571-1
4.88"	2.25"	2.50"	TH	KT16SB	28°	DEFR40-4	16TYS28-13A
1.79" - 34 SPLINE							
4.13"	2.25"	2.19"	TH	KT16SB			16N-4-7171-1 ⁵
2.00" - 38 SPLINE							
4.50"	2.13"	2.75"	TH	KT16SB			16N-4-6321-1
2.00" - 39 SPLINE							
4.88"	2.31"	3.00"	TH				16TYS32-86A
4.88"	2.31"	3.00"	TH	KT16SB	21°		16N-4-6421-1
4.88"	2.31"	3.00"	TH	KT16SB	21°	DEFR50-4	16N-4-6431-1X
5.12"	2.44"	2.75"	TH	KT16SB			16N-4-6951-1X
5.12"	2.44"	2.75"	TH	KT16SB	30°		16TYS32-5
5.54"	2.31"	3.00"	TH	KT16SB	27°	DEFR50-19	16TYS32-32A3
5.54"	2.31"	3.00"	TH	KT16SB	32°		16N-4-6271-1
5.54"	2.31"	3.00"	TH	KT16SB	32°	DEFR50-7	16TYS32-32A
6.22"	2.31"	3.00"	TH	KT16SB			16TYS32-76
6.22"	2.31"	3.00"	TH	KT16SB		DEFR59-1	16TYS32-76A
2.38" - 46 SPLINE							
4.94"	2.33"	3.25"	TH	KT16SB	21°		16N-4-7331-1
4.94"	2.32"	3.25"	TH	KT16SB	21°	DEFR56-7	16N-4-7341-1X

17N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
---------------	---------------	--------------	----------------	---------	-------------	-----------	-------------

1.75" - 34 SPLINE

4.88"	2.25"	2.50"	TH	KT17SB	29°		17TYS28-57
4.88"	2.25"	2.50"	TH	KT17SB	29°	DEFR40-4	17TYS28-57A
4.88"	2.25"	2.50"	TH	KT17SB	32°		17TYS28-63

1.94" - 37 SPLINE

4.92"	5.10"	3.15"	TH	KT17SB	32°	DEFR66-1	17TYS31-66A
-------	-------	-------	----	--------	-----	----------	-------------

1.96" - 10 SPLINE

5.00"	3.00"	2.82"	TH	KT17SB			17TYS31-54
-------	-------	-------	----	--------	--	--	------------

2.00" - 38 SPLINE

5.00"	3.00"	2.81"	TH	KT17SB	25°		17N-4-7141-1
5.25"	2.13"	2.75"	TH	KT17SB			17TYS32-73

2.00" - 39 SPLINE

5.16"	2.31"	3.00"	TH	KT17SB	28°		17N-4-7621-1
5.16"	2.31"	3.00"	TH	KT17SB	28°	DEFR50-4	17N-4-7631-1X
5.16"	2.31"	3.00"	TH	KT17SB	28°	DEFR50-7	17N-4-7641-1X
5.25"	2.44"	2.75"	TH	KT17SB	33°		17N-4-6951-1X
5.25"	2.25"	3.00"	TH	KT17SB		DEFR50-24	17TYS32-92A
5.31"	1.96"	2.75"	TH	KT17SB	31°		17TYS32-60
5.31"	1.96"	2.75"	TH	KT17SB	31°	DEFR42-2	17TYS32-60A
5.44"	2.50"	2.62"	TH	KT17SB		DEFR44-13	17TYS32-94A
6.25"	2.31"	3.00"	TH	KT17SB			17TYS32-99
6.25"	2.31"	3.00"	TH	KT17SB		DEFR59-1	17TYS32-99A
6.25"	2.31"	3.00"	TH	KT17SB	43.5°	DEFR59-2	17TYS32-95A1
7.30"	2.31"	3.00"	TH	KT17SB			17TYS32-98A ⁸

2.02" - 39 SPLINE

6.13"	2.28"	3.00"	TH	KT17SB		DEFR50-24	17N-4-8991-1X
6.13"	2.50"	2.63"	TH	KT17SB		DEFR44-13	17N-4-9001-1X

2.13" - 41 SPLINE

5.19"	2.50"	2.94"	TH	KT17SB		DEFR48-15	17TYS34-14A1
5.35"	2.50"	2.94"	TH	KT17SB			17TYS34-29


2.14" - 41 SPLINE

5.19"	2.50"	2.94"	TH	KT17SB		DEFR48-2	17N-4-7321-1X
6.13"	2.50"	2.94"	TH	KT17SB		DEFR48-2	17N-4-7561-1X ⁶
6.63"	3	2.94"		KT17SB	45		17TYS34-18A1

2.25" - 10 SPLINE

5.25"	3.00"	3.50"	TH	KT17SB			17N-4-6901-1X
5.25"	3.00"	3.50"	TH	KT17SB	25°		17N-4-6861-1


17N SERIES



U-JOINT KIT:
R675X

Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.27" - 44 SPLINE							
5.19"	2.50"	2.94"	TH	KT17SB			17N-4-8461-1
5.19"	2.50"	2.94"	TH	KT17SB		DEFR48-10	17N-4-8551-1X
2.28" - 44 SPLINE							
5.19"	2.50"	2.94"	TH	KT17SB	27°		17N-4-6031-1
5.19"	2.50"	2.94"	TH	KT17SB	27°	DEFR48-8	17N-4-6041-1X
2.34" - 16 SPLINE							
4.94"	2.75"	3.31"	TH	KT17SB	20°		17N-4-4601-1
2.34" - 45 SPLINE							
5.00"	2.00"	2.52"	TH	KT17SB	32°	DEFR66-1	17TYS37-1A
2.36" - 18 SPLINE							
5.75"	3.38"	3.50"	TH	KT17SB	18°		17N-4-4561-1
2.37" - 46 SPLINE							
5.69"	2.63"	3.25"	TH	KT17SB		DEFR54-1	17N-4-5461-1X
2.38" - 46 SPLINE							
5.00"	1.95"	3.25"	TH	KT17SB	32°	3264-Z-1274	17TYS38-78A
5.16"	2.40"	3.50"	TH	KT17SB	32°		17TYS38-29A
5.38"	2.32"	3.25"	TH			DEFR56-7	17TYS38-76A
5.38"	2.32"	3.25"	TH	KT17SB	32°		17TYS38-76
5.38"	2.32"	3.25"	TH	KT17SB	32°	DEFR56-12	17TYS38-76A2
5.75"	3.38"	3.50"	TH	KT17SB	16°		17N-4-4771-1
5.94"	2.88"	3.25"	TH	KT17SB			17N-4-5931-1
5.94"	2.88"	3.25"	TH	KT17SB		DEFR54-5	17N-4-6961-1X
6.50"	2.31"	3.25"	TH	KT17SB		DEFR56-7	17N-4-7771-1X
6.50"	2.31"	3.25"	TH	KT17SB			17TYS38-71
6.83"	2.32"	3.25"	TH	KT17SB	45°	DEFR64-3	17TYS38-75A
2.50" - 10 SPLINE							
5.63"	3.00"	3.75"	TH	KT17SB	30°		17N-4-6611-1
5.63"	3.00"	3.75"	TH	KT17SB	30°	DEFR62-1	17N-4-6921-1X
2.50" - 49 SPLINE							
5.19"	2.75"	3.06"	TH	KT17SB			17N-4-7691-1
2.63" - 20 SPLINE							
5.19"	2.75"	3.00"	TH	KT17SB	21°		17N-4-5351-1
2.75" - 10 SPLINE							
5.75"	3.00"	3.50"	TH	KT17SB	22°		17TYS44-14
5.75"	3.00"	3.75"	TH	KT17SB	20°		17N-4-6821-1
5.75"	3.00"	3.75"	TH	KT17SB	20°	DEFR62-1	17N-4-6931-1X

176N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.00" - 39 SPLINE							
5.19"	2.31"	3.00"	TH	KT17SB	30°		176N-4-531-1
5.19"	2.31"	3.00"	TH	KT17SB	30°	DEFR56-2	176N-4-541-1X
5.19"	2.31"	3.00"	TH	KT17SB	30°	DEFR56-6	176TYS32-3A1
2.27" - 44 SPLINE							
5.25"	2.50"	2.94"	TH	KT17SB		DEFR48-10	176N-4-1481-1X
2.28" - 44 SPLINE							
5.09"	2.34"	2.94"	TH	KT17SB			176TYS36-10A1
5.25"	2.50"	2.94"	TH	KT17SB	26°		176N-4-321-1
5.25"	2.50"	3"	TH	KT17SB	26°	DEFR48-5	176N-4-331-1X
5.25"	2.50"	3.00"	TH	KT17SB			176TYS36-12A
2.34" - 16 SPLINE							
5.50"	2.75"	2.88"	TH	KT17SB	30°		176N-4-161-1 ³
2.36" - 18 SPLINE							
6.12"	3.38"	3.50"	TH	KT17SB			176N-4-271-1
2.38" - 16 SPLINE							
5.5	2.75	2.88		KT17SB	31		176TYS38-4A
2.38" - 18 SPLINE							
6.12"	3.38"	3.50"	TH	KT17SB	32°		176TYS38-5
2.38" - 46 SPLINE							
5.06"	2.32"	3.25"	TH				176TYS38-27A
5.06"	2.32"	3.25"	TH	KT17SB	31°		176TYS38-27
5.06"	2.32"	3.25"	TH	KT17SB	31°	DEFR56-12	176TYS38-27A2
5.44"	2.62"	3.25"	TH	KT17SB			176N-4-211-1X
5.50"	2.75"	3.31"	TH	KT17SB	30°		176N-4-821-1
5.63"	2.88"	3.25"	TH	KT17SB	30°		176N-4-291-1
5.63"	2.88"	3.25"	TH	KT17SB	30°	DEFR54-5	176N-4-861-1X
6.20"	3.00"	3.38"	TH	KT17SB	30°	DEFR55-2	176N-4-1161-1X
2.39" - 46 SPLINE							
6.00"	3.19"	3.38"	TH	KT17SB		DEFR55-3	176N-4-1651-1X
2.50" - 10 SPLINE							
5.97"	3.00"	3.75"	TH	KT17SB	32°		176TYS44-4
6.00"	3.00"	2.94", 3.75"	TH	KT17SB	32°		176N-4-651-1
2.50" - 49 SPLINE							
6.00"	3.00"	3.75"	TH	KT17SB	32°	DEFR62-1	176N-4-781-1X
6.03"	3.00"	3.75"	TH	KT17SB			176N-4-771-1X

176N SERIES


				U-JOINT KIT: R677X			
Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.75" - 10 SPLINE							
5.97"	3.00"	3.75"	TH	KT17SB	30°	DEFR62-1	176N-4-791-1X
2.79" - 54 SPLINE							
5.63"	2.75"		TH	KT17SB			176N-4-1681-1 ⁷
5.63"	2.75"	3.88"	TH	KT17SB	24°		176TYS45

18N SERIES

				U-JOINT KIT: R676X			
Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.94" - 37 SPLINE							
5.13"	1.65"	3.15"	TH	KT17SB	32°	DEFR66-1	18TYS31-5A
2.00" - 39 SPLINE							
5.19"	2.31"	3.00"	TH	KT17SB	30°		18N-4-3371-1
5.19"	2.31"	3.00"	TH	KT17SB	30°	DEFR56-2	18N-4-3381-1X
5.19"	2.31"	3.00"	TH	KT17SB	30°	DEFR56-6	18TYS32-12A1
5.19"	2.31"	3.00"	TH	KT17SB	30°		18TYS32-12A2
2.13" - 41 SPLINE							
5.94"	2.5"	2.94"		KT17SB	32		18TYS34-5
2.27" - 44 SPLINE							
5.25"	2.50"	2.94"	TH	KT17SB		DEFR48-5	18N-4-3281-1X
5.25"	2.50"	3.00"	TH	KT17SB		DEFR50-24	18N-4-4571-1X
2.28" - 44 SPLINE							
5.25"	2.50"	2.94"	TH	KT17SB	30°		18N-4-3271-1
5.75"	2.80"	2.96"	TH	KT17SB	32°		18TYS36-17

⁷ Hub not ground.

18N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.34" - 16 SPLINE							
5.50"	2.75"	3.31"	TH	KT17SB	30°		18N-4-1891-1
2.37" - 46 SPLINE							
5.41"	2.41"	3.50"	TH	KT17SB		DEFR54-12	18N-4-4271-1X
2.38" - 18 SPLINE							
6.13"	3.38"	3.50"	TH	KT17SB	32°		18TYS38-9
2.38" - 46 SPLINE							
5.06"	2.32"	3.25"	TH	KT17SB	32°	DEFR56-12	18TYS38-27A2
5.16"	2.32"	3.25"	TH	KT17SB			18TYS38-27
5.16"	2.32"	3.25"	TH	KT17SB		DEFR56-7	18TYS38-27A
5.21"	2.40"	2.95"	TH	KT17SB	32°		18TYS38-15
5.41"	2.40"	3.50"	TH	KT17SB	32°		18TYS38-13A
5.50"	2.75"	3.31"	TH	KT17SB	30°		18N-4-3591-1
5.69"	2.88"	3.25"	TH	KT17SB			18N-4-3221-1X
5.69"	2.88"	3.25"	TH	KT17SB			18N-4-3581-1X
6.02"	3.00"	3.38"	TH	KT17SB	30°		18N-4-3911-1
6.02"	3.00"	3.38"	TH	KT17SB	30°	DEFR55-2	18N-4-3921-1X
2.50" - 10 SPLINE							
5.88"	3.00"	3.75"	TH	KT17SB	30°		18N-4-3451-1
5.88"	3.00"	3.75"	TH	KT17SB	30°	DEFR62-1	18N-4-3551-1X
2.50" - 49 SPLINE							
5.88"	3.00"	3.75"	TH	KT17SB			18N-4-3621-1X
2.75" - 10 SPLINE							
6.00"	2.94"	3.38"	TH	KT17SB			18N-4-2171-1
6.06"	3.00"	3.75"	TH	KT17SB	30°		18N-4-3491-1
6.06"	3.00"	3.75"	TH	KT17SB	30°	DEFR62-1	18N-4-3561-1X
2.79" - 54 SPLINE							
5.63"	2.75"	4.00"	TH	KT17SB	32°		18TYS45

SECTION 5


INDEX

Weld Yokes	Page
Bearing Plate.....	5-3
Inside Snap Rings	5-2
Outside Snap Rings	5-1
Wing Bearings	5-4


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below.
Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER



WELD YOKES - OUTSIDE SNAP RINGS




If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

5

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
121N SERIES U-JOINT KIT: CP-443X						
2.688"	1.06"	2.50" x .065" (16 GA)	2.38"	1.31"		121N-28-1947
131N SERIES U-JOINT KIT: CP153X or CP200X						
3.47"	1.06"	2.00" x .065" (16 GA)	1.88"	1.69"	22°	131N-28-417
3.47"	1.06"	2.00" x .083" (14 GA)	1.84"	1.69"	22°	131N-28-357
3.47"	1.06"	2.00" x .120" (11 GA)	1.77"	1.69"	22°	131N-28-1757
3.47"	1.06"	2.50" x .065" (16 GA)	2.38"	1.84"	30°	131N-28-277
3.47"	1.06"	2.50" x .083" (14 GA)	2.34"	1.84"	30°	131N-28-367
3.47"	1.06"	2.75" x .065" (16 GA)	2.63"	1.69"	21.5°	131N-28-307
3.47"	1.06"	2.75" x .083" (14 GA)	2.59"	1.69"		131N-28-1617
3.47"	1.06"	3.00" x .065" (16 GA)	2.88"	1.69"	21.5°	131N-28-327
3.47"	1.06"	3.00" x .083" (14 GA)	2.84"	1.69"	21.5°	131N-28-437
3.47"	1.06"	3.50" x .065" (16 GA)	3.38"	1.69"	21.5°	131N-28-397
3.47"	1.06"	3.50" x .083" (14 GA)	3.34"	1.69"	21.5°	131N-28-427
133N SERIES U-JOINT KIT: CP213X						
3.88"	1.06"	2.50" x .083" (14 GA)	2.34"	1.72"	25°	133N-28-1707
3.88"	1.06"	3.00" x .065" (16 GA)	2.88"	1.72"	25°	133N-28-1177
3.88"	1.06"	3.00" x .083" (14 GA)	2.84"	1.72"	25°	133N-28-1697
3.88"	1.06"	3.50" x .065" (16 GA)	3.13"	1.81"		133N-28-1977
3.88"	1.06"	3.50" x .083" (14 GA)	3.34"	1.81"	20°	133N-28-1717
135N SERIES U-JOINT KIT: CP178X						
3.88"	1.19"	2.50" x .083" (14 GA)	2.34"	1.94"	20°	135N-28-47
3.88"	1.19"	2.75" x .065" (16 GA)	2.63"	2.00"	20°	135N-28-57-2
3.88"	1.19"	2.75" x .095" (13 GA)	2.56"	2.00"	20°	135N-28-57-1
3.88"	1.19"	3.00" x .083" (14 GA)	2.84"	2.00"	20°	135N-28-57
3.88"	1.19"	3.50" x .083" (14 GA)	3.34"	1.81"	20°	135N-28-427
141N SERIES U-JOINT KIT: CP141N or CP160X						
4.44"	1.19"	3.00" x .083" (14 GA)	2.84"	2.13"	30°	141N-28-97
4.44"	1.19"	3.50" x .065" (16 GA)	3.38"	2.13"	30°	141N-28-367
4.44"	1.19"	3.50" x .083" (14 GA)	3.34"	2.13"	30°	141N-28-557
148N SERIES U-JOINT KIT: CP148N or CP188X						
4.44"	1.38"	3.50" x .083" (14 GA)	3.34"	2.03"	22°	148N-28-537
4.44"	1.38"	3.50" x .083" (14 GA)	3.34"	2.31"	35°	148N-28-547
4.44"	1.38"	3.50" x .095" (13 GA)	3.31"	2.03"	22°	148N-28-567
4.44"	1.38"	4.00" x .083" (14 GA)	3.84"	2.03"	22.5°	148N-28-507
155N SERIES U-JOINT KIT: CP155N or CP155X						
5.25"	1.38"	3.50" x	3.33"	2.69"	36°	155NY53-5
5.25"	1.38"	3.50" x .095" (13 GA)	3.32"	2.19"		155N-28-307
5.25"	1.38"	4.00" x .083" (14 GA)	3.86"	2.50"	19°	155RY62

WELD YOKES - OUTSIDE SNAP RINGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
----------------------------	----------------------	--------------------------------	-----------------	----------------------	-------------	-------------


20R SERIES U-JOINT KIT: CP20RPL-1

7.00"	2.06"	4.00" x .134" 4.09" x .165" 4.06" x .180"	3.74"	3.70"	30°	20RY60-6 ¹
7.00"	2.06"	4.00" x .134" 4.09" x .165" 4.06" x .180"	3.74"	4.50"	42°	20RY60-5 ¹
7.00"	2.06"	4.00" x .134" 4.09" x .180"	3.74"	5.25"	39°	20RY60-7

25R SERIES U-JOINT KIT: CP25RPL-1

8.33"	2.06"	4.59" x .180" (7 GA)	4.24"	3.70"	24°	25RY68-3 ¹
-------	-------	----------------------	-------	-------	-----	-----------------------

WELD YOKES - INSIDE SNAP RINGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.


Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
----------------------------	----------------------	--------------------------------	-----------------	----------------------	-------------	-------------

3R SERIES U-JOINT KIT: CP3147X

2.56"	1.13"	2.75" x .065" (16 GA)	2.63"	1.75"	20°	R3R-28-307
2.56"	1.13"	3.00" x .065" (16 GA)	2.88"	1.69"	21.5°	R3R-28-327
2.56"	1.13"	3.00" x .083" (14 GA)	2.84"	1.69"	21.5°	R3R-28-437
2.56"	1.13"	3.00" x .095" (13 GA)	2.88"	1.69"	21.5°	R3R-28-157
2.56"	1.13"	3.25" x .065" (16 GA)	3.13"	1.88"	20°	R3R-28-325
2.56"	1.13"	3.50" x .065" (16 GA)	3.38"	1.88"	20°	R3R-28-397
2.56"	1.13"	3.50" x .083" (14 GA)	3.34"	1.69"	21.5°	R3R-28-427

¹ Has .25 in. diameter vent hole for use with less than 9 in. of tube.


WELD YOKES - INSIDE SNAP RINGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
1000 and 10N SERIES U-JOINT KIT: CP170X						
1.50"	0.94"	2.00" x .083" (14 GA)	1.84"	1.75"		R10V5


WELD YOKES - BEARING PLATE



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
16N SERIES U-JOINT KIT: R279X or CP279X						
5.31"	1.88"	3.50" x .156"	3.20"	3.00"	30°	16N-28-207
5.31"	1.88"	3.50" x .134" (10 GA)	3.24"	3.00"	30°	16N-28-627
5.31"	1.88"	3.50" x .134"	3.25"	3.81"		16N-28-887
5.31"	1.88"	3.50" x .095" (13 GA)	3.32"	3.00"	30°	16N-28-167
5.31"	1.88"	4.00" x .134"	3.73"	3.00"		16N-28-327
5.31"	1.88"	4.00" x .109" (12 GA)	3.79"	3.00"	19°	16NY61
176N SERIES U-JOINT KIT: R407X or CP407X						
7.00"	1.94"	4.00" x .134" (10 GA)	3.74"	3.03"	30°	176N-28-17
17N SERIES U-JOINT KIT: R280X or CP280X						
6.09"	1.94"	3.50" x .156"	3.20"	3.03"		17N-28-137
6.09"	1.94"	4.00" x .134" (10 GA)	3.74"	3.03"	30°	17N-28-347
6.09"	1.94"	4.00" x .134" (10 GA), .180" (7 GA)	3.74"	4.50"	42°	17NY60-15
18N SERIES U-JOINT KIT: R281X, CP18N96, or CP281X						
7.55"	1.94"	4.50" x .259" (3 GA)	4.00"	3.38"		18N-28-127
7.55"	1.94"	4.50" x .134" (10 GA)	4.24"	3.38"	30°	18N-28-117

WELD YOKES - WING BEARINGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

Pilot Diameter	Slot Width	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Kit Mounting Holes	Part Number
58WB SERIES U-JOINT KIT: CP58WB-DWT, CP58WB-HB, CP58WB-HWD, or PERMALUBE						
5.31"	.63"	3.50" x .095" (13 GA)	3.32"	1.81"	DR	58WBY53-1
62N SERIES U-JOINT KIT: CP62N-DWT, CP62N-HB, CP62N-HWD, or PERMALUBE						
5.53"	.56"	3.50" x .120" (11 GA)	3.27"	1.75"	TH	62NY52-7
5.53"	.56"	3.50" x .095" (13 GA)	3.32"	1.88"	DR	62NY53-1
72N SERIES U-JOINT KIT: CP72N-DWT, CP72N-HB, CP72N-HWD, or PERMALUBE						
5.84"	.63"	3.50" x .134" (10 GA)	3.24"	2.13"	DR	72NY52-20
82N SERIES U-JOINT KIT: CP82N-DWT, CP82N-HB, CP82N-HWD, or PERMALUBE						
8.13"	.63"	4.00" x .187"	3.63"	2.44"	DR	82NY58
8.13"	.63"	4.00" x .187"	3.63"	2.44"	TH	82NY58-2
8.13"	.63"	4.00" x .134" (10 GA)	3.74"	2.88"	DR	82NY60-19
85WB SERIES U-JOINT KIT: CP85WB-DWT, CP85WB-HB, CP85WB-HWD, or PERMALUBE						
6.5"	.63"	4.00" x .134" (10 GA)	3.74"	2.63"	DR	85WBY60-11
92N SERIES U-JOINT KIT: CP92N-DWT, CP92N-HB, CP92N-HWD, or PERMALUBE						
8.25"	.63"	4.50" x .259" (3 GA)	4.00"	2.75"	TH	92NY64
8.25"	.63"	4.50" x .187"	4.14"	2.25"	DR	92NY66
8.25"	.63"	4.50" x .134" (10 GA)	4.23"	2.75"	DR	92NY68-2

SECTION 6


INDEX

Yoke and Tube Assemblies	Page
Bearing Plates	6-1


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below.
Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




YOKE AND TUBE ASSEMBLIES - BEARING PLATES



Yoke Dimension Across Ears	Bearing Cap Dia.	Tubing O.D. and Wall	Tubing Base Part No.	Jig Pin to End	Center to End	Weld Yoke	Part Number
16N SERIES		U-JOINT KIT: CP16NS or CP279X					
5.31"	1.88"	3.50" x .134" (10 GA)	RT-35-10	37.06"	38.00"	16N-28-627	983-14-2
5.31"	1.88"	3.50" x .134" (10 GA)	RT-35-10	65.06"	66.00"	16N-28-627	983-15-2
17N SERIES		U-JOINT KIT: CP17NS or CP280X					
6.09"	1.94"	4.00" x .134" (10 GA)	RT-4-10	50.06"	51.03"	17N-28-347	984-23-2

6

If you detect any **errors** in this catalog, please let us know.



We want the information to be as accurate as possible; we appreciate your help in making it so.

Please e-mail any comments/suggestions/corrections to us at: catalogfeedback@arvinmeritor.com

or mail to: ArvinMeritor
attn: Catalog Dept.
7975 Dixie Highway
Florence, KY 41042

DRIVELINE TIPS II

1. Universal joints have a torque rotation direction. Installing joints in reverse rotation to zerk fitting will result in premature failure. Proper rotation should be with zerk and rotation to the right.
2. End Yoke Torque Value - Nut holding end yoke to application should have torque value of 600 Ft Lbs. A torque multiplier may be necessary to achieve specified setting.
3. Bearing Straps - Torque settings should be between 30 to 40 Ft Lbs.
4. Yokes are directional and have arrows indicating side away from transmission and power source.
5. Go - No Go Gauges - Tools available to pre-determine if yoke ears may be sprung. If bar, gauge will not fit through ears, yoke is probably damaged.
6. Yoke Throat - Center area of yoke where material is machined down to narrowest point. Seam of welded tubing should be towards one ear or the other, but never in center of throat area.
7. Critical Speed - Maximum speed at which shaft may safely operate, based on length vs. RPM vs. diameter. Exceeding critical speed value may result in spontaneous disassembly.
8. Shaft Length - 60" to 80" is safe margin. Consider using a 2 piece system for shafts in excess of 80".
9. Balance Weights - Recommended number of weights per shaft is 7 for a single shaft and 9 for a two shaft configuration.
10. Inclinometer - Tool available to help determine driveline angles and slope. Provides a digital readout of degrees.

SECTION 7


INDEX

Bearing Stubs	Page
Non-Slip	7-1
Slip	7-2


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below.
Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER




MERITOR AFTERMARKET NUMBER



BEARING STUBS - NON-SLIP




STYLE 1




STYLE 2

Spline Size	Brg. Shldr. Dia.	Shldr. Lgth.	Shldr. Dia.	Defl. Dia.	Spline Lgth.	Thread Size	Style	Effec. Lgth.	Use with Tubing O.D. and Wall	Insert Dia.	Part Number
1.50"-10	1.57"	.81"	1.94"	2.31"	1.88"	.75"-16	1	4.03"	3.50" x .095" (13 GA)	3.32"	BSS24-53
1.50"-10	1.57"	.81"	1.94"	2.31"	1.88"	.75"-16	1	4.03"	3.50" x .095" (13 GA)	3.32"	BSS24-53A
1.50"-10	1.57"	.88"	1.72"		1.81"	.75"-16	2	3.88"	3.50" x .083" (14 GA)	3.34"	141N-53-1081
1.50"-10	1.77"	.81"	2.19"	2.56"	1.88"	.75"-16	1	4.06"	3.50" x .095" (13 GA)	3.32"	BSS24-60A
1.75"-10	1.77"	.81"	2.19"		2.28"	1.25"-18	1	4.34"	4.00" x .134" (10 GA)		16N-53-191
1.75"-10	1.77"	.81"	2.19"	2.56"	2.06"	1.25"-18	1	4.34"	3.50" x .134" (10 GA)	3.24"	16N-53-141
1.95"-10	1.97"	.81"	2.43"	2.81"	2.88"	1.25"-18	1	5.16"	3.50" x .156"	3.20"	17N-53-151
1.95"-10	1.97"	.81"	2.44"	2.81"	2.88"	1.25"-18	1	5.15"	4.00" x .134" (10 GA)	3.74"	BSS31-18
1.95"-10	1.97"	.81"	2.44"	2.81"	2.88"	1.25"-18	1	5.16"	4.00" x .134" (10 GA)	3.74"	17N-53-201
1.95"-38	1.97"	.81"	2.44"		2.84"	1.25"-18	1	5.15"	4.00" x .134" (10 GA)		17N-53-411
1.96"-10	1.97"	.81"	2.44"		2.88"	1.25"-18	1	5.16"	4.50" x .134" (10 GA)		17N-53-241
2.00"-38	1.97"	.81"	2.44"	2.81"	2.88"	1.25"-18	1	5.16"	4.00" x .134" (10 GA)	3.74"	BSS32-34
2.34"-16	2.36"	.81"	2.87"	3.32"	2.63"	1.25"-18	1	5.31"	4.50" x .134" (10 GA)	4.24"	18N-53-91
2.34"-16	2.36"	.81"	2.87"	3.32"	2.63"	1.25"-18	1	5.31"	4.09" x .180" (7 GA)	3.74"	17N-53-311
2.34"-16	2.36"	.81"	2.87"	3.32"	2.63"	1.25"-18	1	5.31"	4.50" x .259" (3 GA)	4.00"	18N-53-51
2.35"-46	2.36"	.81"	2.88"	3.32"	2.53"	1.25"-18	1	5.31"	4.59" x .180" (7 GA)	4.24"	18N-53-171
2.35"-46	2.36"	.81"	2.88"	3.32"	2.53"	1.25"-18	1	5.31"	4.00" x .134" (10 GA) 4.06" x .165" 4.09" x .180" (7 GA)	3.74"	176N-53-21

BEARING STUBS - SLIP



STYLE 1



STYLE 2

Spline Size	Brg. Shldr. Dia.	Shoulder Length	Shoulder Dia.	Deflector Dia.	Spline Length	Style	Effective Length	Use with Tubing O.D. and Wall	Insert Dia.	Part Number
1.38"-15	1.38"	.81"	1.69"		2.50"	2	8.84"	3.00" x .083" (14 GA)	2.84"	131N-53-711
1.38"-15	1.38"	.81"	1.69"		2.50"	2	8.84"	2.75" x .065" (16 GA)	2.63"	131N-53-711-1
1.38"-15 (Based on 16 Spline)	1.38"	.81"	1.69"		2.50"	2	8.88"	3.00" x .065" (16 GA)		121N-53-691
1.38"-15 (Based on 16 Spline)	1.38"	.81"	1.69"		5.41"	1	8.00"	2.50" x .083" (14 GA)		121N-53-471
1.38"-15 (Based on 16 Spline)	1.38"	.81"	1.69"		5.41"	1	8.00"	3.00" x .083" (14 GA)		121N-53-501
1.38"-15 (Based on 16 Spline)	1.38"	1.13"	1.72"		4.97"	1	8.09"	2.50" x .083" (14 GA)		135N-53-1351
1.38"-16	1.38"	.81"	1.69"		4.44"	1	7.03"	3.00" x .083" (14 GA)	2.84"	141N-53-1371
1.38"-16	1.38"	1.13"	1.72"		4.97"	1	8.09"	3.00" x .083" (14 GA)	2.84"	141N-53-1361
1.38"-31	1.38"	1.13"	1.72"	1.75"	3.38"	2	8.81"	3.00" x .083" (14 GA)	2.84"	135N-53-1181
1.38"-31	1.38"	1.13"	1.72"	1.75"	3.38"	2	8.81"	2.75" x .095" (13 GA)	2.59"	135N-53-1181-1
1.38"-31	1.38"	1.13"	1.72"	1.75"	3.38"	2	8.81"	2.75" x .065" (16 GA)	2.63"	135N-53-1181-2
1.50"-16	1.58"	.88"	1.81"	2.16"	2.00"	2	7.06"	3.00" x .083" (14 GA)	2.84"	141N-53-1031
1.56"-16	1.58"	.81"	1.94"	2.31"	5.94"	2	8.53"	3.50" x .083" (14 GA)	3.35"	148N-53-451
1.75"-16	1.77"	.81"	2.19"	2.56"	2.94"	2	8.62"	3.50" x .095" (13 GA)	3.33"	155N-53-61

SECTION 8


INDEX

Spline Plugs	Page
Spline Plugs	8-1


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below.
Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




SPLINE PLUGS



Spline Size	Spline Length	Effective Length	Use with Tubing O.D. and Wall	Tubing Insert Dia.	End of Spline to Radius	Nylon Coated Spline	Part Number
1.25"-16	2.00"	6.00"	2.00" x .083" (14 GA)	1.84"	5.41"	Yes	121N-40-1741
1.25"-16	2.00"	6.13"	1.25" x .120" (11 GA)	1.03"	5.38"	Yes	131N-40-1771
1.25"-16	2.00"	6.13"	2.50" x .065" (16 GA)	2.37"	5.41"	Yes	121N-40-2211
1.25"-16	2.50"	7.75"	2.50" x .065" (16 GA)	2.37"	7.03"	Yes	121N-40-2301
1.38"-16	2.25"	5.19"	2.00" x .083" (14 GA)	1.84"	4.63"	Yes	131N-40-1031
1.38"-16	2.25"	6.19"	2.00" x .120" (11 GA)	1.76"	5.63"	Yes	131N-40-1701
1.38"-16	2.25"	6.28"	2.50" x .065" (16 GA)	2.37"	5.56"	Yes	131N-40-1251
1.38"-16	2.25"	6.34"	2.50" x .065" (16 GA)	2.37"	5.63"	Yes	131N-40-1811
1.38"-16	2.25"	6.34"	2.50" x .083" (14 GA)	2.34"	5.63"	Yes	131N-40-1711
1.38"-16	2.25"	6.44"	3.00" x .065" (16 GA)	2.87"	5.63"	Yes	131N-40-1221
1.38"-16	2.25"	6.44"	3.00" x .083" (14 GA)	2.84"	5.63"	Yes	131N-40-1521
1.38"-16	2.25"	6.56"	3.50" x .065" (16 GA)	3.37"	5.56"	Yes	131N-40-1231
1.38"-16	2.25"	6.84"	2.50" x .065" (16 GA)	2.37"	6.13"	Yes	131N-40-1291
1.38"-16	2.25"	7.53"	2.50" x .083" (14 GA)	2.34"	6.81"	Yes	131N-40-1851
1.38"-16	2.25"	7.63"	3.00" x .065" (16 GA)	2.87"	6.81"	Yes	131N-40-2051
1.38"-16	6.78"	8.64"	3.00" x .083" (14 GA)	2.84"	7.83"	Yes	131N-40-1871
1.38"-16	6.97"	8.97"	3.50" x .083" (14 GA)	3.34"	7.97"	Yes	131N-40-2091
1.50"-16	2.50"	5.63"	2.50" x .083" (14 GA)	2.34"	4.97"	Yes	135N-40-1471
1.50"-16	2.50"	5.94"	3.00" x .083" (14 GA)	2.84"	5.13"	Yes	135N-40-1101
1.50"-16	2.50"	7.25"	3.00" x .083" (14 GA)	2.84"	6.44"	Yes	135N-40-1611
1.50"-16	2.50"	7.34"	3.50" x .083" (14 GA)	3.34"	6.41"	Yes	135N-40-1561
1.50"-16	3.00"	6.56"	3.50" x .083" (14 GA)	3.34"	5.63"	Yes	135N-40-1531
1.50"-16	3.00"	7.53"	3.50" x .083" (14 GA)	3.34"	6.59"	Yes	135N-40-1491
1.56"-16	3.00"	6.75"	3.50" x .083" (14 GA)	3.34"	5.81"	Yes	148N-40-1571
1.56"-16	3.00"	8.75"	3.50" x .083" (14 GA)	3.34"	7.81"	Yes	148N-40-1391
1.75"-16	3.00"	6.78"	3.50" x .095" (13 GA)	3.32"	5.81"	Yes	155N-40-761
1.75"-16	3.00"	7.50"	3.50" x .095" (13 GA)	3.32"	6.50"	Yes	PS28-16-13
1.75"-16	3.00"	9.22"	3.50" x .095" (13 GA)	3.32"		Yes	PS28-16-8
1.75"-16	3.00"	9.22"	3.50" x .095" (13 GA)	3.32"	8.25"	Yes	155N-40-721
1.75"-16	3.00"	9.66"	3.50" x .095" (13 GA)	3.32"	8.63"	Yes	62NPS28-4
1.75"-16	3.80"	10.70"	4.00" x .083" (14 GA)	3.85"		Yes	BPS28-16-1
2.00"-16	3.33"	10.26"	4.00" x .109" (12 GA)	3.79"		Yes	PS32-16-77
2.00"-16	3.34"	9.69"	3.50" x .134" (10 GA)	3.24"	8.75"	Yes	16N-40-1011
2.00"-16	3.50"	10.19"	3.50" x .134" (10 GA)		9.28"	Yes	16N-40-1041
2.00"-16	3.50"	7.56"	3.50" x .134" (10 GA)		6.66"	Yes	16N-40-1191
2.00"-16	3.50"	9.84"	4.00" x .134" (10 GA)		8.78"	Yes	16N-40-1051
2.00"-16	3.66"	10.50"	3.50" x .134" (10 GA)	3.24"	9.50"	No	PS32-16-30
2.00"-16	4.70"	9.56"	4.00" x .109" (12 GA)	3.79"		Yes	PS32-16-76
2.50"-10	4.00"	10.34"	3.50" x .156"	3.20"	9.50"	No	17N-40-61
2.50"-10	4.50"	10.00"	4.00" x .109" (12 GA)	3.79"	8.86"	No	82NPS40
2.50"-16	3.00"	9.25"	4.00" x .180" (7 GA)	3.63"	8.25"	Yes	PS40-16-34

SPLINE PLUGS



Spline Size	Spline Length	Effective Length	Use with Tubing O.D. and Wall	Tubing Insert Dia.	End of Spline to Radius	Nylon Coated Spline	Part Number
2.50"-16	3.69"	11.13"	4.00" x .134" (10 GA)	3.74"	10.00"	Yes	PS40-16-23
2.50"-16	3.70"	10.67"	4.00" x .134" (10 GA)	3.74"		Yes	PS40-16-62
2.50"-16	3.92"	10.56"	4.00" x .134" (10 GA)	3.74"	9.56"	Yes	17N-40-521
2.50"-16	3.92"	10.56"	4.00" x .134" (10 GA)	3.74"		Yes	PS40-16-15
2.50"-16	3.92"	9.25"	4.00" x .134" (10 GA)	3.74"	8.25"	Yes	17N-40-541
2.50"-16	4.00"	10.66"	4.50" x .134" (10 GA)		9.47"	Yes	17N-40-621
2.50"-16	4.00"	9.50"	4.50" x .134" (10 GA)		8.31"	Yes	17N-40-631
2.50"-16	4.70"	9.92"	4.00" x .134" (10 GA)	3.74"		Yes	PS40-16-61
3.00"-10	9.00"	11.19"	4.50" x .259" (3 GA)	4.00"	10.25"	No	PS48-10-1
3.00"-16	4.28"	11.25"	4.50" x .134" (10 GA)	4.24"	10.03"	Yes	18N-40-191
3.00"-16	4.28"	11.25"	4.50" x .259" (3 GA)	4.00"	10.03"	Yes	PS48-16-1
3.00"-16	4.28"	11.53"	4.50" x .259" (3 GA)	4.00"	10.22"	Yes	PS48-16-16
3.00"-16	4.28"	9.47"	4.50" x .134" (10 GA)	4.24"	8.41"	Yes	18N-40-201
3.00"-16	4.28"	9.47"	4.50" x .259" (3 GA)	4.00"	8.41"	Yes	PS48-16-19
3.00"-16	4.29"	11.25"	4.59" x .180" (7 GA)	4.24"		Yes	PS48-16-5
3.00"-16	4.70"	10.13"	4.59" x .180" (7 GA)	4.24"		Yes	25RPL-SLIP
3.00"-16	4.70"	10.13"	4.59" x .180" (7 GA)	4.24"		Yes	PS48-16-38

SECTION 9


INDEX

Shaft Yokes	Page
AXLE SHAFT YOKES	
Round Bearings	9-1
SHAFT YOKES	
Round Bearings	9-2
Wing Bearings	9-3


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below.
Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER



AXLE SHAFT YOKES - ROUND BEARINGS




Spline Size	Center to End	Spline Length	Shaft Diameter	Yoke Dimension Across Ears	Bearing Cap Diameter	Bearing Seat Diameter	Part Number
750N SERIES U-JOINT KIT: CP750N, CP750N-1, or CP750N-4							
1.66"39	13.28"	2.38"	1.64"	5.19"	1.63"	1.66"	750NYSM27-12
1.66"39	30.91"	2.38"	1.64"	5.19"	1.63"	1.66"	750NYSM27-13
1.75"34	12.73"	1.75"	1.63"	5.19"	1.63"	1.80"	750NYSM28-112
1.77"19	30.75"	2.59"	1.61"	5.19"	1.63"	1.88"	750NYSM28-155
850N SERIES U-JOINT KIT: CP850N-4							
1.88"20	32.72"	2.38"	1.75"	6.06"	1.94"	2.25"	850NYSM30-25
2.00"21	14.05"	3.00"	1.94"	6.06"	1.94"	2.25"	850NYSM32-18
2.06"24	13.38"	2.47"	2.00"	6.06"	1.94"	2.25"	850NYSM34-48
950N SERIES U-JOINT KIT: CP950N							
2.38"24	13.38"	3.31"	2.20"	7.89"	2.50"	2.45"	950NYSM38-1
2.38"24	31.63"	2.88"	2.20"	7.89"	2.50"	2.63"	950NYSM38-15



MERITOR

an **ArvinMeritor** brand

SHAFT YOKES - ROUND BEARINGS



NOTE: ALL SPLINES ARE NYLON COATED.

Spline Size	Center to End	Spline Length	End to Radius	Yoke Dim. Across Ears	Brg. Cap Dia.	Bottom of Crosshole to End	Joint Angle	Part Number
-------------	---------------	---------------	---------------	-----------------------	---------------	----------------------------	-------------	-------------

17N SERIES

U-JOINT KIT: R280X or CP280X


2.50"-16	8.16"	3.00"	5.22"	6.09"	1.94"	7.19"	31°	17N-82-1211
2.50"-16	10.03"	3.50"	6.69"	6.09"	1.94"	9.06"	31°	17N-82-1171-1
2.50"-16	10.66"	3.50"	7.31"	6.09"	1.94"	9.69"	31°	17N-82-1171-12
2.50"-16	11.16"	3.50"	7.81"	6.09"	1.94"	10.19"	31°	17N-82-1171-2
2.50"-16	12.12"	2.73"	11.15"	6.09"	1.94"	11.15"	45°	17NYSM40-177
2.50"-16	13.00"	3.50"	9.59"	6.09"	1.94"	12.03"	31°	17N-82-1171-5
2.50"-16	13.59"	3.23"	9.34"	6.09"	1.94"	12.62"	45°	17NYSM40-173
2.50"-16	14.41"	3.73"	10.16"	6.09"	1.94"	13.44"	45°	17NYSM40-172
2.50"-16	14.75"	4.00"	9.94"	6.09"	1.94"	13.78"	45°	17N-82-1061-8
2.50"-16	15.03"	4.00"	10.22"	6.09"	1.94"	14.06"	45°	17N-82-1061-3
2.50"-16	16.28"	3.73"	11.47"	6.09"	1.94"	15.31"	45°	17NYSM40-170
2.50"-16	16.88"	4.00"	12.06"	6.09"	1.94"	15.91"	45°	17N-82-1061-4
2.50"-16	17.50"	4.00"	12.69"	6.09"	1.94"	16.53"	45°	17N-82-1061-9

20R SERIES

U-JOINT KIT: CP20RPL-1


2.50"-16	13.45"	3.70"	9.39"	7.00"	2.06"	12.42"	42°	20RYSM40-24
2.50"-16	13.95"	3.70"	9.48"	7.00"	2.06"	12.92"	42°	20RYSM40-26
2.50"-16	14.20"	3.70"	9.73"	7.00"	2.06"	13.17"	42°	20RYSM40-27
2.50"-16	14.45"	3.70"	9.98"	7.00"	2.06"	13.42"	42°	20RYSM40-28
2.50"-16	15.20"	3.70"	10.73"	7.00"	2.06"	14.17"	42°	20RYSM40-31
2.50"-16	16.20"	3.70"	11.73"	7.00"	2.06"	15.17"	42°	20RYSM40-35

SHAFT YOKES - WING BEARINGS



Spline Size	Face to End	Pilot Diameter	Spline Length	Slot Width	Kit Mtg. Holes	Part Number
72N SERIES	U-JOINT KIT: CP72N-DWT, CP72N-HB, CP72N-HWD or PERMALUBE					
2.00"-10	9.13"	5.84"	2.75"	.63"	.47"-DR	72NYSM32-58

If you detect any **errors** in this catalog, please let us know.



We want the information to be as accurate as possible; we appreciate your help in making it so.

Please e-mail any comments/suggestions/corrections to us at: catalogfeedback@arvinmeritor.com

or mail to: ArvinMeritor
 attn: Catalog Dept.
 7975 Dixie Highway
 Florence, KY 41042

DRIVELINE TIPS III

ANGLES AND VIBRATIONS

1. Driveline vibrations can occur as five various types, transverse, torsional, inertial excitation, critical speed, and secondary coupling vibrations.
2. Transverse vibrations are simplest to repair and usually involve balance issues on driveshaft.
3. Torsional vibrations are more serious vibration issues that are usually related to driveline working angles, and bending and twisting motion experienced by driveshaft.
4. Large working angles will usually introduce torsional vibrations. Keeping driveline slope 3° to 6° is preferred. The smaller the angles, the less chance of torsionals.
5. Cancellation angles is the process where you keep the front and rear working angles to a + / - 1° of each other. Keeping angles small and + / - 1° of each other will help cancel out torsionals.
6. Ride height will affect angles and relate to vibration issues. When checking into a vibration issue the truck should be loaded.
7. There are two types of angles to be aware of, simple 1 plane angles and compound angles.
8. Simple 1 plane angles are where the driveshaft connects to the rear axle and is in a straight line plane.
9. Compound angle is where the driveshaft is offset in relation to the transmission and rear axle, not in a straight line plane.
10. Driveline slope is the direction, up, or down, of the driveshaft and the slope should not exceed 3° to 6° to avoid torsional vibrations.

SECTION 10

INDEX


Small Parts and Tubing	Page
Balance Weights.....	10-10
Bearing Clamps.....	10-8
Capscrews.....	10-2
Deflectors.....	10-6
Dust Cap Groups.....	10-4
Dust Seals	10-5
Hardware for Bearing Stubs	10-1
Lockplates	10-9
Lube Fittings.....	10-10
Nuts	10-3
Plugs for Slip Yokes	10-13
Snap Rings	10-10
Strap and Bolt Kits.....	10-7
Thrustplates.....	10-9
Tubing.....	10-11
U-Bolt Kits.....	10-8
U-Joint Hardware Kit Charts.....	10-14
Washers.....	10-1
Wearsleeves.....	10-9
Yoke Nuts	10-3
Yoke Washers	10-4

DRIVELINE TIPS IV

FAILURE ANALYSIS


1. Shock Load is failure where engineered values are exceeded and sudden sharp spike in load value will shear related parts. Clean break in appearance.
2. Brinneling is where the needle bearings will embed themselves into the trunion surface, due to lack of movement (rotation) and lube. Appearance will be multiple ridges around the trunion surface.
3. Galling is the condition where due to lack of lube and the presence of heat, two metal surfaces will weld, fuse themselves together. The bearing cap will become permanently attached to end of trunion.
4. Spalling is where due to foreign presence of material (moisture) lube will be diluted and no longer provide protection against heat resulting in eventual failure.
5. Fatigue is where due to time, heat, stress loads and various chemical exposure to materials, the surface will begin to deteriorate and break down. A surface pitting or flaking will occur resulting in structural weakening and eventual failure.
6. Beach Marks are visual markings on failed surface related to shock load. You can see cracks, fissure marks on surface that increased over time prior to ultimate failure.
7. Critical Speed/Tube Failure is where tubing collapsed, crimped, separated due to shock load / critical speed.
8. Imbalance issue is when weights are missing or placed too close to tube weld seam. Can cause static vibrations as a jump rope, resulting in ultimate failure.
9. Lube recommended is NLGI EP 2. Lack of proper lubrication will result in premature failure.
10. Driveline slope should have a minimum of $1/2^\circ$ to spread lube in the U-joint bearing caps, and avoid failure due to lack of lube.

HARDWARE FOR BEARING STUBS



Spline Size	Part Number	Thread Size	Washer	Nut	Capscrew
1.50"-10	141N-53-1081	.75"-16	WAR13-5		S-11212
1.50"-10	BSS24-53	.75"-16	WAR13-5	NL-112-1	
1.50"-10	BSS24-53A	.75"-16	WAR13-5	NL-112-1	
1.50"-10	BSS24-60A	.75"-16	WAR13-5	NL-112-1	
1.75"-10	16N-53-141	1.25"-18	WAR21-1	1227-Z-936	
1.75"-10	16N-53-191	1.25"-18			
1.95"-10	17N-53-151	1.25"-18	WAR21-1	1227-Z-936	
1.95"-10	17N-53-201	1.25"-18	WAR21-1	1227-Z-936	
1.95"-10	BSS31-18	1.25"-18	WAR21-1	1227-Z-936	
1.95"-38	17N-53-411	1.25"-18			
1.96"-10	17N-53-241	1.25"-18			
2.00"-38	BSS32-34	1.25"-18	WAR21-1	1227-Z-936	
2.34"-16	17N-53-311	1.25"-18	WAR21-1	1227-Z-936	
2.34"-16	18N-53-51	1.25"-18	WAR21-1	1227-Z-936	
2.34"-16	18N-53-91	1.25"-18	WAR21-1	1227-Z-936	
2.35"-46	176N-53-21	1.25"-18			
2.35"-46	18N-53-171	1.25"-18			

WASHERS




FLAT


LOCKWASHER

Type	Outside Diameter	Inside Diameter	Thickness	Part Number
Lock Washer	.58"	.32"	.08"	WA-15Z
Lock Washer	.69"	.38"	.12"	WA-46
Lock Washer	.69"	.52"	.15"	WA-48
Lock Washer	.77"	.44"	.11"	WALM7-2
Lock Washer	.88"	.52"	.13"	WA-18
Flat Metal	1.75"	.78"	.19"	WAR13-5
Flat Metal	2.13"	1.27"	.12"	WAR20-1
Flat Metal	2.23"	.53"	.38"	WAR8-14


CAPSCREWS




TYPE 1



TYPE 2



TYPE 3




TYPE 4


Type	Thread Size	Length	Grade	Part Number
1	.31"-18	1.75"	Grade 8	SP-1049
1	.38"-16	1.75"	Grade 8	SP-1045
1	.38"-24	.75"	Grade 8	SP-1013
1	.44"-20	1.12"	Grade 8	SP-1010
1	.44"-20	2.00"	Grade 8	SP-1012
1	.50"-20	1.75"	Grade 8	CSC8-20-52
2	M12 x 1.75	30mm	Grade 10.9	MS-212030-2
2	M12 x 1.75	60mm	Grade 10.9	MS-212060-2
2	.31"-24	.75"	Grade 8	CSH5-24-37
2	.31"-24	.88"	Grade 8	CSH5-24-34
2	.31"-24	1.00"	Grade 8	CSH5-24-27
2	.50"-20	1.00"	Grade 8	SP-1014
3	.25"-28	.63"	Grade 8	CSH4-28-13
3	.31"-24	.75"	Grade 8	CSH5-24-28
4	.31"-24	.63"	Grade 8	S-155-2
4	.38"-24	.63"	Grade 8	S-165B-2 ¹
4	.38"-24	1.00"	Grade 8	S-168-2
4	.38"-24	2.00"	Grade 8	S-1616-2
4	.44"-20	1.13"	Grade 8	S-179-2
4	.44"-20	2.00"	Grade 8	S-1716-2
4	.50"-20	1.50"	Grade 8	S-1812-2
4	.50"-20	2.25"	Grade 8	S-1818-2
4	.50"-20	2.50"	Grade 8	S-1820-2
4	.50"-20	2.75"	Grade 8	S-1822-2
4	.75"-16	1.50"	Grade 5	S-11212

¹ Has adhesive band.

NUTS




TYPE 1




TYPE 2

Type	Width Across Flats	Thread Size	Thickness	Part Number
1	.75"	.50"-20	.31"	NUEL8-20-8
2	.50"	.31"-18	.30"	NL-25-1
2	.56"	.38"-16	.33"	NL-26-1
2	.56"	.38"-24	.34"	NUHX6-24-14
2	.69"	.44"-20	.42"	NUHX7-20-1
2	.75"	.50"-20	.31"	NUJA8-20-6
2	1.13"	.75"-16	.64"	NL-112-1

YOKE NUTS



TYPE 1




TYPE 2

Type	Width Across Flats	Thread Size	Metric Thread	Thickness	Related Washer	Part Number
1	1.13"	0.88"-20		.50"	1229-S-1397	1227-G-943
1	1.32"	1.00"-20		.57"	1229-E-1331	1227-C-939
1	1.63"	1.25"-12		.62"	1229-A-2653	1227-K-1051
1	1.63"	1.25"-18		.62"	1229-A-2653	1227-Z-936
1	1.88"	1.50"-12		.75"	1229-T-1736	1227-J-946
1	1.88"	1.50"-18		.75"	1229-E1071	1227-A-937
1	2.25"	1.75"-12		.69"	1229-S-1605	1227-D-940
2	1.88"	1.25"-12		.75"	1229-A-2653	1227-Q-901
2	2.25"	1.50"-12		.88"	1229-T-1736	1227-R-902
2	2.58"	1.75"-12		.99"	1229-N-1730	1227-N-898
2	45.69mm		32mm x 1.5-6H Thd.	18mm	1229-A-2653	40-X-1236 ²
2	54.63mm		39mm x 1.5-6H Thd.	21mm	1229-T-1736	40-X-1237
1	56.20mm		45mm x 1.5-6H Thd.	24mm	1229-W-4521	40-X-1233


² Order KIT 2636 to purchase nut and washer.

YOKE WASHERS



Outside Diameter	Inside Diameter	Thickness	Part Number
1.62"	.91"	.13"	1229-S-1397
1.62"	.91"	.19"	1229-N-1548
1.81"	1.03"	.25"	1229-E-1331
2.19"	1.28"	.22"	1229-A-2653
2.38"	1.53"	.13"	1229-T-1736
2.38"	1.53"	.25"	1229-F-2918
3.00"	1.78"	.10"	1229-G-1281
3.00"	1.78"	.19"	1229-N-1730
3.25"	1.75"	.31"	1229-W-4521 ⁶
3.25"	1.81"	.40"	1229-S-1605
3.25"	2.03"	.28"	1229-E-1071


DUST CAP GROUPS



Series	Style	Seal Size - No. of Teeth	Dust Cap	Felt Washer	Nylon Washer	Metal Washer	Cork Seal	Part Number
131N	SPL	1.25"-16	Yes	No	Yes	No	No	ND2K
133N, 135N, 141N	SPL	1.50"-16	Yes	No	No	Yes	Yes	ND3K
155N	SPL	1.75"-32	Yes	Yes	No	No	No	DC155N
17N	RD	2.50"-	Yes	No	No	Yes	Yes	DC17N-3
17N	RD	2.50"-	Yes	No	No	Yes	Yes	DC17N
62N	RD	1.75"-	Yes	Yes	No	Yes	No	DC62N-1
72N	RD	2.00"-	Yes	Yes	No	Yes	No	DC72N-1
72N	SPL	2.00"-10	Yes	Yes	Yes	No	No	DC72N
82N	SPL	2.50"-10	Yes	Yes	No	Yes	No	DC82N-1
82N	SPL	2.50"-16	Yes	Yes	No	Yes	No	DC82N-4

⁶ Included in KIT 2638.

DUST SEALS




Style	Series	Thread Size	Outside Diameter	Diameter of Hole	Spline Size	Part Number
1	L6N		1.75"	0.79"		SERUR14-16
1	121N		2.00"	1.00"		R280196
1	133N, 13N, 3R, 7260		2.13"	1.16"		R280194
1	155N		2.29"	1.33"		SERUR21-3
1	16N		2.61"	1.56"		SERUR25-4
1	176N, 17N		3.11"	1.98"		SERUR33-5
1	18N		3.61"	2.43"		SERUR40-9
2	131N		2.00"	1.09"		ND2C
2	131N, 135N, 141N, 3R		2.13"	1.18"		ND3A
2	148N		2.31"	1.25"		ND3H
2	58WB, 62N	2.12"-20	2.43"	1.32"		SERUR22-4
2	155N, 16N, 62N	3.00"-24	2.62"	1.52"		SERUR25-2
2	148N, 155N, 58WB, 72N	2.50"-20	2.62"	1.52"		SERUR25-1
2	176N, 17N, 72N, 82N	3.00"-24	3.25"	1.98"		SERUR33-4
2	85WB, 92N	3.75"-20	4.00"	2.44"		SERUR40-3
2	17N, 18N	3.62"-16	4.00"	2.44"		SERUR40-8
4	L6N		1.75"		1.25"-32	SERUS20
4	135N, 141N		2.13"		1.38"-16	R280195
4	155N		2.30"		1.73"-16	SERUS28-4
5	20RPL		3.29"	1.97"		SERUR32-7 ⁹
5	17N, 176N		3.36"	1.98"		SERUR32-9 ⁸
5	25RPL		3.77"	2.41"		SERUR40-21 ¹⁰
5	18N		3.86"	2.43"		SERUR39-2 ⁸

⁸ MXL Design. Available Fall 2009

⁹ Use KIT 20RPL SEAL for replacement on 20RPL. Kit contains DEFR53-4 and SERUR32-7. Replace both at same time.

¹⁰ Use KIT RPL SEAL for replacement on 25RPL. Kit contains DEFR61-1 and SERUR40-21. Replace both at same time.

DEFLECTORS











Outside Diameter	Inside Diameter	Depth	Type	Part Number
2.25"	1.75"	0.75"	1	DEFR22-4
2.43"	1.38"	0.62"	1	DEFR22-5
2.43"	1.56"	0.64"	1	DEFR25-4
2.50"	1.75"	0.50"	3	RBR28-1
2.62"	1.56"	0.59"	1	DEFR25-1
2.87"	1.56"	0.93"	1	DEFR25-2
2.87"	1.77"	0.59"	1	DEFR28-3
3.30"	2.56"	0.91"	3	DEFR53-4 ⁹
3.56"	2.37"	1.25"	3	DEFR38-5
3.63"	2.65"	1.20"	8	DEFR53-5
3.78"	3.50"	0.65"	4	DEFR48-10
3.80"	3.06"	0.91"	3	DEFR61-1 ¹⁰
3.87"	3.15"	1.20"	8	DEFR61-3
3.94"	2.18"	0.57"	3	DEFR35-3
4.00"	1.75"	0.83"	2	DEFR28-4
4.00"	2.06"	0.56"	2	DEFR33-1
4.00"	2.16"	0.56"	2	DEFR34-1
4.00"	2.68"	0.58"	3	DEFR43-1
4.17"	3.43"	1.24"	2	DEFR55-3
4.32"	2.64"	0.63"	2	DEFR42-1
4.33"	2.94"	0.31"	2	DEFR47-5
4.38"	2.31"	0.56"	2	DEFR37-1
4.38"	2.53"	0.87"	2	DEFR40-5
4.38"	3.06"	0.81"	1	DEFR49-1
4.44"	2.99"	1.125"	2	DEFR48-2
4.50"	2.37"	1.25"	3	DEFR38-3
4.56"	2.56"	0.56"	2	DEFR41-1
4.57"	2.99"	1.18"	2	DEFR48-8
4.59"	3.85"	0.40"	4	DEFR62-1
4.63"	2.38"	0.88"	2	DEFR38-1
4.75"	2.94"	0.31"	7	DEFR47-6
4.80"	2.97"	0.56"	3	DEFR47-12
4.81"	2.51"	1.00"	2	DEFR40-4
4.81"	2.81"	0.56"	2	DEFR35-1
4.88"	3.13"	0.94"	2	DEFR50-4
4.88"	3.51"	0.72"	6	DEFR56-2
4.88"	3.66"	1.03"	2	DEFR59-2
5.00"	2.99"	0.69"	2	DEFR48-5
5.13"	2.95"	0.69"	2	DEFR47-4
5.13"	3.43"	1.13"	6	DEFR55-2
5.14"	4.09"	0.67"	5	DEFR66-1
5.50"	2.76"	0.84"	2	DEFR44-1


⁹ Use KIT 20RPL SEAL for replacement on 20RPL. Kit contains DEFR53-4 and SERUR32-7. Replace both at same time.

¹⁰ Use KIT RPL SEAL for replacement on 25RPL. Kit contains DEFR61-1 and SERUR40-21. Replace both at same time.

DEFLECTORS

							
TYPE 1	TYPE 2	TYPE 3	TYPE 4	TYPE 5	TYPE 6	TYPE 7	TYPE 8
Outside Diameter	Inside Diameter	Depth	Type	Part Number			
5.50"	4.06"	0.81"	6	DEFR65-1			
5.56"	3.31"	0.58"	2	DEFR55-1			
5.72"	2.95"	0.88"	2	DEFR47-2			
5.75"	3.38"	0.94"	2	DEFR54-1			
6.00"	2.95"	0.94"	2	DEFR47-7			
6.00"	3.13"	0.81"	2	DEFR50-7			
6.00"	3.66"	0.90"	2	DEFR59-1			
6.25"	3.74"	1.12"	3	DEFR60-1			
6.75"	2.95"	1.00"	2	DEFR47-13			
7.00"	3.13"	0.81"	2	DEFR50-2			
7.00"	3.49"	0.88"	2	DEFR56-7			
7.37"	3.38"	1.50"	2	DEFR54-5			


STRAP AND BOLT KITS



Retainer Strap (2 per kit)	Capscrew (4 per kit)	Lock Nut (4 per kit)	Lock Washer (4 per kit)	Series	Part Number
REBC141-1	SP-1049	NL-25-1		131N, 141N	KT121
REBC141-1	CSC5-24-37			131N, 141N	KT122
REBC148-2	SP-1045	NL-26-1		148N, 155N	KT123
REBC148-2	SP-1013			148N, 155N	KT124
REBC141	CSH5-24-27		WA-15Z	131N, 141N	KT125
REBC148	CSH5-24-27		WA-15Z	148N, 155N	KT126 ⁵
REBC17S	SP-1014			176N, 17N, 18N	KT17SB
REBC16S	SP-1013			16N	KT16SB


⁵ .31 in.-24 thread.

U-BOLT KITS




U-Bolts (in kit)	Nuts (in kit)	Lockwashers (in kit)	CL to CL Length	Thread Size	Series	Part Number
2	4	4	1.41"	.31"-24	131N, 133N	KT116
2	4	4	1.63"	.38"-24	141N	KT117
2	4	4	1.88"	.44"-20	148N, 155N	KT118

BEARING CLAMPS




CL to CL of Bolt Holes	Hole Diameter	Series	Use Capscrew	Part Number
1.80"	0.33"	131N, 141N-T	CSC5-24-27	REBC141-1
1.88"	0.35"	131N, 141N	CSH5-24-27	REBC141
1.94"	0.33"	148N, 155N	CSH5-24-27	REBC148
2.12"	0.40"	148N, 155N, 155N-D	SP-1013, SP-1045	REBC148-2
2.50"	0.42"	16N	CSC6-24-56	REBC16S
2.80"	0.55"	176N, 17N, 18N	SP-1014	REBC17S

LOCKPLATES




CL to CL of Bolt Holes	Hole Diameter	Series	Use Capscrew	Part Number
2.31"	.34"	16N	S-155-2	LPHC37-1
2.44"	.39"	176N, 17N, 18N	S-165-2	LPHC39-3

THRUSTPLATES




CL to CL of Bolt Holes	Hole Diameter	Series	Use Capscrew	Part Number
1.75"	0.27"	148N, 155N	CSH4-28-13	RECP148
1.81"	0.33"	155N	CSH5-24-28	RECP155

WEARSLEEVES




Outside Diameter	Thickness	Series	Part Number
2.50"	1.00"	16N, 18N, 72N	1199-A-3329
3.00"	0.63"	82N, 92N	WIR46-2

SNAP RINGS



Internal/Inside

TYPE 2






Internal/Inside

TYPE 3



Snap Ring Type	Outside Diameter	Thickness	Series	Part Number
Internal / Inside	1.52"	.059"	148N, 155N	RRIR24-2
Internal / Inside	2.28"	.078"	20RPL, 25RPL	RRIR36-4

LUBE FITTINGS




Overall Length	Angle	Thread Size	Thread Type	Part Number
.89"	45 °	.13"-27	P.T.F.	1199-H-1620
.84"	65 °	.13"-27	P.T.F.	1199-X-1870
.84"	90°	.13"-27	P.T.F.	1898-R-720
.47"	Straight	.25"-28	U.N.F.	1199-T-2854
.47"	Straight	.13"-27	P.T.F.	1898-Q-771
.55"	Straight	.25"-28	TAPER	1199-B-2576
.72"	Straight	.13"-27	P.T.F.	1199-N-1860

BALANCE WEIGHTS




Weight	Style	Part Number
.25 oz.	Rectangular	BLWP33-2
.27 oz.	Round	BLWR18-1
.33 oz.	Round	BLWR18-2
.33 oz.	Rectangular	BLWP33-1
.42 oz.	Round	BLWR18-3
.50 oz.	Rectangular	BLWP32-3
.50 oz.	Round	BLWR18-4
.56 oz.	Rectangular	BLWP32-2
.68 oz.	Round	BLWR18-6
.70 oz.	Rectangular	BLWP32
1 oz.	Rectangular	BLWP11-2
2 oz.	Rectangular	BLWP22-1

TUBING




Outside Diameter	Wall Thickness	Length	Part Number
1.25"	.120" (11 GA)	72"	RT-125-11-72
1.25"	.120" (11 GA)	108"	RT-125-11-108
1.50"	.095" (13 GA)	72"	RT-15-13-72
1.50"	.095" (13 GA)	108"	RT-15-13-108
1.50"	.120" (11 GA)	72"	RT-15-11-72
1.50"	.120" (11 GA)	108"	RT-15-11-108
1.75"	.065" (16 GA)	72"	RT-176-16-72
1.75"	.065" (16 GA)	108"	RT-175-16-108
1.75"	.083" (14 GA)	108"	RT-175-14-108
1.75"	.120" (11 GA)	72"	RT-175-11-72
2.00"	.083" (14 GA)	72"	RT-2-14-72
2.00"	.083" (14 GA)	108"	RT-2-14-108
2.00"	.120" (11 GA)	72"	RT-2-11-72
2.25"	.120" (11 GA)	72"	RT-225-11-72
2.25"	.120" (11 GA)	108"	RT-225-11-108
2.38"	.083" (14 GA)	72"	RT-2375-14-72
2.38"	.083" (14 GA)	108"	RT-2375-14-108
2.50"	.065" (16 GA)	72"	RT-25-16-72
2.50"	.065" (16 GA)	108"	RT-25-16-108
2.50"	.083" (14 GA)	72"	RT-25-14-72
2.50"	.083" (14 GA)	108"	RT-25-14-108
2.75"	.083" (14 GA)	72"	RT-275-14-72
2.75"	.083" (14 GA)	108"	RT-275-14-108
2.75"	.095" (13 GA)	72"	RT-275-13-72
2.75"	.095" (13 GA)	108"	RT-275-13-108
2.75"	.134" (10 GA)	108"	RT-275-10-108
3.00"	.065" (16 GA)	72"	RT-3-16-72
3.00"	.065" (16 GA)	108"	RT-3-16-108
3.00"	.083" (14 GA)	72"	RT-3-14-72
3.00"	.083" (14 GA)	108"	RT-3-14-108
3.00"	.095" (13 GA)	72"	RT-3-13-72
3.00"	.095" (13 GA)	108"	RT-3-13-108
3.00"	.120" (11 GA)	72"	RT-3-11-72
3.00"	.120" (11 GA)	108"	RT-3-11-108
3.00"	.187"	72"	RT-3-187-72
3.00"	.187"	108"	RT-3-187-108
3.25"	.095" (13 GA)	72"	RT-325-13-72
3.25"	.095" (13 GA)	108"	RT-325-13-108
3.25"	.120" (11 GA)	72"	RT-325-11-72
3.25"	.120" (11 GA)	108"	RT-325-11-108
3.25"	.187"	72"	RT-325-187-72
3.50"	.065" (16 GA)	72"	RT-35-16-72
3.50"	.065" (16 GA)	108"	RT-35-16-108
3.50"	.083" (14 GA)	72"	RT-35-14-72

TUBING



Outside Diameter	Wall Thickness	Length	Part Number
3.50"	.083" (14 GA)	108"	RT-35-14-108
3.50"	.095" (13 GA)	72"	RT-35-13-72
3.50"	.095" (13 GA)	108"	RT-35-13-108
3.50"	.120" (11 GA)	72"	RT-35-11-72
3.50"	.120" (11 GA)	108"	RT-35-11-108
3.50"	.134" (10 GA)	72"	RT-35-10-72
3.50"	.134" (10 GA)	108"	RT-35-10-108
3.50"	.156"	72"	RT-35-156-72
3.50"	.156"	108"	RT-35-156-108
4.00"	.083" (14 GA)	72"	RT-4-14-72
4.00"	.083" (14 GA)	108"	RT-4-14-108
4.00"	.109" (12 GA)	72"	RT-4-12-72
4.00"	.109" (12 GA)	108"	RT-4-12-108
4.00"	.134" (10 GA)	72"	RT-4-10-72
4.00"	.134" (10 GA)	108"	RT-4-10-108
4.00"	.187"	72"	RT-4-187-72
4.00"	.187"	108"	RT-4-187-108
4.095"	.180" (7 GA)	72"	RT-4095-7-72
4.095"	.180" (7 GA)	108"	RT-4095-7-108
4.50"	.095" (13 GA)	72"	RT-45-13-72
4.50"	.095" (13 GA)	108"	RT-45-13-108
4.50"	.134" (10 GA)	72"	RT-45-10-72
4.50"	.134" (10 GA)	108"	RT-45-10-108
4.50"	.187"	72"	RT-45-187-72
4.50"	.187"	108"	RT-45-187-108
4.50"	.259" (3 GA)	72"	RT-45-3-72
4.50"	.259" (3 GA)	108"	RT-45-3-108
4.50"	.375"	72"	RT-45-375-72
4.50"	.375"	108"	RT-45-375-108
4.59"	.180" (7 GA)	72"	RT-459-7-72
4.59"	.180" (7 GA)	108"	RT-459-7-108

PLUGS FOR SLIP YOKES



Type	Outside Diameter	Height	Series	Part Number
Expansion	1.750"		58WB, 62N	PLEX28-1 ⁵
Expansion	1.975"		148N, 155N	PLEX31-14
Expansion	2.031"		16N	PLEX33-1 ⁵
Expansion	2.625"		16N, 17N, 750N	PLEX42-2
Welch	1.850"	0.50"	141N, 148N	PLWE30-1 ⁶
Welch	2.100"	0.69"	155N	PLWE33-2 ⁶
Welch	2.210"	0.84"	58WB, 62N, 72N, 82N	PLWE36-6 ⁵
Welch	2.215"	0.62"	16N, 62N, 72N	PLWE36-1
Welch	2.215"	0.62"	17N, 58WB, 62N, 72N	PLWE36-7 ⁵
Welch	2.465"	0.83"	16N	PLWE40-5
Welch	2.683"	0.75"	176N, 72N, 82N, 85WB	PLWE43-1
Welch	2.683"	1.00"	72N, 82N	PLWE43-2
Welch	2.938"	0.62"	176N, 17N	PLWE43-12
Welch	3.330"	0.69"	92N	PLWE53-15 ⁷
Welch	3.330"	0.69"	85WB, 92N	PLWE53-4

For additional: Parts Information
Cross Reference
Production Bills of Material

visit our online catalog at: **XpresswayPlus.ArvinMeritor.com**

⁵ Plug does not have a hole in the center.

⁷ Welch plug has a threaded hole (.13 in. NPT) in the center for a relief valve.

⁶ Welch plug has a .19 in. lip.

U-JOINT HARDWARE KIT CHART

U-JOINT	SERIES	BEARING DIAMETER	MERITOR U-BOLT KIT (one u-bolt per kit)	MERITOR STRAP & BOLT KIT
R-674X	16N	1.88"		KT16SB
R-675X	17N	1.94"		KT17SB
CP675X	17N	1.94"		KT17SB
R-677X	176N	1.94"		KT17SB
CP677X	176N	1.94"		KT17SB
R-676X	18N	1.94"		KT17SB
CP676X	18N	1.94"		KT17SB
CP134X	131N/133N	1.06"	KT116	
CP153X	131N	1.06"	KT116	
CP155N	155N	1.38"	KT118	KT123, KT124 or KT126
CP155X	155N	1.38"	KT118	KT123, KT124 or KT126
CP141N	141N	1.19"	KT117	KT121, KT122 or KT125
CP160X	141N	1.19"	KT117	KT121, KT122 or KT125
CP178X	135N	1.19"	KT117	KT121, KT122 or KT125
CP148N	148N	1.38"	KT118	KT123, KT124 or KT126
CP188X	148N	1.38"	KT118	KT123, KT124 or KT126
CP200X	1280	1.06"	KT116	
CP213X	133N	1.06"	KT116	
CP1200X	1310/131N	1.06"	KT116	
CP1205X	1350/135N	1.19"	KT117	
CP141N	1410/141N	1.19"	KT117	

DUAL-PLANE U-JOINT HARDWARE KIT CHART

U-JOINT	SERIES	BEARING DIAMETER	RETAINER KIT
US170X	SPL*170	2.165"	KIT US250-170X
US250X	SPL*250	2.361"	KIT US250-170X

* SPL® is a registered trademark of Dana Corporation

HARDWARE FOR WING STYLE U-JOINTS

U-JOINT KIT	SERIES	CAPSCREW	LOCKWASHER
CP18N96	18N/92N	S-165-2 S-1820-2	
CP58WB-DWT (1)	58WB	SP-1010	
CP58WB-HB (1)	58WB	SP-1010 SP-1012	
CP58WB-HWD (1)	58WB	SP-1012	
CP62N-DWT (1)	62N	S-168-2	WA-46
CP62N-HB (1)	62N	S-168-2 S-1616-2	WA-46
CP62N-HWD (1)	62N	S-1616-2	WA-46
CP72N-DWT (1)	72N	S-179-2	WALM7-2
CP72N-HB (1)	72N	S-179-2 S-1818-2	WALM7-2 WA-48
CP72N-HWD (1)	72N	S-1818-2	WA-48
CP82N-DWT (1)	82N	S-179-2	WALM7-2
CP82N-HB (1)	82N	S-179-2 S-1818-2	WALM7-2 WA-48
CP82N-HWD (1)	82N	S-1818-2	WA-48
CP85WB-DWT (1)	85WB	S-1812-2	WA-48
CP85WB-HB (1)	85WB	S-1812-2 S-1820-2	WA-48
CP85WB-HWD (1)	85WB	S-1820-2	WA-48
CP92N-DWT (1)	92N	S-1812-2	WA-48
CP92N-HB (1)	92N	S-1812-2 S-1820-2	WA-48
CP92N-HWD (1)	92N	S-1820-2	WA-48

(1) Permalube kits use the same attaching hardware as these standard kits shown.

MERITOR® RN SERIES GENUINE U-JOINTS

Performance Advantages:

- Regain peak performance with genuine Meritor® driveline components
- Designed for both on- and off-highway applications
- Ensure resilience and long life through comprehensive design and solid construction



RN SERIES GENUINE U-JOINTS

DRIVELINE SERIES	FULL-ROUND DESIGN	EASY SERVICE DESIGN
16N	R279X	R674X
17N	R280X	R675X
176N	R407X	R677X
18N	R281X	R676X

Features and Benefits:

- Glass-reinforced nylon thrust washer
 - Eliminates end galling
 - Absorbs metallic debris
 - Lube channels ensure even distribution of lubricant
 - Eliminates metal-to-metal contact and significantly increases "life"
- Center-point cover plate and domed cup minimize weld distortion, control deflection and provide a strong assembly for increased weld penetration
- Triple-lip sealing system keeps grease in and dirt out
- Precision-ground large-diameter trunnions over the needle bearing area lower contact stress for increased life
- Superior bearing package includes an innovative needle retention design to ensure correct assembly
- Protective metal dirt shield deflects water and dirt
- Contoured end rollers optimize stress distribution

For more information, call the customer service team at 888-725-9355 or visit <http://XpresswayPlus.arvinmeritor.com>.

SECTION 11


INDEX

U-Joint Kits	Page
U-JOINT KITS	
2 Wing Type and 2 Round Bearings	11-11
Bearing Plate	11-13
Inside and Outside Snap Ring Combinations.....	11-7
Dual-Plane Retainer	11-14
Inside Snap Rings	11-5
Meritor Easy Service	11-14
Outside Snap Rings.....	11-6
RPL Series	11-15
Wing Type and Cover Plate Hybrid	11-12
Wing Type Combinations	11-8
APPLICATION GUIDE – MERITOR SERIES	11-1
HOW TO SELECT U-JOINT KITS	11-2
MEASURING U-JOINT KITS	11-3
LUBRICATION OF U-JOINT.....	11-4
U-JOINT SIZES/RATINGS/SPEEDS/TUBE SIZES.....	11-16
TORQUE SPECIFICATIONS – ATTACHING HARDWARE	11-17


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below.
Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.

MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER



APPLICATION GUIDE - MERITOR SERIES

AUTOMOTIVE APPLICATIONS			
SERIES	MACHINE or VEHICLE	APPLICATION	YIELD TORQUE (Ft.Lb.)
L6	Medium and Heavy Truck	Steering	667
141N	Truck	Main & Inter-Axle Drive	3,750
62N	Truck	Main & Inter-Axle Drive	5,000
148N	Truck	Main & Inter-Axle Drive	5,000
155N	Truck	Main & Inter-Axle Drive	6,250
58WB	Truck	Main & Inter-Axle Drive	7,025
72N	Truck	Main & Inter-Axle Drive	7,080
16N	Truck	Main & Inter-Axle Drive	7,100
82N	Truck	Main & Inter-Axle Drive	11,083
17N	Truck	Main & Inter-Axle Drive	9,600
176N	Truck	Main & Inter-Axle Drive	16,000
750N	Military Truck	Wheel/Axle	5,760
850N	Truck	Wheel/Axle	16,700
18N	Truck	Main & Inter-Axle Drive	21,000
85WB	Truck	Main & Inter-Axle Drive	7,025
92N	Truck	Main & Inter-Axle Drive	23,000
950N	Truck	Wheel/Axle	39,000

CONSTRUCTION APPLICATIONS			
SERIES	MACHINE or VEHICLE	APPLICATION	YIELD TORQUE (Ft.Lb.)
L6	Grader	Steering	667
62N	Skidder, Loader	Main & Inter-Axle Drive	5,000
	Truck, Crane	Main & Inter-Axle Drive	
	Lift Truck	Main & Inter-Axle Drive	
72N	Grader	Main	7,080
	Truck Crane	Main	
	Crawler Loader	Main	
	Lift Truck	Main	
	Compactor	Main	
	Rough Terrain Crane	Main & Inter-Axle Drive	
17N	Loader	Main & Inter-Axle Drive	9,600
85WB	Scraper	Main	12,500
	Loader	Main	
	Truck Crane	Main	
850N	Loader	Wheel/Axle	16,700
92N	Crawler Truck	Main	23,000
950N	Loader	Wheel/Axle	39,000

INDUSTRIAL APPLICATIONS			
SERIES	MACHINE or VEHICLE	APPLICATION	YIELD TORQUE (Ft.Lb.)
72N	Mill	Roll Drive	7,080
17N	Mill	Roll Drive	9,600
85WB	Mill	Roll Drive	12,500
92N	Mill	Roll Drive	23,000

WHEEL AXLE APPLICATIONS ON - OFF HIGHWAY			
SERIES	MACHINE or VEHICLE	APPLICATION	YIELD TORQUE (Ft.Lb.)
58WB	Truck	Miscellaneous	7,025
92N	Mill	Miscellaneous	23,000
	Truck		
	Crawler Truck		
750N	Military Truck	Miscellaneous	5,760
850N	Truck	Miscellaneous	16,700
	Loader		
950N	Truck	Miscellaneous	39,000
	Loader		


HOW TO SELECT U-JOINT KITS

Meritor offers U-joints in a full range of sizes for automotive as well as On and Off-highway truck and equipment applications

All sizes and types of Meritor U-joint kits are basically the same. They consist of the following:

- A cross
- Four (4) bearing races
- Seals
- Needle bearings
- Hardware to retain the bearings in the yoke
- Lube fitting (for most kits)

METHODS OF RETAINING U-JOINT KITS



Meritor U-joint Kits are catalogued by methods of retention within their basic style groups shown on the following pages. Each U-joint kit section uses specific illustrations showing primary dimensions for determining the part number.

The following table shows the basic kits styles used on passenger cars and light duty trucks regardless of vehicle model:

VEHICLE MANUFACTURER	MERITOR	CLEVELAND	DETROIT	SAGINAW/MECH.
AMC/JEEP	OSR	-	ISR	-
CHRYSLER	OSR	-	ISR	-
FORD	OSR	ISR	-	-
GMC	OSR	-	-	INJECTED NLYON/ISR
IHC	OSR	ISR	-	-

For medium and heavy-duty trucks, buses and off-highway equipment, use this catalog to identify the style of U-joint kit that needs replacing and match the dimensions from these pages with the dimensions of the worn kit.



MEASURING U-JOINT KITS

MEASURING U-JOINT KITS REMOVED FROM VEHICLE

1. Remove the bearing caps.
2. Remove excess grease from the bottom of the bearing caps and trunnions.
3. Remove the seals from the bearing caps or trunnion to ensure accurate measurements when parts are compressed.
4. Measure as shown, using tolerance of + .005"/-.005" for dimensions "F" and "E", and a tolerance of +.003"/-.003" for all others.



OUTSIDE SNAP RING STYLE

- A) Measure dimension "F" (Figure 1) and write it down.
- B) Measure dimension "D" (Figure 1) and write it down.
- C) Is there a lube fitting? Is it in the cross or the cap?
- D) If more information is needed, measure dimensions "A" and "B" (Figure 2). These dimensions may vary between manufacturers.
- E) Refer to the pages showing Outside Snap Ring Kits.



INSIDE SNAP RING STYLE

- A) Measure dimension "E" (Figure 3) and write it down. Be sure to include the thickness of the snap rings. The following method should be helpful.
 - 1) Measure from the inner edge of the snap ring groove to the inner edge of the other as shown by dimension "X". (Figure 4)
 - 2) Measure the thickness of one snap ring (Dim "Y"). Dimension "E" then equals "X" + 2 ("Y"). (Figure 4)
- B) Measure dimension "D" (Figure 3) and write it down.
- C) Is there a lube fitting? Is it in the cross or the cap?
- D) If more information is needed, measure dimensions "A" and "B" (Figure 2). These dimensions vary between manufacturers.
- E) Refer to the pages showing Inside Snap Ring Kits.



LUBRICATION OF U-JOINTS

The function of the lubricant in a U-joint is to protect the surface of the rollers and races from rust of corrosion and to reduce the friction between the rollers and races.

THE FOLLOWING GREASES ARE RECOMMENDED

An NLGI No. 2 grease consisting of a mineral oil and Lithium soap or equivalent base with EP additives to give long life characteristics.

Greases approved by Meritor include:

PN-C1AZ 19590 or a grease meeting Ford Motor Company Specification M1C-75B

Kendall L-424 Grease

Amoco Super Chassis

Amalie All-Purpose Grease with Moly, Li-2M

Exxon 5160

Shell Super Duty Special FF

Maralube Moly Code 529

Philube MWEP2 Grease

The center crosses of the U-joints hold a generous supply of lubricant. This stored lubricant is supplied to the bearing by the centrifugal action of the rotating cross.


LUBRICANT REQUIREMENTS FOR U-JOINTS WILL VARY WITH THE APPLICATION.

Light duty, low angle service may permit "greased for life" initial lubrication only.

Conditions of high angle, high speed or extremely dirty or moist conditions may require daily greasing.

The lubrication of the slip assembly can be done with the same type lubricant and at the same time as the U-joint. For slip assemblies, an EP chassis grease with a molybdenum disulfide (MoS_2) additive has shown good results in some applications.

U-JOINT KITS - INSIDE SNAP RINGS



Cross Length	Cross Trunnion Dia.	Bearing Diameter	Snap Ring Dimension	Lube Fitting	Series	Part Number
1.948"	0.545"	0.971"	1.493"	Y	L6	CPL6R-53 ³
1.948"	0.545"	0.971"	1.493"	Y	L6	GCPL6R-50 ¹
1.948"	0.545"	0.971"	1.493"	Y	L6	CPL6R-50 ¹
1.948"	0.545"	0.971"	1.493"	Y	L6	CPL6R-51 ²
2.080"	0.505"	0.938"	1.500"	Y	1000, 10N	CP170X
2.080"	0.505"	0.938"	1.500"	Y	1000, 10N	GCP170X
2.244"	0.622"	1.064"	1.658"	Y	L12	GCP242X
2.249"	0.578"	1.000"	1.711"	Y	1110	CP105X
2.751"	0.710"	1.231"	2.000"	Y	5160	CP51625-2
2.874"	0.578"	1.000"	2.336"	Y	2R	CP2011X
2.875"	0.620"	1.078"	2.160"	Y	L15	CPL15N ⁷
2.875"	0.641"	1.078"	2.121"	Y	7260	CP72625-4 ⁴
2.875"	0.657"	1.078"	2.125"	Y	7260	GCP1306-1X
2.875"	0.657"	1.078"	2.125"	Y	7260	CP1306-1X ²
2.875"	0.657"	1.078"	2.125"	Y	3R, 7260	CP1306X
2.969"	0.655"	1.078"	2.125"	Y	72607290	CP527X
3.372"	0.661"	1.125"	2.625"	Y		
2.969"	0.657"	1.063"	2.188"	Y	131N	CP260X
2.969"	0.657"	1.063"	2.390"	Y	131N3R	GCP3022X
3.372"	0.657"	1.125"	2.562"	Y		
2.969"	0.657"	1.063"	2.390"	Y	131N3R	CP3022X ⁵
3.372"	0.657"	1.125"	2.562"	Y		
2.969"	0.745"	1.188"	2.188"	Y	131N	CP297-1X ²
2.969"	0.745"	1.188"	2.188"	N	131N	CP297X
3.000"	0.700"	1.078"	2.160"	Y	L15	CPL15N-1S ⁶
3.311"	0.657"	1.125"	2.580"	Y	3R, 3RL	CP3147X
3.311"	0.657"	1.125"	2.580"	Y	3R, 3RL	GCP3147X
3.372"	0.657"	1.126"	2.636"	Y	7290	GCP1309X
3.372"	0.773"	1.188"	2.563"	Y	R55	CP1205X
3.750"	0.773"	1.231"	3.000"	Y	5360	CP1301X
3.875"	0.894"	1.375"	3.000"	Y	148N	CP332X
3.935"	0.772"	1.188"	3.125"	Y	1410, 141N, 55	GCP1206X
3.999"	0.663"	1.253"	3.243"	Y	4R	CP4015

1 90 degree lube fitting.

3 Straight lube fitting.

5 Special for 1957-58 Oldsmobile.


7 Marine applications. Standard kit works with all applications.

2 Lube fitting in bearing.

4 Includes two bearing straps and attaching hardware.

6 Marine high performance. Use with L15N170-4 (after 4/86) or L15N170-6.

U-JOINT KITS - OUTSIDE SNAP RINGS



Cross Length	Cross Trunnion Dia.	Bearing Diameter	Yoke Dimension	Snap Ring Dimension	Lube Fitting	Series	Part Number
2.188"	0.516"	0.876"	2.69"	2.433"	Y	L10N	CPL10N-2 ²
2.188"	0.615"	1.063"	2.69"	2.438"	Y	121N	GCP443X ²
2.188"	0.615"	1.063"	2.69"	2.438"	Y	121N	CP443X ²
2.249"	0.578"	0.938"	2.66"	2.407"	N	1100	CP101X
2.249"	0.578"	0.938"	2.66"	2.407"	Y	1100	CP111X
2.969"	0.615"	1.063"	3.47"	3.218"	Y	131N	CP200X
2.969"	0.657"	1.063"	3.47"	3.218"	Y	131N135N	CP460X
3.373"	0.773"	1.188"	3.88"	3.622"	Y		
2.969"	0.657"	1.063"	3.47"	3.218"	Y	1330	CP153X
2.969"	0.657"	1.063"	3.47"	3.218"	Y	131N133N	CP134X
3.373"	0.657"	1.063"	3.88"	3.622"	Y		
2.969"	0.657"	1.063"	3.47"	3.218"	Y	131N	GCP153X
2.969"	0.657"	1.063"	3.47"	3.218"	Y	131N133N	GCP134X
3.373"	0.657"	1.063"	3.88"	3.622"	Y		
3.371"	0.657"	1.063"	3.468"	3.622"	Y	133N, P55	GCP213X
3.371"	0.657"	1.063"	3.468"	3.622"	Y	1330	CP213X
3.373"	0.773"	1.188"	3.86"	3.622"	Y	135N	GCP178X
3.373"	0.773"	1.188"	3.86"	3.622"	Y	135N	CP178X
3.875"	0.895"	1.375"	4.44"	4.187"	Y	148N	CP188X
3.875"	0.895"	1.375"	4.44"	4.187"	Y	1480, 148N	GCP188X
3.935"	0.868"	1.375"	4.44"	4.178"	Y	148N	CP148N
3.936"	0.774"	1.188"	4.44"	4.172"	Y	141N	CP160X
3.936"	0.774"	1.188"	4.44"	4.172"	Y	141N	GCP160X
4.566"	1.035"	1.625"	5.38"	4.957"	Y	SPL*90/100	US90X
4.658"	0.895"	1.375"	4.97"	4.967"	Y	155N	GCP155X
4.658"	0.895"	1.375"	4.97"	4.967"	Y	155N	CP155X
4.716"	0.868"	1.375"	5.25"	4.968"	Y	155N	CP155N
4.747"	1.161"	1.626"	5.19"	5.064"	N	750N	CP750N
4.747"	1.161"	1.626"	5.19"	5.064"	Y	750N	CP750N-1 ¹
4.747"	1.161"	1.626"	5.19"	5.064"	Y	750N	CP750N-4 ¹⁰
4.747"	1.161"	1.626"	5.19"	5.064"	Y	750N	CP750N-7 ²
4.747"	1.161"	1.626"	5.19"	5.064"	Y	750N	CP750N-8 ¹¹
5.195"	1.040"	1.624"	5.97"	5.578"	Y	1650	CP165X
5.623"	1.348"	1.938"	6.06"	5.934"	Y	850N	CP850N-4
5.623"	1.348"	1.938"	6.06"	5.934"	Y	850N	CP850N-9 ¹¹
7.350"	1.700"	2.501"	7.89"	7.722"	Y	950N	CP950N
7.350"	1.700"	2.501"	7.89"	7.722"	Y	950N	CP950N-3 ²

1 90 degree lube fitting.


11 Permalube joint.

* SPL® is a registered trademark of Dana Corporation.

10 45 degree lube fitting.

2 Lube fitting in bearing.

U-JOINT KITS - INSIDE AND OUTSIDE SNAP RING COMBINATIONS




Cross Length	Cross Trunnion Dia.	ISR Brg. Dia.	OSR Brg. Dia.	ISR Dim.	OSR Dim.	Series	ISR Qty.	OSR Qty.	Part Number
2.205"	0.548"	1.000"	1.063"	1.719"	2.438"	1110, 2RL	2	2	CP248X
2.874"	0.578"	1.000"	1.063"	2.338"	3.123"	131N, 2R	2	2	CP2140
2.874"	0.657"	1.078"	1.063"	2.125"	3.218"	131N, 7260	2	2	GCP353X
2.969"									
2.874"	0.657"	1.078"	1.063"	2.125"	3.218"	131N, 7260	2	2	CP353X
2.969"									
2.969"	0.657"	1.063"	1.063"	2.359"	3.219"	S55	4	4	CP1200X
2.969"	0.660"	1.125"	1.063"	2.375"	3.218"	131N, 7290	4	2	CP354X
3.370"				2.625"					
2.970"	0.660"	1.064"	1.125"	2.390"	3.220"	131N, SPECIAL	2	2	CP1201X ¹²
3.370"	0.660"	1.063"	1.063"	2.780"	3.630"	133N, SPECIAL	2	2	CP1203X
3.370"	0.660"	1.063"	1.125"	2.797"	3.625"	133N, SPECIAL	2	2	CP1204X ¹²
3.370"	0.660"	1.063"	1.125"	2.797"	3.625"	133N, SPECIAL	2	2	GCP1204X
3.372"	0.658"	1.125"	1.063"	2.551"	3.622"	1330, 3RL	2	2	GCP212X
3.373"	0.657"	1.125"	1.063"	2.561"	3.625"	1330, 3RL	2	2	CP541X ⁸
3.750"	0.770"	1.231"	1.189"	3.000"	4.186"	141N, 5380	2	2	CP357X
3.936"									
3.940"	0.770"	1.189"	1.189"	3.160"	4.180"	55	4	4	CP141N

¹² Special for Ford Motor company.






⁸ Used in aluminum driveshafts. Chemically coated.

U-JOINT KITS - WING TYPE COMBINATIONS



Cross Length	Cross Trunnion Dia.	CL to CL Brg. Bolt Hole	Swing Dia.	Pilot Dia.	Wing Brg. Hole to Wing Brg. Hole	Wing & Round Brg. Type	Series	Part Number
2.874"	0.615"	1.313"	3.34"	3.13"	2.38"	2LWT/2LWD	2CL	CP2116
3.311"	0.657"	1.438"	3.81"	3.55"	2.75"	2LWT/2HWD	3CBL	CP3121
3.372"	0.657"	1.438"	3.81"	3.55"	2.75"	4LWT	3CL	CP3000
3.935"	0.773"	1.438"	4.50"	4.23"	3.44"	4HWD	4BL	CP4143X
3.999"	0.663"	1.438"	4.50"	4.23"	3.44"	4LWT	4CL	CP4002
3.999"	0.663"	1.438"	4.50"	4.23"	3.44"	2LWT/2LWD	4CL	CP4101
4.249"	0.819"	1.687"	4.75"	4.52"	3.50"	2LWT/2LWD	5CL	CP5101
4.249"	0.819"	1.687"	4.75"	4.52"	3.50"	4LWT	5CL	CP5122
4.249"	0.819"	1.687"	4.75"	4.52"	3.50"	4HWD	5BL	CP5177
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	4DWT	58WB	CP58WB-DWT-PL
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	4DWT	58WB	CP58WB-DWT
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	2HWD/2DWT	58WB	CP58WB-HB-PL ¹³
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	2HWD/2DWT	58WB	CP58WB-HB
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	4HWD	58WB	CP58WB-HWD-PL ¹³
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	4HWD	58WB	CP58WB-HWD
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	2DWT	62N72N	CP62N-50
5.125"	0.819"	1.938"	5.45"	5.84"	4.50"	2DWT		
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	2DWT	62N72N	CP62N-51
5.125"	0.819"	1.938"	5.45"	5.84"	4.50"	2HWD		
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	4DWT	62N	CP62N-DWT-PL
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	4DWT	62N	CP62N-DWT
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	2HWD/2DWT	62N	CP62N-HB-PL ¹³
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	2HWD/2DWT	62N	CP62N-HB
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	4HWD	62N	CP62N-HWD-PL ¹³
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	4HWD	62N	CP62N-HWD
5.248"	0.819"	1.688"	5.45"	5.53"	4.50"	4DWT	62N	GCP62N-DWT
5.248"	0.819"	1.688"	5.45"	5.53"	4.50"	2HWD/2DWT	62N	GCP62N-HB
5.248"	0.819"	1.688"	5.45"	5.53"	4.50"	4HWD	62N	GCP62N-HWD

U-JOINT KITS - WING TYPE COMBINATIONS



Cross Length	Cross Trunnion Dia.	CL to CL Brg. Bolt Hole	Swing Dia.	Pilot Dia.	Wing Brg. Hole to Wing Brg. Hole	Wing & Round Brg. Type	Series	Part Number
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	2HWD/2DWT	72N	CP72N-118 ¹⁵
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4HWD	72N	CP72N-136 ²⁰
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4DWT	72N	CP72N-DWT-PL ¹³
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4DWT	72N	CP72N-DWT
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	2HWD/2DWT	72N	CP72N-HB-PL ¹³
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	2HWD/2DWT	72N	CP72N-HB
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4HWD	72N	CP72N-HWD-PL ¹³
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4HWD	72N	CP72N-HWD
5.500"	1.000"	1.938"	6.22"	5.84"	4.63"	4DWT	72N	GCP72N-DWT
5.500"	1.000"	1.938"	6.22"	5.84"	4.63"	2HWD/2DWT	72N	GCP72N-HB
5.500"	1.000"	1.938"	6.22"	5.84"	4.63"	4HWD	72N	GCP72N-HWD
5.781"	1.379"	2.440"		6.38"	4.94"	4HWD	J170	R170 ¹⁴
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	4DWT	85WB	CP85WB-DWT-PL
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	4DWT	85WB	CP85WB-DWT
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	2HWD/2DWT	85WB	CP85WB-HB-PL ¹³
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	2HWD/2DWT	85WB	CP85WB-HB
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	4HWD	85WB	CP85WB-HWD-PL ¹³
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	4HWD	85WB	CP85WB-HWD
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4DWT	92N	CP92N-70
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4DWT	92N	CP92N-DWT-PL ¹³
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4DWT	92N	CP92N-DWT
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	2HWD/2DWT	92N	CP92N-HB-PL ¹³
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	2HWD/2DWT	92N	CP92N-HB
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4HWD	92N	CP92N-HWD-PL ¹³
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4HWD	92N	CP92N-HWD
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4HWD	92N	GCP92N-HWD
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4HWD	82N	CP82N-68
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	2HWD/2DWT	82N	CP82N-77 ¹⁵


¹³ Permalube.

¹⁵ Contains hardware for drilled yokes.

¹⁴ Twin Disc Series.

²⁰ Cross has four (4) lube fittings.

U-JOINT KITS - WING TYPE COMBINATIONS




Cross Length	Cross Trunnion Dia.	CL to CL Brg. Bolt Hole	Swing Dia.	Pilot Dia.	Wing Brg. Hole to Wing Brg. Hole	Wing & Round Brg. Type	Series	Part Number
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4DWT	82N	CP82N-DWT-PL ¹³
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4DWT	82N	CP82N-DWT
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	2HWD/2DWT	82N	CP82N-HB-PL ¹³
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	2HWD/2DWT	82N	CP82N-HB
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4HWD	82N	CP82N-HWD-PL ¹³
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4HWD	82N	CP82N-HWD
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4HWD	82N	GCP82N-HWD
7.716"	1.665"	3.500"		8.75"	6.80"	4HWD	J490	R490D ¹⁶
7.768"	1.000"	1.938"	8.50"	8.13"	6.88"	2HWD/2DWT	82N	GCP82N-HB
7.865"	1.665"	3.500"		8.75"	6.80"	4HWD	J490	R490 ¹⁴
8.062"	1.900"	3.500"		8.75"	6.80"	4HWD	J600	R600 ¹⁴
135.83mm	26.50mm	49.28mm	157.99mm	148.49mm	117.35mm	2HWD/2DWT	72N	CP72N-170 ²¹

¹³ Permalube.
¹⁶ Double rollers.

¹⁴ Twin Disc Series.
²¹ Metric kit with full hardware. Metric tapped holes (M12x1.75) in delta wing bushings.


U-JOINT KITS - 2 WING TYPE AND 2 ROUND BEARINGS



Cross Length	Cross Trunnion Dia.	CL to CL Brg. Bolt Hole	Pilot Dia.	Brg. Dia.	Snap Ring Dia.	Wing Brg. Hole to Wing Brg. Hole	Wing & Round Bearing Type	Series	Part Number
2.870"	0.578"	1.312"	3.11"	2.338"	1.000"	2.38"	2LWT/2RND	2CRL	CP2031
2.870"	0.578"	1.312"	3.11"	2.338"	1.000"	2.38"	2LWD/2RND	2CSRL	CP2033 ¹⁷
3.311"	0.657"	1.438"	3.55"	2.558"	1.125"	2.75"	2LWT/2RND	3CRL	CP3012
3.999"	0.663"	1.938"	4.23"	3.244"	1.125"	3.44"	2LWT/2RND	4CRL	CP4102
4.249"	0.819"	1.687"	4.52"	3.309"	1.313"	3.50"	2LWD/2RND	5CSRL	CP5015
4.250"	0.819"	1.687"	4.52"	3.309"	1.313"	3.50"	2LWT/2RND	5CRL	CP5008


¹⁷ Lube fitting in round bearing.

U-JOINT KITS - WING TYPE AND COVER PLATE HYBRID




Cross Length	Cross Trunnion Dia.	Wing CL to CL Brg. Bolt Hole	Brg. Dia.	Pilot Dia.	Yoke Dim.	Cover Plate CL to CL Brg. Bolt Hole	Wing Brg. to Wing Brg. Hole	Swing Dia.	Wing & Cover Plate Type	Part Number
7.092"	1.363"	2.812"	1.937"	8.25"	7.55"	2.440"	6.63"	8.50"	2RND 2HWD	CP18N-96

U-JOINT KITS - BEARING PLATE



Cross Length	Cross Trunnion Diameter	CL to CL Bearing Bolt Hole	Bearing Diameter	Yoke Dimension	Series	Part Number
4.250"	0.996"	2.000"	1.562"	4.56"	1500, 5N	CP115X
4.877"	1.269"	2.312"	1.875"	5.31"	16N	R279X
4.877"	1.269"	2.312"	1.875"	5.31"	16N	CP279X
5.635"	1.363"	2.438"	1.937"	6.09"	17N	R280X
5.784"	1.298"	2.432"	1.937"	6.09"	17N	CP280X
6.283"	1.681"	2.810"	3.210"	6.44"	18N	CP124X
6.542"	1.363"	2.438"	1.937"	7.00"	176N	R407X
6.692"	1.298"	2.432"	1.937"	7.00"	176N	CP407X
7.092"	1.363"	2.438"	1.937"	7.55"	18N	R281X
7.242"	1.298"	2.432"	1.937"	7.55"	18N	CP281X

If you detect any **errors** in this catalog, please let us know.




We want the information to be as accurate as possible; we appreciate your help in making it so.

Please e-mail any comments/suggestions/corrections to us at: catalogfeedback@arvinmeritor.com


or mail to: ArvinMeritor
attn: Catalog Dept.
7975 Dixie Highway
Florence, KY 41042

U-JOINT KITS - MERITOR EASY SERVICE



Cross Length	Cross Trunnion Diameter	Cap Hole Center to Center	Bearing Diameter	Yoke Dimension Between Nibbs	Yoke Dimension Across Ears	Series	Part Number
5.001"	1.272"	2.308"	1.875"	5.31"	5.31"	16N	CP674X ²¹
5.001"	1.272"	2.308"	1.875"	5.31"	5.31"	16N	R674X ¹⁸
5.784"	1.298"	2.432"	1.937"	6.19"	6.09"	17N	R675X ¹⁹
5.784"	1.298"	2.432"	1.937"	6.19"	6.09"	17N	CP675X ²¹
6.541"	1.298"	2.432"	1.937"	7.09"	7.00"	176N	CP677X ²¹
6.541"	1.298"	2.432"	1.937"	7.09"	7.00"	176N	R677X ¹⁹
7.242"	1.298"	2.432"	1.937"	7.63"	7.55"	18N	CP676X ²¹
7.242"	1.298"	2.432"	1.937"	7.63"	7.55"	18N	R676X ¹⁹

DUAL-PLANE RETAINER



Bearing Diameter	Yoke Lock Up	Lube Fitting	Series	Part Number
2.165"	6.024" (2) 6.457" (2) 2 Round Bearings w/plate 2 Round	Y	SPL*170	US170X ²²
2.361"	5.984" (2) 6.413" (2) 2 Round Bearings w/plate 2 Round	Y	SPL*250	US250X ²²

¹⁸ Includes two REBC16S retainer straps.


²¹ Attaching hardware included.

* SPL® is a registered trademark of Dana Corporation.


¹⁹ Includes two REBC17S retainer straps.

²² Inboard attaching hardware included for use with these construction u-joints only. Not interchangeable with OEM retention hardware or u-joint. Outboard bearing retainers by OEM only.

U-JOINT KITS - RPL SERIES



Snap Ring Dia. / Part Number	Bearing Diameter	CL to CL Bolt Holes	Brg. Hole to Brg. Hole	Mounting Hole Size	Capscrew Size / Part Number	Hardware Kit	Trunnion Cup to Trunnion Cup	Part Number
2.29" / RRIR36-4	2.06"	2.81"	5.30"	.53"	.50"-20 / CSC8-20-52	KIT RPL25-20	6.88"	CP20 RPL S



Snap Ring Dia. / Part Number	Bearing Diameter	CL to CL Bolt Holes	Brg. Hole to Brg. Hole	Mounting Hole Size	Capscrew Size / Part Number	Hardware Kit	Trunnion Cup to Trunnion Cup	Part Number
2.29" / RRIR36-4	2.06"	2.81"	6.63"	.53"	.50"-20 / CSC8-20-52	KIT RPL25-20	8.20"	CP25 RPL S

U-JOINTS SIZES / RATINGS / SPEEDS / TUBE SIZES

U-JOINT SERIES	ELECTRIC MOTOR TORQUE		GAS or DIESEL TORQUE		DYNAMIC CAPACITY		SWING DIAMETER		JOINT YIELD TORQUE		MAX. RPM (3)	STANDARD TUBE SIZE	MAX. LENGTH (CL - CL) INSTALLED @ MAX. RATED RPM	
	lb-ft	N.m	lb-ft	N.m	lb-ft	N.m	in.	mm	lb-ft	N.m		in.	in.	mm
L6	84	114	61	83	170	231	2.47"	60	667	905	1000	1.5 x .120	60	1524
L15 (1)	172	234	126	170	349	473	3.25"	82	-	-	5000	N/A	N/A	N/A
L15 (2)	257	348	187	254	520	705	3.38"	86	-	-	5000	N/A	N/A	N/A
131N	195	265	130	175	410	555	3.50"	89	1950	2640	6000	3.0 x .083	47	1194
133N	220	300	150	205	475	640	4.00"	102	2330	3160	5000	3.5 x .083	51	1283
135N	310	420	210	285	607	820	4.13"	105	3080	4175	5000	3.0 x .083	51	1295
141N	291	394	212	288	589	798	4.63"	117	3750	5080	4000	3.0 x .083	51	1295
148N	413	560	301	409	836	1134	5.13"	130	5000	6780	4000	3.5 x .083	55	1397
155N	515	698	376	510	1043	1414	6.00"	152	6250	8470	4000	3.5 x .095	55	1397
16N	921	1248	672	911	1864	2527	7.00"	178	7100	9630	4000	3.5 x .134	61	1549
17N	1364	1849	995	1350	2762	3744	7.75"	197	9600	13010	4000	4.06 x .165	62	1575
176N	1629	2208	1189	1612	3298	4471	8.44"	214	16000	21700	4000	4.09 x .180	62	1676
18N	1790	2426	1306	1771	3623	4913	9.13"	232	21000	28500	4000	4.59 x .180	66	1676
62N	611	828	446	604	1236	1676	5.84"	148	5000	6780	4000	3.5 x .095	55	1397
58WB	754	1023	551	747	1528	2071	5.63"	143	7025	9525	4000	3.5 x .095	55	1397
72N	804	1090	587	795	1627	2206	6.29"	160	7080	9600	4000	3.5 x .134	61	1549
82N	1203	1631	878	1190	2436	3303	8.50"	216	11080	15025	4000	4.06 x .165	62	1575
85WB	1304	1768	952	1290	2640	3580	7.00"	178	12500	16950	4000	4.09 x .180	62	1676
92N	1768	2397	1291	1750	3580	4854	8.63"	219	23000	31190	4000	4.59 x .150	66	1676

(1) Standard

(2) High performance

(3) Rating applies to u-joint

ATTACHING HARDWARE TORQUE SPECS

MERITOR EASY SERVICE KITS U-BOLT AND STRAP & BOLT KITS

SERIES	BRG. DIAMETER	U-JOINT KIT	U-BOLT KIT	THREAD SIZE	TORQUE SPECS. LB. FT.
131N	1.063"	CP153X	KT116	.31"-24	14-17
133N	1.063"	CP213X	KT116	.31"-24	14-17
135N	1.188"	CP178X	KT117	.38"-24	20-24
141N	1.188"	CP160X	KT117	.38"-24	20-24
148N	1.375"	CP188X	KT118	.44"-20	32-37
155N	1.375"	CP155X	KT118	.44"-20	32-37

or
or
or
or

STRAP & BOLT KIT	THREAD SIZE	TORQUE SPECS. LB. FT.
-	-	-
-	-	-
KT122 ¹	.31"-24	30-35
KT122 ¹	.31"-24	30-35
KT124 ²	.38"-24	55-60
KT124 ²	.38"-24	55-60

16N	1.875"	R674X	-	-	-
17N	1.937"	R675X	-	-	-
176N	1.937"	R677X	-	-	-
18N	1.937"	R676X	-	-	-

KT16SB	.38"-24	55-60
KT17SB	.50"-20	130-135
KT17SB	.50"-20	130-135
KT17SB	.50"-20	130-135

COVER PLATE STYLE

SERIES	GENUINE MERITOR U-JOINT KITS	GENERIC U-JOINT KITS	BEARING PLATE		THREAD SIZE	TORQUE SPECS LB. FT.
			(8) BOLTS	(4) LOCKPLATES		
16N	R279X	CP279X	S-155-2	LPHC37-1	.31"-24	17-24
17N		CP280X	S-165-2	LPHC39-3	.38"-24	32-42
176N		CP407X	S-165-2	LPHC39-3	.38"-24	32-42
18N		CP281X	S-165-2	LPHC39-3	.38"-24	32-42

LOCKPATCH BOLT STYLE

SERIES	GENUINE MERITOR U-JOINT KITS	LOCKPATCH (8) BOLTS	THREAD SIZE	TORQUE SPECS LB. FT.
17N	R280X	S-165B-2	.38"-24	38-48
176N	R407X	S-165B-2	.38"-24	38-48
18N	R281X	S-165B-2	.38"-24	38-48

WING STYLE

SERIES	THREAD SIZE	TORQUE SPECS LB. FT.
62N	.38"-24	40-50
58WB	.44"-20	63-83
72N	.50"-20	90-110
72N	.44"-20	63-83
82N	.44"-20	63-83
82N	.50"-20	90-110
92N	.50"-20	90-110

DUAL-PLANE RETAINER

SERIES	MERITOR U-JOINT KITS	RETAINER		TORQUE SPECS LB. FT.
SPL*170	US170X	(4) Bolts	(2) Retainers	20-25 ³
SPL*250	US250X	(4) Bolts	(2) Retainers	20-25 ³

¹ Kit KT125 is used with a threaded yoke and includes four lockwashers. For a drilled yoke use Kit KT121.

² Kit KT126 is used with a threaded yoke and includes four lockwashers. For a drilled yoke use Kit KT123.

³ Torque specs for inboard side dual-plane retainers. Torque specs for outboard side bearing retainers 100-120 ft.lbs. (OEM only)

* SPL® is a registered trademark of Dana Corporation

DRIVELINE TIPS V

HINTS ON DRIVELINE SETUP

1. Determine the length of a driveline by measuring from U-joint center to U-joint center.
2. ArvinMeritor Maintenance Manuel MM-96147 (Rev 02-04) contains helpful information on driveline specifications and service.
3. ArvinMeritor Driveline Angle Analysis CD (TP-0255) has a valuable worksheet program and explanations for multiple driveline and axle setups.
4. Various tools used to measure and setup drivelines include the following: Spirit Level Protractor, Electronic Protractor, Inclinator, and Anglemaster.
5. Vehicle data important to driveline setup is as follows: Maximum Engine HP, Maximum Engine RPM, Trans Top Gear Ratio, Trans Angle, Phasing Type, and Rear Suspension Height.
6. Make sure that vehicle ride height is within normal specification.
7. Measurements over weld seams and balance weights will invalidate angle measurements.
8. Typically the Hypoid Forward Rear Axle Plane is the same as the Engine/Transmission Plane (usually 3° to 3.5°) in relation to measuring drivelines and angles.
9. Typically the Hypoid Rear - Rear Axle Plane is 10.5° to 11.5° in relation to measuring drivelines and angles.
10. Safest driveline operating angles are below 5°.

SECTION 12


INDEX

Center Bearings	Page
Assemblies for Midship Bearing Stubs	12-1
Type 1 - Round with No Mounting Bracket	12-3
Type 2 - Slotted Rubber Cushion.....	12-4
Type 2 - Solid Cushion.....	12-3
Type 3 - Round with Mounting Bracket.....	12-5

MERITOR® GOLD™ SELF-ALIGNING CENTER BEARINGS

Performance Advantages:

- Meritor® industry-leading driveline design and technology
- Patent-pending design assures optimum alignment of the center bearing to the driveshaft under all operating conditions
- Provides OEM production customers design and assembly benefits, and aftermarket customers competitive and technical advantages
- Ideal for the most popular heavy-duty truck and tractor applications




DRIVELINE SERIES	CUSHION TYPE	BEARING DIAMETER	HEIGHT	MOUNTING HOLES (CENTER TO CENTER)	COMPETITIVE PART NUMBER	MERITOR GOLD PART NUMBER
176N, 17N (Heavy Duty), 18N	Solid	2.36"	3.38"	8.62"	210875-1X	CB210875-1XSA
176N, 17N (Heavy Duty), 18N, 85WB, 92N	Slotted	2.36"	3.38"	8.62"	210661-1X	CB210661-1XSA
17N, 58WB, 72N, 82N	Slotted	1.968"	2.81"	7.62"	210121-1X	CB210121-1XSA

Features and Benefits:

- Rubber cushion pivots in the bracket, allowing +/-5 degrees of driveline angularity
- Reduced risk of premature bearing wear due to misalignment
- Provides a common mounting platform on the crossmember or mounting bracket. No shimming or bracket changes are necessary to achieve desired alignment
- Unique design protects the bearing against contamination without the use of external deflectors
- Backward compatibility with previous Meritor or current competitive designs
- Meritor Gold self-aligning center bearings should not be replaced with traditional, non-self-aligning center bearings, due to possible angularity issues

For more information, call our customer service team at 888.725.9355 or visit www.XpresswayPlus.arvinmeritor.com.

CENTER BEARING ASSEMBLIES FOR MIDSHIP BEARING STUBS



JOINT SERIES	WELD YOKE	TUBING	BEARING STUB & (NUT)	CENTER BEARING/ (Cushion type)	END YOKE
16N	16N-28-627	RT-35-10	16N-53-141 (1)	CB210084-2X (Slotted) (5)	16N-4-1721 (FR) 16N-4-1721-1 (HR)
17N	17N-28-137	RT-35-156	17N-53-151 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	17N-4-1981 (FR) 17TY SC31-54 (HR)
	17N-28-347	RT-4-10 RT-406-165 RT-4095-7	17N-53-201 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	
	17N-28-347	RT-4-10 RT-406-165 RT-4095-7	BSS32-34 (2) (4)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	17N-4-7141 (FR) (4) 17N-4-7141-1 (HR)
17N HEAVY DUTY	17N-28-347	RT-406-165 RT-4095-7	17N-53-311 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	17N-4-4601 (FR) 17N-4-4601-1 (HR)
176N	176N-28-17	RT-4-10 RT-406-165 RT-4095-7	17N-53-311 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	176N-4-161 (FR) 176N-4-161-1 (HR)
18N	18N-28-117	RT-45-10 RT-459-7	18N-53-91 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	18N-4-1891 (FR) 18N-4-1891-1 (HR)
	18N-28-127	RT-45-3	18N-53-51 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	

FR-Full Round bearing yoke

HR-Easy Service "Half Round" yoke


(1) Use 1227-Z-936 & WAR21-3

(2) Use 1227- (3) Use 1227-Z-936 & WAR20-1

(4) New 2" involute design

(5) Generic equivalent also available. (GCB210084-2X)

CENTER BEARING ASSEMBLIES FOR MIDSHIP BEARING STUBS



JOINT SERIES	WELD YOKE	TUBING	BEARING STUB & (NUT)	CENTER BEARING/ (Cushion type)	END YOKE
58WB	58WBY52-8 (DR)	RT-35-10	BSS31-23 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	58WBYS31-29 (TH)
72N	72NY51-4 (DR)	RT-35-156	17N-53-151 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	72NYS31-60 (DR)
	72NYS52-20 (DR)	RT-35-10	BSS31-23 (6)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	
	72NY60-3 (TH)	RT-4-10	17N-53-201 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	
82N	82NY60-16 (TH)	RT-4-10	17N-53-201 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	
	82NY60-19 (DR)	RT-4095-7			
85WB	85WBY60-11 (DR)	RT-4-10	17N-53-201 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	85WBYS31-6 (TH)
	85WBY60-3 (TH)	RT-4095-7			85WBYS38-17 (TH)
	85WBY60-3 (TH)	RT-4-10	17N-53-311 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	
	85WBY60-11 (DR)	RT-4095-7			
92N	92NY64 (TH)	RT-45-3	18N-53-51 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	92NYS38-33 (TH)
	92NY68-1 (TH)	RT-459-180	18N-53-91 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	
	92NY68-2 (DR)				

DR-Drilled Holes


(3) Use 1227-Z-936 & WAR20-1

TH-Threaded Holes

(6) Use 1227-Z-936 & 1229-A-265


(2) Use 1227-Z-936 & WAR21-1

CENTER BEARINGS - TYPE 1-ROUND WITH NO MOUNTING BRACKET



Bearing I.D. Max./Min.	Bearing Width	Height	Part Number
1280, 131N and 133N SERIES			
1.3750"/1.3745"	.75"	3.50"	CB310008-1X
1.3780"/1.3775"	.98"	3.50"	CB310011-1X


CENTER BEARINGS - TYPE 2-SOLID CUSHION



Bearing Inside Diameter Maximum/Minimum	Height	Bearing Width	Mounting Holes (Center to Center)	Front Deflector	Rear Deflector	Part Number
17N, 58WB, 72N, 82N and 85WB SERIES						
1.9685"/1.9680"	2.81"	1.19"	7.63"			CB310012-1XSA
176N, 17N (HEAVY DUTY), 18N, 85WB and 92N SERIES						
2.3622"/2.3616"	3.38"	1.41"	8.63"			CB210875-1XSA ¹
176N, 17N (HEAVY DUTY) and 18N SERIES						
2.3622"/2.3616"	3.38"	1.41"	8.63"			CB310013-1X
2.3622"/2.3616"	3.38"	1.41"	8.63"	DEFR55-1		GCB210875-1X

¹ Self aligning center bearing. Deflectors not needed.

CENTER BEARINGS - TYPE 2-SLOTTED RUBBER CUSHION



Bearing I.D. Max./Min.	Height	Bearing Width	Mtg. Holes (Ctr to Ctr)	Style	Front Deflector	Rear Deflector	Bearing Retainer Deflector	Part Number
---------------------------	--------	------------------	----------------------------	-------	--------------------	-------------------	----------------------------------	-------------

1280, 1310, 1330, 1350 and 1410 SERIES

1.3750"/1.3745"	2.25"		6.63"	F				CB211187X ²
1.3750"/1.3745"	2.25"		6.63"	F				GCB211187X ²
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1		DEFR22-5	CB210088-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1	DEFR33-1		CB210090-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	G	DEFR28-4	RBR28-1		CB210367-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	G	DEFR28-4		DEFR22-4	CB210370-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	G				CB310005-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	F				CB310006-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1	DEFR33-1	DEFR22-5	CB310006-2X
1.3780"/1.3775"	2.25"	.98"	6.63"	F				CB310006-3X
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1		DEFR22-5	GCB210088-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1	DEFR33-1		GCB210090-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	G	DEFR28-4, RBR28-1	RBR28-1		GCB210367-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	G	DEFR28-4	RBR28-1	DEFR22-4	GCB210370-1X

131N, 135N, 141N, 148N and 155N SERIES

1.5748"/1.5743"	2.44"	1.06"	6.63"	G	DEFR40-5		DEFR25-2	CB210140-1X
-----------------	-------	-------	-------	---	----------	--	----------	-------------

135N, 141N and 148N SERIES

1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR34-1		DEFR25-4	CB210866-1X
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR34-1	DEFR34-1		CB210873-1X
1.5748"/1.5743"	2.25"	.86"	6.63"	F				CB211016X
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR37-1	DEFR37-1	DEFR25-4	CB310003-1X
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR34-1		DEFR25-4	GCB210866-1X
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR34-1	DEFR34-1		GCB210873-1X
1.5748"/1.5743"	2.44"	1.06"	6.63"	G	DEFR40-5	DEFR40-5	DEFR25-2	CB210144-1X
1.5748"/1.5743"	2.44"	1.06"	6.63"	G				CB310002-1X
1.5748"/1.5743"	2.44"	1.06"	6.63"	G	DEFR40-5		DEFR25-2	GCB210140-1X
1.5748"/1.5743"	2.44"	1.06"	6.63"	G	DEFR40-5	DEFR40-5	DEFR25-2	GCB210144-1X
1.5748"/1.5743"	2.47"	1.06"	6.63"	F	DEFR37-1		DEFR25-1	CB210433-1X
1.5748"/1.5743"	2.47"	1.06"	6.63"	F				CB310001-1X
1.5748"/1.5743"	2.47"	1.06"	6.63"	F	DEFR37-1	DEFR37-1		GCB210391-1X
1.5748"/1.5743"	2.47"	1.06"	6.63"	F	DEFR37-1		DEFR25-1	GCB210433-1X

141N, 148N, 155N, 1650 and 16N SERIES


1.7717"/1.7712"	2.69"	1.06"	7.63"	F	DEFR41-1	DEFR41-1		CB210084-2X
-----------------	-------	-------	-------	---	----------	----------	--	-------------

155N and 16N SERIES

1.7717"/1.7712"	2.69"	1.06"	7.63"	F	DEFR41-1	DEFR28-3		CB210207-1X
1.7717"/1.7712"	2.69"	1.06"	7.63"	F				CB310007-1X
1.7717"/1.7712"	2.69"	1.06"	7.63"	F	DEFR41-1	DEFR41-1		GCB210084-2X
1.7717"/1.7712"	2.69"	1.06"	7.63"	G				GCB210130-1X
1.7717"/1.7712"	2.69"	1.06"	7.63"	F	DEFR41-1		DEFR28-3	GCB210207-1X

² Deflectors are not sold separately.

CENTER BEARINGS - TYPE 2-SLOTTED RUBBER CUSHION



Bearing I.D. Max./Min.	Height	Bearing Width	Mtg. Holes (Ctr to Ctr)	Style	Front Deflector	Rear Deflector	Bearing Retainer Deflector	Part Number
------------------------	--------	---------------	-------------------------	-------	-----------------	----------------	----------------------------	-------------

17N SERIES

1.9685"/1.9680"	2.81"	1.19"	7.63"	F				CB210121-1XSA ¹
1.9685"/1.9680"	2.81"	1.19"	7.63"	F	DEFR35-1	DEFR35-1		GCB210121-1X


176N, 17N (HEAVY DUTY) and 18N SERIES

2.3622"/2.3616"	3.38"	1.41"	8.63"	F				CB210661-1XSA ¹
2.3622"/2.3616"	3.38"	1.41"	8.63"	F				CB310015-1X
2.3622"/2.3616"	3.38"	1.41"	8.63"	F	DEFR55-1	DEFR55-1		GCB210661-1X

131N, 135N, 141N, 148N, 155N and 62N SERIES

1.5748"/1.5743"	2.47"	1.06"	6.63"	F	DEFR37-1	DEFR37-1		CB210391-1X
-----------------	-------	-------	-------	---	----------	----------	--	-------------

CENTER BEARINGS - TYPE 3-ROUND WITH MOUNTING BRACKET



Bearing I.D. Max./Min.	Height	Width	Mounting Holes (Center to Center)	Part Number
------------------------	--------	-------	-----------------------------------	-------------

1280 and 131N SERIES

1.1811"/1.1807"	3.56"	.63"	1.50"	CB210527X
-----------------	-------	------	-------	-----------

131N SERIES

1.1811"/1.1807"	3.56"	.63"	1.50"	GCB210527X
-----------------	-------	------	-------	------------

¹ Self aligning center bearing. Deflectors not needed.

XpresswayPlus.ArvinMeritor.com



XpresswayPlus.ArvinMeritor.com
For all of your parts-ordering needs

Don't forget about using *XpresswayPlus* for:

- Ordering parts online
- Order status
- Price and availability
- Invoice Lookup
- Parts Catalog
- Online e-mail or phone numbers for Customer Service, Information Services, Marketing, Catalog, and eSupport
- Reference Library
- The Company Store
- Literature
- Dealer/Distributor locator

XpresswayPlus is easy to use, can reduce phone calls, and save you valuable time.

WHAT YOU NEED:	WHERE TO LOOK:
ACCOUNT CHANGE	CUSTOMER SERVICE
AFTERMARKET & PRODUCTION ASSEMBLIES	CATALOG
APPLICATION INFORMATION	CATALOG
BILL-OF-LADING NUMBER	ORDER STATUS
BILL-OF-MATERIAL	CATALOG
BULLETINS	REFERENCE LIBRARY
CONTACT NAMES & NUMBERS	CUSTOMER SERVICE
FIELD SUPPORT REPRESENTATIVES	CUSTOMER SERVICE
INVOICE (VIEW & PRINT)	ORDER STATUS
NEWSLETTER	REFERENCE LIBRARY
ORDER DETAILS	ORDER STATUS
ORDER HISTORY FILE	ORDER STATUS
ORDER MERCHANDISE	COMPANY STORE
ORDER SUBMIT	CREATE NEW ORDER
ORDER SUBMIT - STOCK UPLOAD (MULTIPLE LINES)	CREATE NEW ORDER
PART DETAILS	CATALOG
PART IMAGES	CATALOG
PART NUMBER COMPARISON	CATALOG
PARTS BOOKS	REFERENCE LIBRARY
PASSWORD CHANGE	CUSTOMER SERVICE
PRICE (LIST)	CATALOG
PRICE (NET) & AVAILABILITY	PRICE & AVAILABILITY
PRODUCT BROCHURES	REFERENCE LIBRARY
PRODUCT UPDATES	REFERENCE LIBRARY
PROOF-OF-DELIVERY	ORDER STATUS
REQUEST-FOR-QUOTATION (FOR MERITOR BRAND)	PRICE REQUEST
SALES LITERATURE	REFERENCE LIBRARY
SEND QUESTIONS, COMMENTS, ISSUES	CONTACT US
SHIPPER NUMBER	ORDER STATUS
TECH TIPS	REFERENCE LIBRARY
TRACKING NUMBER	ORDER STATUS
WARRANTY INFORMATION	REFERENCE LIBRARY
WHERE-USED INFORMATION	CATALOG

SECTION 13

INDEX

C.V. Components and P.T.O. Assemblies	Page
131N SERIES AUXILIARY POWER TAKE-OFF	
Unwelded Driveshaft Assembly	13-9
131N SERIES AUXILIARY POWER TAKE-OFF KIT	
131N Series Auxiliary Power Take-Off Kit	13-9
BALL STUD WELD YOKES	
Inside Snap Ring	13-7
Outside Snap Ring	13-8
C.V. CENTERING YOKES	
C.V. Centering Yokes	13-6
C.V. HEAD ASSEMBLIES	
C.V. Head Assemblies	13-4
Component Part Numbers	13-5
DOUBLE CENTER YOKES	
Inside Snap Ring	13-5
Outside Snap Ring	13-5
FLANGE YOKES	
Double Cardan C.V. Head - Style 1 and 2	13-6
Double Cardan C.V. Head - Style 3	13-7
SPLINE PLUG SHAFT	
For Auxiliary Power Take-Off	13-8
UNWELDED C.V. SHAFT ASSEMBLIES	
Component Part Numbers	13-2
Unwelded C.V. Shaft Assemblies	13-1
WELDED AND BALANCED C.V. SHAFT ASSEMBLIES	
Component Part Numbers	13-3




Didn't find what you were looking for?

Check our online catalog at:


XpresswayPlus.ArvinMeritor.com

Your electronic link to ArvinMeritor!


UNWELDED C.V. SHAFT ASSEMBLIES



STYLE 1




STYLE 6




STYLE 7

Maximum Length Extended	Maximum Length Compressed	Tubing	C.V. and Tube Length	Yoke & Spline Plug Shaft Assy.		Style	C.V. Shaft Assembly
				Maximum Length	Minimum Length		
121N SERIES							
52.91"	48.66"	2.50" x .065"	38.00"	14.91"	10.66"	7	R919990-3400
54.53"	50.28"	2.50" x .065"	39.63"	14.91"	10.66"	6	R919976-3400
131N SERIES							
40.94"	37.84"	2.00" x .120"	30.13"	10.81"	7.72"	1	R909365-2600
42.28"	39.19"	2.50" x .083"	30.13"	12.16"	9.06"	1	R909363-2600
133N SERIES							
42.91"	38.75"	2.50" x .083"	30.13"	12.78"	8.63"	1	R911818-2600


UNWELDED C.V. SHAFT ASSEMBLIES COMPONENT PART NUMBERS



STYLE 1



STYLE 6



STYLE 7

Flange Yoke	Slip Yoke (1)	Dust Cap	Spline Plug	C.V. Head Assy.	Tubing	Style	C.V. Shaft Assembly
121N SERIES U-JOINT KIT: CP443X							
121N-2-1049	121N-3-8961KX	R280196	121N-40-2301		2.50" x .065"	6	R919976-3400
121N-2-1049	121N-3-8961KX	R280196	121N-40-2301		2.50" x .065"	7	R919990-3400
131N SERIES U-JOINT KIT: CP153X							
	131N-3-8001KX	R280194	131N-40-1701	R912777	2.00" x .120"	1	R909365-2600
	131N-3-8021KX	R280194	131N-40-1851	R912747	2.50" x .083"	1	R909363-2600
133N SERIES U-JOINT KIT: CP1204X							
	133N-3-8041KX	R280194	131N-40-1851		2.50" x .083"	1	R911818-2600

(1) Includes dust cap.

WELDED AND BALANCED C.V. SHAFT ASSEMBLIES

COMPONENT PART NUMBERS

STYLE 3

STYLE 4

STYLE 5

Flange Yoke	Slip Yoke	Dust Cap	Spline Plug	C.V. Head Assembly	Tubing	Style	C.V. Shaft Assembly
-------------	-----------	----------	-------------	--------------------	--------	-------	---------------------

121N SERIES U-JOINT KIT: CP443X							
---------------------------------	--	--	--	--	--	--	--

121N-2-1050	121N-3-8961KX	R280196	121N-40-2301		2.50" x .065"	5	R914156-1324W
-------------	---------------	---------	--------------	--	---------------	---	---------------

131N SERIES U-JOINT KIT: CP153X							
---------------------------------	--	--	--	--	--	--	--

	131N-3-8001KX	R280194	131N-40-1701	R912777	2.00" x .120"	3	R903862-1409W
--	---------------	---------	--------------	---------	---------------	---	---------------

	131N-3-8001KX	R280194	131N-40-1701	R912777	2.00" x .120"	3	R903862-1602W
--	---------------	---------	--------------	---------	---------------	---	---------------

	131N-3-8001KX	R280194	131N-40-1701	R912286	2.00" x .120"	4	R912170-1511W
--	---------------	---------	--------------	---------	---------------	---	---------------

C.V. HEAD ASSEMBLIES

STYLE 1					STYLE 2				
Overall Length	CL to Point of Weld	CL to CL of Center Yoke	Butt Dia.	Bolt Circle Dia.	Bolt Hole Spacing Across Yoke	Bolt Hole Spacing Across Ears	Bolt Hole Size	Style	C.V. Head Assembly

3R SERIES

U-JOINT KIT: CP3147X

6.563"	1.625"	3.250"	1.766"	4.25"			.453"	2	4137268
--------	--------	--------	--------	-------	--	--	-------	---	---------

131N SERIES

U-JOINT KIT: CP153X

4.094"	1.438"	2.688"	1.766"		2.344"	1.50"	.313"-24	1	R912777
4.125"	1.438"	2.688"	2.344"		2.344"	1.50"	.313"-24	1	R912747

XpresswayPlus.ArvinMeritor.com




XpresswayPlus.ArvinMeritor.com
For all of your parts-ordering needs

Don't forget about using *XpresswayPlus* for:

- Ordering parts online
- Order status
- Price and availability
- Invoice Lookup
- Parts Catalog
- Online e-mail or phone numbers for Customer Service, Information Services, Marketing, Catalog, and eSupport
- Reference Library
- The Company Store
- Literature
- Dealer/Distributor locator


XpresswayPlus is easy to use, can reduce phone calls, and save you valuable time.

C.V. HEAD ASSEMBLIES COMPONENT PART NUMBERS




Ball Stud Yoke	Center Yoke "H" Type	Centering Yoke	Flange Socket	Tubing	Style	C.V. Head Assembly
3R SERIES U-JOINT KIT: CP3147X (2 Req'd.)						
R3R-28-869	R3R-26-57		R3R-83-482	2.00" x .120" (11 GA)	2	4137268
131N SERIES U-JOINT KIT: CP153X (2 Req'd.)						
131N-28-2957X	131N-26-497	131N-CV82-HD		2.00" x .120" (11 GA)	1	R912747
131N-28-2947X	131N-26-497	131N-CV82-HD		2.00" x .120" (11 GA)	1	R912777

DOUBLE CENTER YOKES - INSIDE SNAP RING




Center to Center	Distance Between Ears	Swing Diameter	Bearing Diameter	Distance Across Ears	Maximum Joint Angle	Part Number
3R SERIES U-JOINT KIT: CP3147X						
3.25"	2.56"	4.06"	1.13"	3.56"	17 °	R3R-26-57

DOUBLE CENTER YOKES - OUTSIDE SNAP RING




Center Line to Center Line	Distance between Ears	Swing Diameter	Bearing Diameter	Distance Across Ears	Maximum Operating Angles	Part Number
131N SERIES U-JOINT KIT: CP153X						
2.69"	2.22"	3.88"	1.06"	3.47"	26°	131N-26-497

C.V. CENTERING YOKES




Distance Between Nibbs	Bearing Cap Diameter	Swing Diameter	Bolt Hole Size	Bolt Hole Spacing Across Yoke	Bolt Hole Spacing Across Ears	Stud Socket Dimension	Part Number
131N SERIES U-JOINT KIT: CP153X							
3.47"	1.06"	3.50"	.313"-24 UNF	2.34"	1.50"	.50"	131N-CV82-HD

FLANGE YOKES - DOUBLE CARDAN C.V. HEAD - STYLE 1 AND 2



Center to Face	Pilot Dia. M=Male F=Female	Bolt Circle Dia.	Yoke Dim. Across Ears	Brg. Cap Dia.	Bolt Hole Dia.	No. of Bolt Holes	Inside Snap Ring Dim.	Flange O.D.	Stud Socket Dim.	Style	Part Number
3R SERIES U-JOINT KIT: CP3147X											
1.69"	F-3.13"	4.25"	3.56"	1.13"	.453"	4	2.56"	5.13"	.906"	2	R3R-83-482
121N SERIES U-JOINT KIT: CP443X											
1.63"	F-2.00"	3.50"	2.69"	1.06"	.500"	4		4.38"	.500"	1	121N-83-489X
131N SERIES U-JOINT KIT: CP153X											
1.63"	F-2.00"	3.50"	3.47"	1.06"	.500"	4		4.38"	.500"	1	131N-83-388X


FLANGE YOKES - DOUBLE CARDAN C.V. HEAD - STYLE 3



STYLE 3


Center to Face	Pilot Dia. M=Male F=Female	Bolt Pattern	Distance Between Nibbs	Brg. Cap Dia.	Bolt Hole Dia.	No. of Bolt Holes	Flange O.D.	Style	Saginaw Flange Adapter Part Number
131N SERIES		U-JOINT KIT: CP153X							
2.91"	M-1.81", 46mm	2.697/2.362", 68.5/60mm	3.47"	1.06"	.315", 8mm	4	4.44"	3	131N-83-288X

BALL STUD WELD YOKES - INSIDE SNAP RING




Use with Tubing O.D. and Wall	Butt Dia.	CL to Weld Point	CL to End of Ball Stud	Ball Stud Dia.	Yoke Dim. Across Ears	Brg. Cap Dia.	ISR Dim.	Maximum Operating Angle	Weld Yoke Part Number
3R SERIES		U-JOINT KIT: CP3147X							
2.00" x .120" (11 GA)	1.77"	1.63"	2.00"	.91"	3.56"	1.13"	2.56"	17 °	R3R-28-869

BALL STUD WELD YOKES - OUTSIDE SNAP RING



Use with Tubing O.D. and Wall	Butt Dia.	Center Line to Weld Point	Center Line to End of Ball Stud	Ball Stud		Yoke Dim. Across Ears	Brg. Cap Dia.	Maximum Operating Angle	Weld Yoke Part Number
				Length	Dia.				
1280 and 131N SERIES U-JOINT KIT: CP153X									
2" x .120" (11 GA)	1.77"	1.44"	1.64"	.59"	.50"	3.47"	1.06"	13°	131N-28-2947X
131N SERIES U-JOINT KIT: CP153X									
2.50" x .083" (14 GA)	2.34"	1.44"	1.64"	.59"	.50"	3.47"	1.06"	13°	131N-28-2957X
133N SERIES U-JOINT KIT: CP153X									
2.50" x .083" (14 GA)	2.34"	1.38"	1.67"	.59"	.50"	3.875"	1.06"		133N-28-3067X
135N SERIES U-JOINT KIT: CP153X									
3.00" x .083" (14 GA)	2.84"	1.44"	1.73"	.59"	.50"	3.875"	1.19"		135N-28-1327X


SPLINE PLUG SHFAT FOR AUXILIARY POWER TAKE-OFF



Spline Size	Overall Length	Length of Spline	Dust Cap	Insert Diameter	End Yoke	Part Number
WELDED APPLICATION						
1.38"-16	24"	2.50"	R280194	1.25"	131N-4-533	131N-40-138-2

(1) Used primarily in crank driven front mount hydraulic pump applications. Also suitable for clutch connection drives. Maximum operating speed 2800 rpm. (Not recommended for vehicular propeller shaft applications.)

131N SERIES AUXILIARY POWER TAKE-OFF KIT




Series	Slip Yoke	Spline Plug Shaft	U-Joint Kit	End Yoke	Driveshaft Kit Part Number
--------	-----------	-------------------	-------------	----------	----------------------------

FOR CLOSE COUPLED APPLICATIONS (1)
(ASSEMBLY AND WELDING REQUIRED)

DRIVESHAFT COMPONENT PART NUMBERS

131N	131N-3-7981KX	131N-40-138-2	CP153X	131N-4-533	R91382SF
------	---------------	---------------	--------	------------	----------

131N SERIES AUXILIARY POWER TAKE-OFF UNWELDED DRIVESHAFT ASSEMBLY



Series	Maximum Assembly Length	Minimum Assembly Length	Tubing	Yoke and Tube Length	Yoke & Spline Plug Assy.		Complete Driveshaft Part Number
					Maximum Length	Minimum Length	

DRIVESHAFT SPECIFICATIONS

1280, 131N	55.75"	9.50"	2.00" x .083" (14 GA)	49.44"	8.25"	6.25"	R9553-SF
------------	--------	-------	-----------------------	--------	-------	-------	----------

DRIVESHAFT COMPONENT PART NUMBERS

Series	Slip Yoke	Spline Plug	Weld Yoke	U-Joint Kit	Tubing	Complete Driveshaft Part Number
1280, 131N	131N-3-128KX	131N-40-1031	131N-28-357	CP153X	2.00" x .083" (14 GA)	R9553-SF

(1) Used primarily in crank driven front mount hydraulic pump applications. Also suitable for clutch connection drives. Maximum operating speed 2800 rpm. (Not recommended for vehicular propeller shaft applications.)



For additional parts and information,
visit our online catalog at:

XpresswayPlus.ArvinMeritor.com

Your electronic link to ArvinMeritor!


SECTION 14

INDEX


L6N Steering Components	Page
CLAMP YOKES	
"D-Flat" Serrated Type	14-2
Standard Serrated Type	14-1
SLIP YOKES	
Slip Yokes	14-2

- This catalog is not to be used for the design of custom steering assemblies. Any use of this catalog other than identifying genuine replacement parts is strictly prohibited.
- Due to the safety related nature of this product, we implore you to pay special attention to the way your original steering shaft was assembled, noting the phasing of the yokes. On some steering assemblies the yokes are purposely out of phase due to vehicle/application specific requirements.
- If after reviewing the information in this catalog you are unable to positively identify the replacement part you need to repair your steering assembly, please obtain the OEM part number for the assembly and call our Information Services Department at 1-888-725-9355.

MERITOR NUMBERING SYSTEM



CLAMP YOKES - STANDARD SERRATED TYPE



Major Dia. Max./Min.	Minor Dia. Max./Min.	Center to End	Clamp Hole to End	Clamp Hole Size	Clamp Hole to Center of Spline	Part Number
-------------------------	-------------------------	---------------	----------------------	-----------------	-----------------------------------	-------------

.75" - 26 SPLINE Based on 36 spacing

.739" / .735"	.698" / .694"	2.25"	.47"	.47"	.45"	L6NYS12-39
---------------	---------------	-------	------	------	------	------------

.88" - 30 SPLINE Based on 36 spacing

.883" / .881"	.802" / .800"	2.50"	.47"	.41"	.53"	L6NYS14-65
---------------	---------------	-------	------	------	------	------------

.88" - 36 SPLINE

.883" / .881"	.802" / .800"	2.25"	.47"	.41"	.56"	L6NYS14-100
---------------	---------------	-------	------	------	------	-------------


1.00" - 30 SPLINE Based on 36 spacing

.994" / .989"	.949" / .944"	2.50"	.47"	.38"	.61"	L6NYS16-34
.994" / .989"	.949" / .944"	2.25"	.47"	.41"	.61"	L6NYS16-16

1.00" - 36 SPLINE

.988" / .986"	.915" / .913"	2.25"	.75"	.41"	.58"	L6NYS16-12
1.013" / 1.011"	.949" / .944"	2.25"	.47"	.41"	.61"	L6NYS16-18

If you detect any **errors** in this catalog, please let us know.




We want the information to be as accurate as possible;
we appreciate your help in making it so.

Please e-mail any comments/suggestions/corrections
to us at: catalogfeedback@arvinmeritor.com


or mail to: ArvinMeritor
attn: Catalog Dept.
7975 Dixie Highway
Florence, KY 41042

CLAMP YOKES - "D-FLAT" SERRATED TYPE



Major Dia. Max./Min.	Minor Dia. Max./Min.	Center to End	Clamp Hole to End	Clamp Hole Size	Clamp Hole to Center of Spline	Center of Flat	Part Number
.81" - 18 SPLINE Based on 36 spacing							
.811" / .809"	.766" / .762"	2.16"	.36"	.47"	.53"	255 °	L6NYS13-31
.811" / .809"	.766" / .762"	3.30"	.36"	.47"	.53"	255 °	L6NYS13-34

SLIP YOKES



Center to End	Length of Hole	Grease Zerk Location	Dust Cap Style	Dust Cap/Seal Part Number	Part Number
1.25" - 32 SPLINE					
7.25"	5.75"		Splined	DCL6N4	L6NLS20-65DC
7.25"	5.81"	1.41"			L6NLS20-127
7.25"	5.81"	1.50" and 5.25"	Splined	SERUS20	L6NLS20-133A
9.13"	6.13"		Splined	SERUS20	L6NLS20-55DC
9.81"	8.88"	1.50"	Round	DCL6N3	L6NLS20-63DC1


SECTION 15

INDEX


10N Series	Page
10N/1000 SERIES AUXILIARY POWER TAKE-OFF	
Unwelded Driveshaft Assembly	15-4
END YOKES	15-3
FLANGE YOKE	15-1
SLIP YOKES	
Inside Snap Ring.....	15-1
Slip Yokes	15-2

MERITOR NUMBERING SYSTEM

MERITOR AFTERMARKET NUMBER




FLANGE YOKE




Center to Face	Bolt Circle Dia.	Flange O.D.	Yoke Dim. Across Ears	Bearing Dia.	Set Screw Hole Dia.	Number of Holes	Use U-Joint Kit	Part Number
1.67"	2.75"	3.50"	2.19"	.94"	.34"	4	CP170X	10N-2-29

SLIP YOKES - INSIDE SNAP RING




Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Diameter	Dust Cap	Part Number
1.25" - 16 SPLINE U-JOINT KIT: CP170X					
5.50"	4.03"	1.50"	.94"	R280196	10N-3-18KX

SLIP YOKES



Bore Type	Bore Dia.	Center to End	Bore Lgth.	Hub Dia.	Keyway		Set Screw or Pin Hole			Part Number
					Width	Location	Hole Size	Loc. Viewed From Hub End	Distance from End of Hub	
YOKE DIMENSION ACROSS EARS: 2.19"					BEARING CAP DIAMETER: 1.31"					
Hex	.88"	5.50"	4.19"	1.63"			.25"-28 TH	9-GAP	1.75"	10N-3-162X
Hex	1.13"	5.50"	4.19"	1.63"			.25"-28 TH	9-GAP	1.75"	10N-3-32X
Round	.81"	5.50"	4.19"	1.63"	.25"	3-GAP	.25"-28 TH	9-GAP	1.75"	10N-3-23X
Round	.88"	5.50"	4.19"	1.63"	.25"	3-GAP	.25"-28 TH	9-GAP	1.75"	10N-3-33X
Round	1.00"	5.50"	4.19"	1.63"	.25"	9-GAP	.25"-28 TH	9-GAP	1.75"	10N-3-83X
Round	1.13"	5.50"	4.19"	2.00"	.31"	3-GAP	.25"-28 TH	9-GAP	1.75"	10N-3-183X
Round	1.25"	5.50"	4.19"	2.00"	.31"	3-GAP	.25"-28 TH	9-GAP	1.75"	10N-3-163X
SPL-10	1.13"	5.50"	4.19"	1.63"			.25"-28 TH	9-GAP	1.75"	10N-3-81X
Square	.75"	5.50"	4.19"	1.63"			.25"-28 TH	9-GAP	1.75"	10N-3-12X
Square	.88"	5.50"	4.19"	1.63"			.25"-28 TH	9-GAP	1.75"	10N-3-22X
Square	1.00"	5.50"	4.19"	2.00"			.25"-28 TH	9-GAP	1.75"	10N-3-122X

END YOKES




Bore Type	Bore Dia.	Center to End	Bore Lgth.	Hub Dia.	Keyway		Hole Size	Set Screw or Pin Hole			Part Number
					Width	Loc.		No. of Holes	Location Viewed From Hub End	Dist. from End of Hub	
YOKE DIMENSION ACROSS EARS: 2.19"					BEARING CAP DIAMETER: .94"						
Hex	0.88"	2.50"	1.13"	2.00"			.38"-16TH	1	9-GAP	.63"	10N-4-282
Hex	1.13"	2.50"	1.13"	2.00"			.38"-16TH	1	9-GAP	.63"	10N-4-32
Round	0.75"	2.50"	1.13"	1.63"	.25"	3-GAP	.38"-16TH	1	9-GAP	.63"	10N-4-23
Round	0.75"	2.50"	1.13"	1.63"	.19"	9-GAP	.38"-16TH	2	12/6-EAR	.63"	10N-4-133
Round	0.75"	2.50"	1.13"	1.63"	.19"	3-GAP	.38"-16TH	1	9-GAP	.63"	10N-4-13
Round	0.81"	2.50"	1.13"	1.63"	.25"	9-GAP	.38"-16TH	1	6-EAR	.63"	10N-4-173
Round	0.81"	2.50"	1.13"	1.63"	.25"	3-GAP	.38"-16TH	1	9-GAP	.63"	10N-4-43
Round	0.81"	2.50"	1.13"	1.63"	.19"	3-GAP	.38"-16TH	1	9-GAP	.63"	10N-4-33
Round	0.88"	1.69"	1.13"	1.63"	.25"	12-EAR	.38"-16TH	1	9-GAP	.44"	10N-4-703
Round	0.88"	2.50"	1.13"	1.63"	.25"	3-GAP	.38"-16TH	1	9-GAP	.63"	10N-4-63
Round	0.88"	2.50"	1.13"	1.63"	.19"	3-GAP	.38"-16TH	1	9-GAP	.63"	10N-4-53
Round	0.88"	2.50"	1.13"	1.63"	.25"	9-GAP	.38"-16TH	1	6-EAR	.63"	10N-4-453
Round	0.94"	2.50"	1.13"	1.63"	.25"	12-EAR	.38"-16TH	1	6-EAR	.63"	10N-4-73
Round	1.00"	2.50"	1.13"	1.63"	.25"	9-GAP	.38"-16TH	1	6-EAR	.63"	10N-4-573
Round	1.00"	2.50"	1.13"	1.63"	.19"	3-GAP	.38"-16TH	1	9-GAP	.63"	10N-4-83
Round	1.00"	2.50"	1.13"	1.63"	.25"	3-GAP	.38"-16TH	1	9-GAP	.63"	10N-4-93
Round	1.00"	2.50"	1.13"	1.63"			.38"-16TH	2	12/6-EAR	.63"	10N-4-443
Round	1.13"	2.50"	1.13"	2.00"	.25"	3-GAP	.38"-16TH	1	9-GAP	.63"	10N-4-103
Round	1.13"	2.50"	1.13"	2.00"	.31"	3-GAP	.38"-16TH	1	9-GAP	.63"	10N-4-113
Round	1.13"	2.50"	1.13"	2.00"	.25"	9-GAP	.38"-16TH	1	6-EAR	.63"	10N-4-143
Round	1.13"	2.50"	1.13"	2.00"	.31"	9-GAP	.38"-16TH	1	6-EAR	.63"	10N-4-473
Round	1.25"	2.50"	1.13"	2.00"	.25"	9-GAP	.38"-16TH	1	6-EAR	.63"	10N-4-183
Round	1.25"	2.50"	1.13"	2.00"	.31"	9-GAP	.38"-16TH	1	6-EAR	.63"	10N-4-193
Round	1.25"	2.50"	1.13"	2.00"	.31"	3-GAP	.38"-16TH	1	9-GAP	.63"	10N-4-123
SPL-13	0.88"	2.50"	1.19"	1.63"			.38"-16TH	1	6-EAR	.63"	10N-4-481
SPL-16	0.73"	2.25"	0.94"	1.63"			.47"-DR	1	3/9-GAP	.47"	10N-4-611 ¹
SPL-6	1.38"	3.25"	2.25"				DR	2		.38"	10N-4-139 ²
Square	0.75"	2.50"	1.13"	1.63"			.38"-16TH	1	9-GAP	.63"	10N-4-22
Square	0.88"	2.50"	1.13"	1.63"			.38"-16TH	1	9-GAP	.63"	10N-4-12
Square	1.00"	2.50"	1.13"	2.00"			.38"-16TH	1	9-GAP	.63"	10N-4-52

¹ Clamp yoke.

² Quick disconnect trailing pin yoke - tractor end.

10N/1000 SERIES AUXILIARY POWER TAKE-OFF UNWELDED DRIVESHAFT ASSEMBLY



Maximum Assembly Length	Minimum Assembly Length	Tubing	Yoke and Tube Length	Yoke & Spline Plug Assy.		Complete Driveshaft Part Number
				Maximum Length	Minimum Length	

DRIVESHAFT SPECIFICATIONS

69.39"	10.00"	2.00" x .083" (14 GA)	59.91"	9.48"	7.48"	R10270-SF
--------	--------	-----------------------	--------	-------	-------	-----------

DRIVESHAFT COMPONENT PART NUMBERS

Slip Yoke	Spline Plug	Weld Yoke	U-Joint Kit	Tubing	Complete Driveshaft Part Number
10N-3-18KX	121N-40-1741	R10V5	CP170X	2.00" x .083" (14 GA)	R10270-SF

SECTION 16

INDEX

Companion Flange and End Yoke Application Guide Index Page

ATTACHMENT HARDWARE

Attachment Hardware for Meritor Axles and Transfer Cases 16-ii

AXLES


Dana Axles 16-2
Eaton Axles 16-6
Meritor Axles and Transfer Cases 16-20

TRANSMISSIONS

Allison Transmissions 16-47
Clark Transmissions..... 16-51
Fuller Transmissions 16-53
Meritor Transmissions..... 16-66
New Process Transmissions..... 16-68
Spicer Transmissions..... 16-70


ATTACHMENT HARDWARE

NUT



Part Number	Thread Size	Metric Thread Size	Width Across Flats	Thickness
1227-G-943	0.88"-20 3 UNEF-2B		1.13"	.50"
1227-C-939	1.00"-20 3 UNEF-2B		1.32"	.57"
1227-K-1051	1.25"-12 3 UNF-2B		1.63"	.62"
1227-Q-901	1.25"-12 3 UNF-2B		1.88"	.75"
1227-Z-936	1.25"-18 3 UNEF-2B		1.63"	.62"
1227-J-946	1.50"-12 3 UNF-2B		1.88"	.75"
1227-R-902	1.50"-12 3 UNF-2B		2.25"	.88"
1227-A-937	1.50"-18 3 UNEF-2B		1.88"	.75"
1227-D-940	1.75"-12 3 UN-2B		2.25"	.69"
1227-N-898	1.75"-12 3 UN-2B		2.58"	.99"
40-X-1236 (1)		32mm x 1.5-6H Thd.	45.69mm	18mm
40-X-1237 (2)		39mm x 1.5-6H Thd.	54.63mm	21mm
40-X-1233		45mm x 1.5-6H Thd.	56.20mm	24mm

WASHER



Part Number	Inside Diameter	Outside Diameter	Thickness
1229-N-1548	0.91"	1.62"	0.19"
1229-S-1397	0.91"	1.62"	0.13"
1229-E-1331	1.03"	1.81"	0.25"
1229-A-2653	1.28"	2.19"	0.22"
1229-F-2918	1.53"	2.38"	0.25"
1229-T-1736	1.53"	2.38"	0.13"
1229-W-4521	1.75"	3.25"	0.31"
1229-G-1281	1.78"	3.00"	0.10"
1229-N-1730	1.78"	3.00"	0.19"
1229-S-1605	1.81"	3.25"	0.40"
1229-E-1071	2.03"	3.25"	0.28"

- (1) Order KIT 2636 to purchase nut and washer.
- (2) Order KIT 2637 to purchase nut and washer.

ATTACHMENT HARDWARE

MODEL	NUT	WASHER
59000 SERIES	1227-D-940	1229-G-1281
59732	1227-D-940	1229-G-1281
59733	1227-D-940	1229-G-1281
61142	40-X-1233	1229-W-4521
61143	40-X-1233	1229-W-4521
B100	1227-G-943	1229-S-1397
B140	1227-G-943	1229-N-1548
C100	1227-C-939	1229-E-1331
C102	1227-C-939	1229-E-1331
C103	1227-C-939	1229-E-1331
D100	1227-C-939	1229-E-1331
D140	1227-C-939	1229-E-1331
F106	1227-C-939	1229-E-1331
F140	1227-C-939	1229-E-1331
F142	1227-C-939	1229-E-1331
F145	1227-C-939	1229-E-1331
F149	1227-C-939	1229-E-1331
F245	1227-C-939	1229-E-1331
F345	1227-C-939	1229-E-1331
FDS75	1227-C-939	1229-E-1331
FDS90	1227-C-939	1229-E-1331
FDS750	1227-C-939	1229-E-1331
FDS751	1227-C-939	1229-E-1331
FDS1600	1227-C-939	1229-E-1331
FDS1800	1227-A-937	NONE
FDS1801	1227-A-937	NONE
FDS1802	1227-A-937	1229-E-1071
FDS1805	1227-J-946	1229-T-1736
FDS1807	1227-J-946	1229-T-1736
FDS1808	1227-J-946	1229-T-1736
FDS2100	1227-J-946	1229-T-1736
FDS2101	1227-J-946	1229-T-1736
FDS2102	1227-J-946	1229-T-1736
H140	1227-C-939	1229-E-1331
H145	1227-C-939	1229-E-1331
H150	1227-C-939	1229-E-1331
H160	1227-Z-936	1229-A-2653
H162	1227-Z-936	1229-A-2653
H170	1227-C-939	1229-E-1331
H172	1227-K-1051	1229-A-2653
H240	1227-C-939	1229-E-1331
H250	1227-C-939	1229-E-1331
H300	1227-C-939	1829-D-238
H340	1227-C-939	1229-E-1331
H350	1227-C-939	1229-E-1331
H370	1227-C-939	1229-E-1331
L140	1227-J-946	1229-A-2653
L145	1227-J-946	1229-A-2653
L148	1227-J-946	1229-A-2653
L155	1227-J-946	1229-A-2653

MODEL	NUT	WASHER
L160	1227-J-946	1229-A-2653
L172	1227-K-1051	1229-A-2653
L200	1227-Z-936	1229-A-2653
L240	1227-Z-936	1229-A-2653
L245	1227-Z-936	1229-A-2653
L246	1227-Z-936	1229-A-2653
L300	1227-Z-936	1229-A-2653
L340	1227-Z-936	1229-A-2653
L345	1227-Z-936	1229-A-2653
L346	1227-Z-936	1229-A-2653
L350	1227-Z-936	1229-A-2653
L360	1227-Z-936	1229-A-2653
L361	1227-Z-936	1229-A-2653
L370	1227-Z-936	1229-A-2653
L371	1227-Z-936	1229-A-2653
L600	1227-K-1051	1229-A-2653
M172	1227-K-1051	1229-A-2653
PR50	1227-C-939	1229-E-1331
PR65	1227-C-939	1229-E-1331
PR75	1227-C-939	1229-E-1331
PR80	1227-C-939	1229-E-1331
PR100	1227-C-939	1229-E-1331
PR101	1227-C-939	1229-E-1331
PR102	1227-C-939	1229-E-1331
PR103	1227-C-939	1229-E-1331
PR104	1227-C-939	1229-E-1331
PR105	1227-C-939	1229-E-1331
PR106	1227-C-939	1229-E-1331
PR107	1227-C-939	1229-E-1331
PR118	1227-C-939	1229-E-1331
PR150	1227-C-939	1229-E-1331
PR151	1227-C-939	1229-E-1331
PR200	1227-Z-936	1229-A-2653
PR201	1227-Z-936	1229-A-2653
PR203	1227-Z-936	1229-A-2653
PR204	1227-Z-936	1229-A-2653
PR205	1227-Z-936	1229-A-2653
PR207	1227-Z-936	1229-A-2653
PR250	1227-A-937	1229-E-1071
PR251	1227-A-937	1229-E-1071
PR300	1227-D-940	1229-S-1605
PR352	1227-D-940	1229-S-1605
PR400	1227-A-937	1229-E-1071
PR401	1227-C-939	1229-E-1071
PR500	1227-D-940	1229-N-1730
PR502	1227-D-940	1229-N-1730
PR700	1227-D-940	1229-N-1730
PRC265	1227-C-939	1229-E-1331
PRC672	1227-C-939	1229-E-1331
PRC673	1227-K-1051	1229-A-2653

ATTACHMENT HARDWARE

MODEL	NUT	WASHER
PRC674	40-X-1236	1229-A-2653
PRC676	1227-R-902	1229-T-1736
PRC677	1227-A-937	1229-E-1071
PRC863	1227-C-939	1229-E-1331
PRC864	1227-K-1051	1229-A-2653
PRC867	1227-A-937	1229-E-1071
PRC1103	1227-C-939	1229-E-1071
PRC1104	1227-K-1051	1229-A-2653
PRC1105	1227-R-902	1229-T-1736
PRC1314	1227-R-902	1229-T-1736
PRC1315	1227-R-902	1229-T-1736
PRC1925	1227-A-937	1229-E-1071
PRC3795	1227-A-937	1229-E-1071
PRC3796	1227-D-940	1229-N-1730
PRC3805	1227-A-937	1229-E-1071
PRC4264	1227-D-940	1229-N-1730
PRC4805	1227-A-937	1229-E-1071
PRC4807	1227-D-940	1229-N-1730
PRC4824	1227-D-940	1229-N-1730
PRC5225	40-X-1233	1229-W-4521
PRC5324	1227-D-940	1229-N-1730
PRLC415	40-X-1236	1229-A-2653
PRLC614	1227-K-1051	1229-A-2653
PRLC615	1227-K-1051	1229-A-2653
PRLC755	40-X-1236	1229-A-2653
PRLC756	40-X-1236	1229-A-2653
PRLC1756	1227-R-902	1229-T-1736
PRLC1757	1227-A-937	1229-E-1071
PRM256	1227-A-937	1229-E-1071
PRM400	1227-A-937	1229-E-1071
PRM672	1227-K-1051	1229-A-2653
PRM673	1227-K-1051	1229-A-2653
PRM676	1227-R-902	1229-T-1736
PRM677	1227-A-937	1229-E-1071
PRS264	1227-C-939	1229-E-1331
PRS265	1227-C-939	1229-E-1331
PS100	1227-C-939	1229-E-1331
PS101	1227-C-939	1229-E-1331
PS102	1227-C-939	1229-E-1331
PS103	1227-C-939	1229-E-1331
PS150	1227-C-939	1229-E-1331
PS151	1227-C-939	1229-E-1331
PS152	1227-C-939	1229-E-1331
PS300	1227-A-937	1229-E-1071
PS310	1227-A-937	1229-E-1071
PSC204	1227-C-939	1229-N-1548
PSC205	1227-C-939	1229-E-1331
PSC353	1227-C-939	1229-N-1548
PSC354	1227-C-939	1229-E-1331
PSC593	1227-C-939	1229-E-1331

MODEL	NUT	WASHER
PSC594	1227-C-939	1229-E-1331
PSC723	1227-C-939	1229-E-1331
PSC724	1227-C-939	1229-E-1331
PSC824	1227-C-939	1229-E-1331
PSC825	1227-K-1051	1229-A-2653
PSC826	1227-R-902	1229-T-1736
PSC1044	1227-R-902	1229-T-1736
PSC1045	1227-A-937	1229-E-1071
PSC1485	1227-E-937	1229-E-1071
PSC1614	1227-R-902	1229-T-1736
PSC1615	1227-A-937	1229-E-1071
PSC1617	1227-R-902	1229-T-1736
PSC1794	1227-R-902	1229-T-1736
PSC1875	1227-A-937	1229-T-1736
PSM201	1227-Z-936	1229-A-2653
PSM210	1227-Z-936	1229-A-2653
PSM250	1227-Z-936	1229-A-2653
PSM260	1227-Z-936	1229-A-2653
PSM270	1227-Z-936	1229-A-2653
PSM596	1227-C-939	1229-E-1331
PSM824	1227-K-1051	1229-A-2653
PSM825	1227-K-1051	1229-A-2653
PSM826	1227-R-902	1229-T-1736
PSM827	1227-A-937	1229-E-1071
PSM1044	1227-R-902	1229-T-1736
PSM1614	1227-R-902	1229-T-1736
PSM1615	1227-A-937	1229-E-1071
PSM1616	1227-Q-901	1229-A-2653
Q100	1227-R-902	1229-T-1736
Q130	1227-Z-936	1229-A-2653
Q145	1227-Z-936	1229-A-2653
Q148	1227-Z-936	1229-A-2653
Q200	1227-Z-936	1229-A-2653
Q245	1227-Z-936	1229-A-2653
Q246	1227-Z-936	1229-A-2653
Q300	1227-Z-936	1229-A-2653
Q345	1227-Z-936	1229-A-2653
Q365	1227-Z-936	1229-A-2653
Q366	1227-Z-936	1229-A-2653
Q370	1227-Z-936	1229-A-2653
Q380	1227-Z-936	1229-A-2653
QR100	1227-R-902	1229-T-1736
QT140	1227-Z-936	1229-A-2653
R100	1229-A-937	1229-E-1071
R125	1227-R-902	1229-T-1736
R128	1227-R-902	1229-T-1736
R140	1227-A-937	1229-E-1071
R143	1227-A-937	1229-E-1071
R155	1227-A-937	1229-E-1071
R158	1227-A-937	1229-E-1071

ATTACHMENT HARDWARE

MODEL	NUT	WASHER
R160	1227-A-937	1229-E-1071
R164	1227-A-937	1229-E-1071
R170	1227-D-940	1229-N-1730
R200	1227-A-937	NONE
R220	1227-A-937	NONE
R230	1227-A-937	NONE
R240	1227-A-937	NONE
R255	1227-A-937	NONE
R270	1227-J-946	1229-T-1736
R300	1227-A-937	NONE
R330	1227-A-937	NONE
R340	1227-A-937	NONE
R355	1227-A-937	NONE
R360	1227-A-937	NONE
RC-XX-160	40-X-1236	1229-A-2653
RF-XX-145	40-X-1237	1229-T-1736
RF-XX-155	1227-J-946	1229-T-1736
RF-XX-156	1227-J-946	1229-T-1736
RF-XX-160	40-X-1236	1229-A-2653
RF-XX-180	40-X-1236	1229-A-2653
RL170	1227-D-940	1229-N-1730
RS-XX-120	40-X-1236	1229-A-2653
RS-XX-125	40-X-1236	1229-A-2653
RS-XX-140	40-X-1236	1229-A-2653
RS-XX-145	40-X-1237	1229-T-1736
RS-XX-160	40-X-1236	1229-A-2653
RS-XX-180	40-X-1236	1229-A-2653
RS-XX-181	40-X-1236	1229-A-2653
RS-XX-210	40-X-1236	1229-A-2653
RS-XX-220	40-X-1236	1229-A-2653
RS-XX-230	40-X-1236	1229-A-2653
RS-XX-240	40-X-1237	1229-T-1736
RS-XX-380	1227-J-946	1229-T-1736
RT-XX-140 (FUI)	40-X-1237	1229-T-1736
RT-XX-140 (FUO)	40-X-1237	1229-T-1736
RT-XX-140 (RUI)	40-X-1236	1229-T-1736
RT-XX-145 (FUI)	40-X-1237	1229-T-1736
RT-XX-145 (FUO)	40-X-1237	1229-T-1736
RT-XX-145 (RUI)	40-X-1237	1229-T-1736
RT-XX-160 (FUI)	40-X-1236	1229-A-2653
RT-XX-160 (FUO)	40-X-1237	1229-T-1736
RT-XX-160 (RUI)	40-X-1236	1229-A-2653
RT-XX-180 (FUI)	1227-D-940	1229-N-1730
RT-XX-180 (FUO)	1227-J-946	1229-T-1736
RT-XX-180 (RUI)	40-X-1236	1229-A-2653
RT-XX-380 (FUI)	1227-D-940	1229-N-1730
RT-XX-380 (FUO)	1227-J-946	1229-T-1736
RT-XX-380 (RUI)	1227-J-946	1229-T-1736
RT140	1227-A-937	1229-E-1071
RT240	1227-A-937	NONE


MODEL	NUT	WASHER
RT340	1227-A-937	NONE
S162	1227-A-937	NONE
S163	1227-A-937	NONE
S170	1227-D-940	1229-N-1730
SDHD (FUI)	1227-C-939	1229-N-1331
SDHD (FUO)	1227-C-939	1229-N-1331
SDHD (RUI)	1227-C-939	1229-N-1331
SFDD4640 (FUI)	1227-D-940	1229-N-1730
SFDD4640 (FUO)	1227-J-946	1229-T-1736
SFDD4640 (RUI)	1227-J-946	1229-T-1736
SHD (FUI)	1227-D-940	1229-N-1730
SHD (FUO)	1227-J-946	1229-T-1736
SHD (RUI)	1227-J-946	1229-T-1736
SHDD (FUI)	1227-D-940	1229-N-1730
SHDD (FUO)	1227-J-946	1229-T-1736
SHDD (RUI)	1227-J-946	1229-T-1736
SL100 (FUI)	1227-R-902	1229-T-1736
SL100 (FUO)	1227-Q-901	1229-A-2653
SL100 (RUI)	1227-R-902	1229-T-1736
SLD (FUI)	1227-Z-936	1229-A-2653
SLD (FUO)	1227-Z-936	1229-A-2653
SLD (RUI)	1227-Z-936	1229-A-2653
SLDD (FUI)	1227-A-937	1229-A-2653
SLDD (FUO)	1227-Z-936	1229-A-2653
SLDD (RUI)	1227-Z-936	1229-A-2653
SLHD (FUI)	1227-J-946	1229-T-1736
SLHD (FUO)	1227-Z-936	1229-A-2653
SLHD (RUI)	1227-Z-936	1229-A-2653
SPRC1353 (FUI)	1227-Z-936	1229-A-2653
SPRC1353 (FUO)	1227-Z-936	1229-A-2653
SPRC1353 (RUI)	1227-Z-936	1229-A-2653
SPRC1356	1227-R-902	1229-T-1736
SPRC1357 (FUI)	1227-R-902	1229-T-1736
SPRC1357 (FUO)	1227-Q-901	1229-A-2653
SPRC1357 (RUI)	1227-R-902	1229-T-1736
SPRC1734 (FUI)	1227-J-946	1229-T-1736
SPRC1734 (FUO)	1227-Z-936	1229-A-2653
SPRC1734 (RUI)	1227-Z-936	1229-A-2653
SPRC1735	1227-Q-901	1229-A-2653
SPRC1736	1227-R-902	1229-T-1736
SPRC1736 (FUI)	1227-R-902	1229-T-1736
SPRC1736 (FUO)	1227-Q-901	1229-A-2653
SPRC1736 (RUI)	1227-R-902	1229-T-1736
SPRC1925	1227-D-940	1229-N-1730
SPRC1926 (FUI)	1227-D-940	1229-N-1730
SPRC1926 (FUO)	1227-J-946	1229-T-1736
SPRC1926 (RUI)	1227-J-946	1229-T-1736
SPRC1927	1227-J-946	1229-T-1736
SQ100 (FUI)	1227-R-902	1229-T-1736
SQ100 (FUO)	1227-Q-901	1229-A-2653

ATTACHMENT HARDWARE

MODEL	NUT	WASHER
SQ100 (RUI)	1227-R-902	1229-T-1736
SQD (FUI)	1227-A-937	NONE
SQD (FUO)	1227-A-937	NONE
SQDD (FUO)	1227-A-937	NONE
SQDD (RUI)	1227-A-937	NONE
SQHD (FUI)	1227-J-946	1229-T-1736
SQHD (FUO)	1227-Z-936	1229-A-2653
SQHD (RUI)	1227-Z-936	1229-A-2653
SQHP (FUI)	1227-R-902	1229-T-1736
SQHP (FUO)	1227-Q-901	1229-A-2653
SQHP (RUI)	1227-R-902	1229-F-2918
SR170 (FUI)	1227-D-940	1229-N-1730
SR170 (FUO)	1227-J-946	1229-T-1736
SR170 (RUI)	1227-D-940	1229-N-1730
SR270 (FUI)	1227-D-940	1229-N-1730
SR270 (FUO)	1227-J-946	1229-T-1736
SR270 (RUI)	1227-J-946	1229-T-1736
SR280 (FUI)	1227-D-940	1229-N-1730
SR280 (FUO)	1227-J-946	1229-T-1736
SR280 (RUI)	1227-J-946	1229-T-1736
SRDD (FUI)	1227-D-940	1229-N-1730
SRDD (FUO)	1227-J-946	1229-T-1736
SRDD (RUI)	1227-J-946	1229-T-1736
SRHD (FUI)	1227-D-940	NONE
SRHD (FUO)	1227-A-937	NONE
SRHD (RUI)	1227-Z-936	1229-A-2653
SSHD (FUI)	1227-D-940	1229-N-1730
SSHD (FUO)	1227-J-946	1229-T-1736
SSHD (RUI)	1227-J-946	1229-T-1736
ST170 (FUI)	1227-D-940	1229-N-1730
ST170 (FUO)	1227-J-946	1229-T-1736
ST170 (RUI)	1227-D-940	1229-N-1730
ST270 (FUI)	1227-D-940	1229-N-1730
ST270 (FUO)	1227-J-946	1229-T-1736
ST270 (RUI)	1227-J-946	1229-T-1736
ST280 (FUI)	1227-D-940	1229-N-1730
ST280 (FUO)	1227-J-946	1229-T-1736
ST280 (RUI)	1227-J-946	1229-T-1736
STDD (FUI)	1227-D-940	1229-N-1730
STDD (FUO)	1227-J-946	1229-T-1736
STDD (RUI)	1227-J-946	1229-T-1736
STHD (FUI)	1227-D-940	1229-N-1730
STHD (FUO)	1227-J-946	1229-T-1736
STHD (RUI)	1227-J-946	1229-T-1736
SU170 (FUI)	1227-D-940	1229-N-1730
SU170 (FUO)	1227-J-946	1229-T-1736
SU170 (RUI)	1227-D-940	1229-N-1730
SU270 (FUI)	1227-D-940	1229-N-1730
SU270 (FUO)	1227-J-946	1229-T-1736
SU270 (RUI)	1227-J-946	1229-T-1736

MODEL	NUT	WASHER
SU280 (FUI)	1227-D-940	1229-N-1730
SU280 (FUO)	1227-J-946	1229-T-1736
SU280 (RUI)	1227-J-946	1229-T-1736
SUDD (FUI)	1227-D-940	1229-N-1730
SUDD (FUO)	1227-J-946	1229-T-1736
SUDD (RUI)	1227-J-946	1229-T-1736
SUHD (FUI)	1227-D-940	1229-N-1730
SUHD (FUO)	1227-J-946	1229-T-1736
SUHD (RUI)	1227-J-946	1229-T-1736
SW170 (FUI)	1227-D-940	1229-N-1730
SW170 (FUO)	1227-J-946	1229-T-1736
SW170 (RUI)	1227-D-940	1229-N-1730
SW270 (FUI)	1227-D-940	1229-N-1730
SW270 (FUO)	1227-J-946	1229-T-1736
SW270 (RUI)	1227-J-946	1229-T-1736
SW280 (FUI)	1227-D-940	1229-N-1730
SW280 (FUO)	1227-J-946	1229-T-1736
SW280 (RUI)	1227-J-946	1229-T-1736
T-2120	1227-D-940	1229-N-1730
T182 W/PTO	1227-C-939	NONE
T182A	1227-Z-936	NONE
T182B	1227-Z-936	NONE
T2111	1227-K-1051	1229-A-2653
T2120RS	1227-K-1051	1229-A-2653
T215	1227-Z-936	1229-K-2143
T218	40-X-1236	1229-A-2653
T218PD	40-X-1236	1229-A-2653
T219	1227-K-1051	1229-A-2653
T223	1227-C-939	1829-V-100
T223H	1227-C-939	1829-V-100
T226	1227-Z-936	NONE
T228	14-X-58	NONE
T270	1227-C-939	NONE
T77-3	1227-B-496	NONE
U140	1227-A-937	1229-E-1071
U170	1227-D-940	1229-N-1730
U200	1227-A-937	NONE
U240	1227-A-937	NONE
U270	1227-J-946	1229-T-1736
U300	1227-A-937	NONE
U340	1227-A-937	NONE
W170	1227-D-940	1229-N-1730
W270	1227-J-946	1229-T-1736

LEGEND FOR DIMENSION COLUMNS



DANA AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
F155-S F170-S J210-S	1.78"-34	2.19"	2.38"	4.21" 3.99" 3.99" 4.12" 4.13"	Easy Service Easy Service Easy Service Full Round Easy Service		148DYS28-18A 155DYS28-21A 155N-4-5671X 16N-4-7291X 16TYS28-44A
G340-S (FUI) G380-S (FUI)	1.94"-30	2.25"	3.00"	4.75" 4.56" 4.56" 4.56" 5.38"	Full Round Full Round Easy Service Easy Service Full Round		16N-4-4391 17N-4-4371 17TYS31-19 (C) 17TYS31-55 18N-4-2051
G340-S (FUO) G380-S (FUO)	1.97"-10	2.00"	2.50"	4.69" 5.22" 5.31" 5.00" 4.44"	Easy Service Full Round Full Round Full Round Full Round		148NYS31-3 16N-4-4551 16NYS28-28A 17N-4-3721 17NYS28-5
G400-S (FUO) M460-S (FUO)	2.00"-30	2.69"	3.00"	6.00" 6.11"	Full Round Full Round		16N-4-5721 17N-4-5781
G400-S (FUO) J340-S (FUO) J380-S (FUO) J400-S (FUO) M460-S (FUO) W460-S (FUO)	2.00"-30	2.69"	3.00"	6.00" 6.00" 6.10" 6.10"	Full Round Easy Service Full Round Easy Service	Hardened Hub	16NYS32-55 16TYS32-55 17NYS32-65 17TYS32-65
G175-S G175-T G190-S G190-T G400-S (RUI) M190-S M190-T M210-S M210-T M220-S M220-T M460-S (FUI) S185	2.00"-38	2.13"	3.00"	4.28" 4.28" 4.28" 4.84" 4.84" 4.84" 4.84"	Easy Service Easy Service Easy Service Easy Service Full Round Easy Service Easy Service		148NYS32-7A 148TYS32-3 148TYS32-3A 16N-4-6131-1 17N-4-6201 17TYS32-59 (C) 17TYS32-76
G340-S (RUI) G380-S (RUI)	2.13"-32	2.25"	3.00"	6.00" 5.00" 6.25"	Full Round Full Round Full Round		16N-4-5731 17N-4-5821 17NYS34-9A

(C) Cast Version

(FUO) Forward Unit Output

(FUI) Forward Unit Input

(RUI) Rear Unit Input

DANA AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
J175-S J190-S J220-S	2.13"-32	2.25"	3.00"	4.28" 4.94" 4.28" 5.38" 4.56"	Easy Service Easy Service Easy Service Full Round Full Round		148NYS34 148NYS34-1 148TYS34-2 16N-4-5751 17NYS34-10
G340-S (RUI) G380-S (RUI) J340-S (RUI) J380-S (RUI) J400-S (RUI)	2.13"-32	2.25"	3.00"	6.00" 6.00" 6.25" 6.25"	Full Round Easy Service Full Round Easy Service	Hardened Hub	16NYS34-10A 16TYS34-10A 17NYS34-16A 17TYS34-16A
J175-S J190-S J220-S	2.13"-32	2.25"	3.00"	4.28" 4.31" 5.38" 5.38" 4.56" 4.56" 4.56"	Easy Service Easy Service Full Round Easy Service Full Round Easy Service Easy Service	Hardened Hub	148TYS34-1 155TYS34-1 16NYS34-11A 16TYS34-11A 17NYS34-15A 17TYS34-15A (C) 17TYS34-22A
G340-S (FUI) G380-S (FUI)	2.38"-36	2.69"	3.00"	6.50"	Full Round		17N-4-5801
M460-S (RUI)	2.38"-36	2.69"	3.00"	6.00"	Full Round		16N-4-5741
W230-S	2.38"-36	2.69"	3.00"	5.07" 5.16" 5.44" 5.44" 5.44"	Easy Service Full Round Full Round Easy Service Full Round		155NYS38 16N-4-5631 17N-4-5711 17N-4-5711-1 18N-4-3161
G175-S G175-T G190-S G190-T G400-S (FUI) J340-S (FUI) J380-S (FUI) J400-S (FUI) M190-S M190-T M210-S M210-T M220-S M220-T M460-S (FUI) S185 W460-S (FUI)	2.38"-36	2.69"	3.00"	5.07" 5.16" 5.16" 5.56" 5.44" 5.44" 5.44" 5.44" 5.44" 5.44" 5.44" 5.44" 5.44" 5.44"	Easy Service Full Round Easy Service Full Round Easy Service Full Round Easy Service Easy Service Full Round Easy Service Full Round Easy Service	Hardened Hub	155TYS38-2 16NYS38-15A 16TYS38-15A 176N-4-851X 176TYS38-16A 17NYS38-41A 17TYS38-41A (C) 17TYS38-58A 18N-4-3641X 18TYS38-20A

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

DANA AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
G400-S (RUI) M460-S (RUI) W460-S (RUI)	2.38"-36	2.69"	3.00"	6.00" 6.00" 6.50" 6.50" 6.50"	Full Round Easy Service Full Round Easy Service Easy Service	Hardened Hub	16NYS38-13A 16TYS38-13A 17NYS48-43A 17TYS38-43 17TYS38-43A
W230-S	2.38"-36	2.69"	3.00"	5.07" 5.16" 5.16" 5.56" 5.56" 5.44" 5.44" 5.44" 5.44" 5.44"	Easy Service Full Round Easy Service Full Round Easy Service Full Round Easy Service Easy Service Full Round Easy Service	Hardened Hub	155TYS38-3 16NYS38-14A 16TYS38-14A 176NYS38-15A 176TYS38-15A 17NYS38-42A 17TYS38-42A (C) 17TYS38-59A 18NYS38-19A 18TYS38-19A

(C) Cast Version

(FUO) Forward Unit Output

(FUI) Forward Unit Input

(RUI) Rear Unit Input

DANA AXLES

INDEX

	Page		Page
F155-S.....	16-2	J400-S (RUI)	16-3
F170-S.....	16-2	M190-S.....	16-2
G175-S.....	16-2	M190-S.....	16-4
G175-S.....	16-4	M190-T.....	16-2
G175-T.....	16-2	M190-T.....	16-4
G175-T.....	16-4	M210-S.....	16-2
G190-S.....	16-2	M210-S.....	16-4
G190-S.....	16-4	M210-T.....	16-2
G190-T.....	16-2	M210-T.....	16-4
G190-T.....	16-4	M220-S.....	16-2
G340-S (FUI).....	16-2	M220-S.....	16-4
G340-S (FUI).....	16-3	M220-T.....	16-2
G340-S (FUO).....	16-2	M220-T.....	16-4
G340-S (RUI)	16-2	M460-S (FUI).....	16-2
G340-S (RUI)	16-3	M460-S (FUI).....	16-4
G380-S (FUI).....	16-2	M460-S (FUO).....	16-2
G380-S (FUI).....	16-3	M460-S (RUI)	16-3
G380-S (FUO).....	16-2	M460-S (RUI)	16-4
G380-S (RUI)	16-2	S185	16-2
G380-S (RUI)	16-3	S185	16-4
G400-S (FUI).....	16-4	W230-S.....	16-3
G400-S (FUO).....	16-2	W230-S.....	16-4
G400-S (RUI)	16-2	W460-S (FUI)	16-4
G400-S (RUI)	16-4	W460-S (FUO)	16-2
J175-S.....	16-3	W460-S (RUI).....	16-4
J190-S.....	16-3		
J210-S.....	16-2		
J220-S.....	16-3		
J340-S (FUI).....	16-4		
J340-S (FUO).....	16-2		
J340-S (RUI)	16-3		
J380-S (FUI).....	16-4		
J380-S (FUO).....	16-2		
J380-S (RUI)	16-3		
J400-S (FUI).....	16-4		
J400-S (FUO).....	16-2		

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
15101 15201 15301	1.50"-10	2.19"	2.25"	3.88" 3.88" 4.19" 4.19" 4.19" 4.00"	Easy Service Easy Service Easy Service Easy Service Easy Service Easy Service	141NYS24A 141TYS24-2A1 148N-4-3781 148N-4-6051X 148TYS24-2A1 155NYS24-3A
17121 (4.33, 7.60 ratios only) 18121 (4.33, 7.60 ratios only) 340D (FUO) 34D (FUO) 380D (FUO) 38D (FUO) 400D (FUO) 42D (FUO) 50D (FUO)	1.75"-10	2.19"	2.38"	4.22"	Easy Service	148N-4-3571
16121 34D (RUI) (exc. 3.70, 4.11 ratios) 38D (RUI) (exc. 3.70, 4.11 ratios) 42D (RUI) (exc. 3.70, 4.11 ratios)	1.75"-10	2.25"	2.62"	4.00" 4.19" 4.75" 4.75" 6.12" 5.25"	Easy Service Easy Service Full Round Full Round Full Round Full Round	141N-4-5581-1X 141N-4-5581X 16N-4-2081 16N-4-5111X 17N-4-4141 17N-4-4301X
17121 (4.33, 7.60 ratios only) 18121 (4.33, 7.60 ratios only) 340D (FUO) 34D (FUO) 380D (FUO) 38D (FUO) 400D (FUO) 42D (FUO) 50D (FUO)	1.75"-10	2.25"	2.62"	4.31" 6.00" 5.34" 5.34" 4.12" 4.50" 5.25" 4.50" 5.25" 4.50"	Easy Service Full Round Full Round Easy Service Full Round Full Round Full Round Easy Service Easy Service Easy Service	155N-4-1891 16N-4-3901 16N-4-4571 16N-4-4571-1 16N-4-781 17N-4-2081 17N-4-3391 17TYS28-60 17TYS28-64 17TYS28-7 (C)
15040 19050	1.75"-34	2.19"	2.62"	3.81" 3.81" 4.27" 4.27" 4.75" 4.75" 5.26" 5.26"	Easy Service Easy Service Easy Service Easy Service Full Round Easy Service Full Round Easy Service	141TYS28-17 141TYS28-17A 148TYS28-19A 155TYS28-15A 16N-4-7301X 16TYS28-43A 17NYS28-55A 17TYS28-58A

(C) Cast Version

(FUO) Forward Unit Output

(FUI) Forward Unit Input

(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
D341 (FUO)	1.75"-34	2.44"	2.62"	4.41"	Easy Service	148NYS28-30A
D381 (FUO)				4.88"	Easy Service	148TYS28-23A
D401 (FUO)				4.41"	Easy Service	148TYS28-25
D501 (FUO)				4.75"	Easy Service	155TYS28-23
DP341 (FUO)				6.19"	Full Round	16NYS28-59A
DP381 (FUO)				4.94"	Full Round	16NYS28-60A
DP401 (FUO)				4.94"	Easy Service	16TYS28-39
DP501 (FUO)				6.31"	Full Round	17NYS28-65A
DS341 (FUO)				5.44"	Full Round	17NYS28-66A
DS381 (FUO)				5.44"	Easy Service	17TYS28-51 (C)
DS401 (FUO)				5.44"	Easy Service	17TYS28-59A
DS401P (FUO)						
DS402 (FUO)						
DS501 (FUO)						
DT341 (FUO)						
DT381 (FUO)						
DT401 (FUO)						
DT402 (FUO)						
DT501 (FUO)						
DP451 (FUO)	1.79"-34	2.43"	2.62"	5.44"	RPL	20WYS28-1A
DT402 (FUO)				6.28"	RPL	20WYS28-2A
DT451 (FUO)						
17121 (exc. 4.33, 7.60 ratios)	1.97"-10	2.25"	2.62"	4.28"	Easy Service	155N-4-2431
18121 (exc. 4.33, 7.60 ratios)				6.00"	Full Round	16N-4-3911
340D (RUI)				5.31"	Full Round	16N-4-4471
34D (RUI) (3.70, 4.11 ratios only)				5.31"	Easy Service	16N-4-4471-1
380D (RUI)				6.12"	Full Round	17N-4-4151
38D (RUI) (3.70, 4.11 ratios only)				4.50"	Easy Service	17N-4-4721-1
400D (RUI)				5.25"	Full Round	17N-4-5141
42D (RUI) (3.70, 4.11 ratios only)				5.25"	Easy Service	17TYS31-49A (C)
50D (RUI)				5.25"	Easy Service	17TYS31-58A
19100	1.97"-10	2.25"	2.62"	4.04"	Easy Service	148N-4-5821X
19200				3.50"	Wing Bearing	72NYS31-2A
19300						
20100						
20200						
20300						
22000						

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
34D (FUI) 38D (FUI) 42D (FUI)	1.97"-10	2.25"	2.62"	4.50" 4.50" 5.25" 4.50" 4.50" 5.63" 5.63" 3.94"	Full Round Full Round Full Round Easy Service Easy Service Full Round Easy Service Wing Bearing	17N-4-2211 17N-4-4731X 17NYS31-13A 17TYS31-36A (C) 17TYS31-57A 18N-4-2351X 18TYS31-1A 92NYS31-2
21065 D341 (RUI) D381 (RUI) D401 (RUI) D501 (RUI) DP341 (RUI) DP381 (RUI) DP401 (RUI) DP501 (RUI) DS341 (RUI) DS381 (RUI) DS401 (RUI) DS401P (RUI) DS402 (RUI) DS501 (RUI) DT341 (RUI) DT381 (RUI) DT401 (RUI) DT402 (RUI) DT501 (RUI) D402 (RUI) D451 (RUI) DP402 (RUI) DP451 (RUI) DS451 (RUI) DT451 (RUI)	2.00"-39	2.25"	2.62"	4.42" 4.31" 4.31" 4.70" 4.31" 4.27" 4.56" 6.00" 5.31" 4.72" 4.72" 5.25" 6.12" 5.25" 5.75"	Easy Service Easy Service Easy Service Easy Service Easy Service Easy Service Easy Service Full Round Full Round Full Round Easy Service Full Round Full Round Easy Service RPL	148NYS32-10A 148NYS32-9A 148TYS32-14A 148TYS32-15A 148TYS32-7A 155TYS32-27A 155TYS32-31A 16NYS32-68A1 16NYS32-73A 16NYS32-74A 16TYS32-75A 17NYS32-85A 17NYS32-86A 17TYS32-89A 20WYS32-10A
D404 (FUI) D404 (RUI)	2.00"-39	2.25"	3.00"	5.31" 6.00" 6.12" 4.72" 6.12" 5.25"	Full Round Full Round Easy Service Easy Service Full Round Easy Service	16NYS32-79A 16NYS32-80A 16TYS32-79A 16TYS32-81A 17NYS32-93A 17TYS32-92A

(C) Cast Version

(FUI) Forward Unit Input

(FUO) Forward Unit Output

(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
D341 (RUI) D381 (RUI) D401 (RUI) D402 (RUI) D451 (RUI) D501 (RUI) DP341 (RUI) DP381 (RUI) DP401 (RUI) DP402 (RUI) DP451 (RUI) DP501 (RUI) DS341 (RUI) DS381 (RUI) DS401 (RUI) DS402 (RUI) DS451 (RUI) DS501 (RUI) DT341 (RUI) DT381 (RUI) DT401 (RUI) DT402 (RUI) DT451 (RUI) DT501 (RUI)	2.00"-39	2.50"	2.62"	4.90"	RPL	20WYS32-9A
D404 (FUI) D404 (FUO) D404 (RUI)	2.00"-39	2.50"	2.62"	5.25" 6.00" 4.94" 4.94" 6.12" 5.44" 5.38" 5.94"	Full Round Full Round Full Round Easy Service Full Round Easy Service RPL RPL	17NYS32-90A 16NYS32-77A 16NYS32-78A 16TYS32-78A 17NYS32-91A 17TYS32-94A 20WYS32-7A 20WYS32-8A

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
23070	2.13"-41	2.50"	2.94"	4.50"	Easy Service	155N-4-5581
26085				5.25"	Full Round	16N-4-7311X
D461 (RUI)				6.00"	Full Round	16NYS34-14A
DC461 (RUI)				6.00"	Full Round	16NYS34-14A1
DC521 (RUI)				5.25"	Full Round	16NYS34-9A1
DC601 (RUI)				5.25"	Easy Service	16TYS34-9A
DC621 (RUI)				5.25"	Easy Service	16TYS34-9A1
DC651 (RUI)				5.25"	Full Round	176N-4-1071X
DP461 (RUI)				5.25"	Full Round	176NYS34-3A1
DP521 (RUI)				5.25"	Easy Service	176TYS34-3A
DP601 (RUI)				5.25"	Easy Service	176TYS38-3A1
DP651 (RUI)				5.19"	Full Round	17N-4-7321X
DS461 (RUI)				5.19"	Full Round	17NYS34-14A1
DS521 (RUI)				6.12"	Full Round	17NYS34-19A
DS601 (RUI)				6.12"	Full Round	17NYS34-19A1
DS651 (RUI)				5.19"	Easy Service	17TYS34-14A (C)
DT461 (RUI)				5.19"	Easy Service	17TYS34-14A1
DT521 (RUI)				5.19"	Easy Service	17TYS34-21A
DT601 (RUI)				5.25"	Full Round	18N-4-3691X
DT651 (RUI)				5.25"	Full Round	18NYS34-2A1
				5.25"	Easy Service	18TYS34-2A1
				4.25"	Wing Bearing	72NYS34-42A
				4.25"	Wing Bearing	72NYS34-42A1
				5.12"	RPL	20WYS34-1A
				5.94"	RPL	20WYS34-2A
D461 (FUO)	2.13"-41	3.00"	2.94"	6.50"	Full Round	16N-4-7551
DC461 (FUO)				5.50"	Full Round	16NYS34-12
DC521 (FUO)				5.50"	Full Round	16NYS34-13A1
DC601 (FUO)				5.81"	Full Round	176N-4-1171
DC651 (FUO)				5.81"	Full Round	176NYS38-4A1
DP461 (FUO)				6.63"	Full Round	17N-4-7541
DP521 (FUO)				5.50"	Full Round	17NYS34-17
DP601 (FUO)				6.63"	Full Round	17NYS34-18A1
DP651 (FUO)				5.81"	Full Round	18N-4-3931
DS461 (FUO)				5.81"	Full Round	18NYS34-3A1
DS521 (FUO)				4.25"	Wing Bearing	72NYS34-41
DS601 (FUO)				4.25"	Wing Bearing	72NYS34-41A
DS651 (FUO)						
DT461 (FUO)						
DT521 (FUO)						
DT601 (FUO)						
DT651 (FUO)						

(C) Cast Version

(FUI) Forward Unit Input

(FUO) Forward Unit Output

(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
DP461 (FUO) DP521 (FUO) DP601 (FUO) DP651 (FUO) DS461 (FUO) DS521 (FUO) DS601 (FUO) DS651 (FUO) DT461 (FUO) DT521 (FUO) DT601 (FUO) DT651 (FUO)	2.13"-41	3.00"	2.94"	5.53" 6.44"	RPL RPL	20WYS34-3A 20WYS34-4A
340D (FUI) 380D (FUI) 400D (FUI) 50D (FUI)	2.16"-16	2.50"	2.94"	5.25" 5.19" 5.19" 5.19" 5.25" 4.25"	Full Round Full Round Easy Service Full Round Full Round Wing Bearing	176N-4-231X 17N-4-4961 17N-4-4961-1 17N-4-5061X 18N-4-2441 92NYS34-6A
19121 19221 19321 19421 19426 20120 23121 23221 23321 23427 26121 26221 26321 26421 35327 44D (RUI) DP440 (RUI) DP480 (RUI) DP550 (RUI) DP580 (RUI) DP650 (RUI) DT440 (RUI) DT480 (RUI) DT550 (RUI) DT580 (RUI)	2.16"-16	2.88"	2.94"	4.56"	Wing Bearing	58WBYS34-7

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
DT650 (RUI)	2.16"-16	2.88"	2.94"	4.56"	Wing Bearing	58WBYS34-7
19121	2.16"-16	3.00"	2.94"	5.06"	Easy Service	155N-4-5431-1X
19221				6.25"	Easy Service	16N-4-5031-1X
19321				6.25"	Full Round	16N-4-5161X
19421				6.72"	Full Round	16N-4-5511X
19426				5.81"	Easy Service	176N-4-141-1
20120				5.81"	Full Round	176N-4-251X
23121				5.50"	Full Round	17N-4-4171X
23221				6.63"	Full Round	17N-4-5481X
23321				6.31"	Full Round	17NYS34-5A
23427				5.50"	Easy Service	17TYS34-23A
26121				5.50"	Easy Service	17TYS34-3A (C)
26221				5.81"	Easy Service	18N-4-2401-1X
26321				5.81"	Full Round	18N-4-2401X
26421				4.25"	Wing Bearing	72NYS34-24A
35327						
44D (RUI)						
DP440 (RUI)						
DP480 (RUI)						
DP550 (RUI)						
DP580 (RUI)						
DP650 (RUI)						
DT440 (RUI)						
DT480 (RUI)						
DT550 (RUI)						
DT580 (RUI)						
DT650 (RUI)						
44D (FUO)	2.16"-16	3.00"	2.94"	5.06"	Easy Service	155TYS34
DP440 (FUO)				6.25"	Full Round	16N-4-5031
DP480 (FUO)				6.25"	Easy Service	16N-4-5031-1
DP550 (FUO)				6.72"	Full Round	16N-4-5501
DP580 (FUO)				5.81"	Full Round	176N-4-141
DP650 (FUO)				5.50"	Full Round	17N-4-2181
DT440 (FUO)				6.31"	Full Round	17N-4-4161
DT480 (FUO)				6.63"	Full Round	17N-4-4591
DT550 (FUO)				5.50"	Easy Service	17TYS34-23
DT580 (FUO)				5.81"	Full Round	18N-4-2291
DT650 (FUO)						

(C) Cast Version

(FUI) Forward Unit Input

(FUO) Forward Unit Output

(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
23085 23105	2.28"-44	2.34"	2.94"	4.34" 4.84" 4.84" 5.09" 5.09" 5.03" 5.03" 5.09" 5.09" 4.03"	Easy Service Full Round Easy Service Full Round Easy Service Full Round Easy Service Full Round Easy Service Wing Bearing	155TYS36-1A1 16NYS36-14A1 16TYS36-14A1 176NYS36-10A1 176TYS36-10A1 17NYS36-57A1 17TYS36-58A1 18NYS36-16A1 18TYS36-16A1 92NYS36-73A1
30105 D341 (FUI) D381 (FUI) D401 (FUI) D501 (FUI) DP341 (FUI) DP381 (FUI) DP401 (FUI) DP501 (FUI) DS341 (FUI) DS381 (FUI) DS401 (FUI) DS401P (FUI) DS402 (FUI) DS501 (FUI) DT341 (FUI) DT381 (FUI) DT401 (FUI) DT402 (FUI) DT501 (FUI) SUPER 23	2.28"-44	2.50"	2.94"	4.50" 5.00" 5.00" 5.25" 5.25" 5.19" 5.19" 5.25" 5.25" 4.03" 4.03"	Easy Service Full Round Easy Service Full Round Easy Service Full Round Easy Service Full Round Easy Service Wing Bearing Wing Bearing	155TYS36A 16NYS36-8A 16TYS36-15A 176NYS36-11A 176TYS36-11A 17NYS36-60A 17TYS36-61A 18NYS36-19A 18TYS36-19A 92NYS36-74 92NYS36-74A
DP451 (FUI) DT402 (FUI) DT451 (FUI)	2.28"-44	2.50"	2.94"	4.75" 4.75"	RPL RPL	20WYS36-3A 25WYS36-3A
D404 (FUI)	2.28"-44	2.50"	3.00"	5.00" 5.25" 5.25" 5.19" 5.19" 5.25" 5.25" 4.81" 4.81"	Easy Service Full Round Easy Service Full Round Easy Service Full Round Easy Service RPL RPL	16TYS36-16A 176NYS36-12A 176TYS36-12A 17NYS36-62A 17TYS36-62A 18NYS36-20A 18TYS36-20A 20WYS36-1A 25WYS36-1A

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
				4.03"	Wing Bearing	92NYS36-75A
D461 (FUI)	2.38"-46	3.19"	3.38"	6.00"	Full Round	18NYS38-21A1
DC461 (FUI)				4.75"	Wing Bearing	82NYS38-33A
DC521 (FUI)				4.75"	Wing Bearing	82NYS38-33A1
DC601 (FUI)				5.01"	Wing Bearing	92NYS38-75A
DC651 (FUI)						
DP461 (FUI)						
DP521 (FUI)						
DP601 (FUI)						
DP651 (FUI)						
DS461 (FUI)						
DS521 (FUI)						
DS601 (FUI)						
DS651 (FUI)						
DT461 (FUI)						
DT521 (FUI)						
DT601 (FUI)						
DT651 (FUI)						
D461 (FUI)	2.38"-46	3.20"	3.38"	6.20"	Full Round	176N-4-1161X
DC461 (FUI)				6.20"	Full Round	176NYS38-20A1
DC521 (FUI)				6.20"	Easy Service	176TYS38-20A
DC601 (FUI)				6.20"	Easy Service	176TYS38-20A1
DC651 (FUI)				6.00"	Full Round	17NYS38-44A
DP461 (FUI)				6.00"	Full Round	17NYS38-44A1
DP521 (FUI)				6.01"	Easy Service	17TYS38-44A (C)
DP601 (FUI)				6.01"	Easy Service	17TYS38-44A1
DP651 (FUI)				6.01"	Easy Service	17TYS38-60A
DS461 (FUI)				6.00"	Full Round	18N-4-3921X
DS521 (FUI)				6.01"	Easy Service	18TYS38-21A
DS601 (FUI)				6.01"	Easy Service	18TYS38-21A1
DS651 (FUI)				5.31"	RPL	20WYS38-11A
DT461 (FUI)				5.31"	RPL	25WYS38-6A
DT521 (FUI)						
DT601 (FUI)						
DT651 (FUI)						

(C) Cast Version

(FUO) Forward Unit Output

(FUI) Forward Unit Input

(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
44D (FUI)	2.42"-18	3.00"	3.38"	6.00"	Easy Service	176N-4-131-1X
DP440 (FUI)				6.00"	Full Round	176N-4-241X
DP480 (FUI)				5.81"	Full Round	17N-4-4751X
DP550 (FUI)				5.25"	Full Round	17NYS39-1A
DP580 (FUI)				6.97"	Full Round	17NYS39-2A
DP650 (FUI)				6.97"	Easy Service	17TYS39-2A
DT440 (FUI)				5.81"	Easy Service	17TYS39-3A (C)
DT480 (FUI)				5.81"	Easy Service	17TYS39-4A
DT550 (FUI)				5.81"	Full Round	18N-4-2361X
DT580 (FUI)				5.81"	Easy Service	18TYS39A
DT650 (FUI)				4.25"	Wing Bearing	92NYS39A

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

INDEX

	Page		Page
15040	16-6	23221.....	16-12
15101	16-6	23321.....	16-11
15201	16-6	23321.....	16-12
15301	16-6	23427.....	16-11
16121	16-6	23427.....	16-12
17121 (4.33, 7.60 ratios only)	16-6	26085.....	16-10
17121 (exc. 4.33, 7.60 ratios)	16-7	26121.....	16-11
18121 (4.33, 7.60 ratios only)	16-6	26121.....	16-12
18121 (exc. 4.33, 7.60 ratios)	16-7	26221.....	16-11
19050	16-6	26221.....	16-12
19100	16-7	26321.....	16-11
19121	16-11	26321.....	16-12
19121	16-12	26421.....	16-11
19200	16-7	26421.....	16-12
19221	16-11	30105.....	16-13
19221	16-12	340D (FUI).....	16-11
19300	16-7	340D (FUO).....	16-6
19321	16-11	340D (RUI)	16-7
19321	16-12	34D (FUI).....	16-8
19421	16-11	34D (FUO)	16-6
19421	16-12	34D (RUI) (3.70, 4.11 ratios only)	16-7
19426	16-11	34D (RUI) (exc. 3.70, 4.11 ratios)	16-6
19426	16-12	35327.....	16-11
20100	16-7	35327.....	16-12
20120	16-11	380D (FUI).....	16-11
20120	16-12	380D (FUO).....	16-6
20200	16-7	380D (RUI)	16-7
20300	16-7	38D (FUI).....	16-8
21065	16-8	38D (FUO).....	16-6
22000	16-7	38D (RUI) (3.70, 4.11 ratios only)	16-7
23070	16-10	38D (RUI) (exc. 3.70, 4.11 ratios)	16-6
23085	16-13	400D (FUI).....	16-11
23105	16-13	400D (FUO).....	16-6
23121	16-11	400D (RUI)	16-7
23121	16-12	42D (FUI).....	16-8
23221	16-11		

EATON AXLES

	Page		Page
42D (FUO).....	16-6	D501 (RUI)	16-9
42D (RUI) (3.70, 4.11 ratios only)	16-7	DC461 (FUI)	16-14
42D (RUI) (exc. 3.70, 4.11 ratios)	16-6	DC461 (FUO)	16-10
44D (FUI).....	16-15	DC461 (RUI).....	16-10
44D (FUO).....	16-12	DC521 (FUI)	16-14
44D (RUI)	16-11	DC521 (FUO)	16-10
44D (RUI)	16-12	DC521 (RUI).....	16-10
50D (FUI).....	16-11	DC601 (FUI)	16-14
50D (FUO).....	16-6	DC601 (FUO)	16-10
50D (RUI)	16-7	DC601 (RUI).....	16-10
D341 (FUI).....	16-13	DC621 (RUI).....	16-10
D341 (FUO).....	16-7	DC651 (FUI)	16-14
D341 (RUI)	16-8	DC651 (FUO)	16-10
D341 (RUI)	16-9	DC651 (RUI).....	16-10
D381 (FUI).....	16-13	DP341 (FUI)	16-13
D381 (FUO).....	16-7	DP341 (FUO)	16-7
D381 (RUI)	16-8	DP341 (RUI).....	16-8
D381 (RUI)	16-9	DP341 (RUI).....	16-9
D401 (FUI).....	16-13	DP381 (FUI)	16-13
D401 (FUO).....	16-7	DP381 (FUO)	16-7
D401 (RUI)	16-8	DP381 (RUI).....	16-8
D401 (RUI)	16-9	DP381 (RUI).....	16-9
D402 (RUI)	16-8	DP401 (FUI)	16-13
D402 (RUI)	16-9	DP401 (FUO)	16-7
D404 (FUI).....	16-14	DP401 (RUI).....	16-8
D404 (FUI).....	16-8	DP401 (RUI).....	16-9
D404 (FUI).....	16-9	DP402 (RUI).....	16-8
D404 (FUO).....	16-9	DP402 (RUI).....	16-9
D404 (RUI)	16-8	DP440 (FUI)	16-15
D404 (RUI)	16-9	DP440 (FUO)	16-12
D451 (RUI)	16-8	DP440 (RUI).....	16-11
D451 (RUI)	16-9	DP440 (RUI).....	16-12
D461 (FUI).....	16-14	DP451 (FUI)	16-13
D461 (FUO).....	16-10	DP451 (FUO)	16-7
D461 (RUI)	16-10	DP451 (RUI).....	16-8
D501 (FUI).....	16-13	DP451 (RUI).....	16-9
D501 (FUO).....	16-7	DP461 (FUI)	16-14
D501 (RUI)	16-8	DP461 (FUO)	16-10

EATON AXLES

Page	Page
DP461 (FUO)16-11	DS381 (FUI)16-13
DP461 (RUI).....16-10	DS381 (FUO)16-7
DP480 (FUI)16-15	DS381 (RUI).....16-8
DP480 (FUO)16-12	DS381 (RUI).....16-9
DP480 (RUI).....16-11	DS401 (FUI)16-13
DP480 (RUI).....16-12	DS401 (FUO)16-7
DP501 (FUI)16-13	DS401 (RUI).....16-8
DP501 (FUO)16-7	DS401 (RUI).....16-9
DP501 (RUI).....16-8	DS401P (FUI).....16-13
DP501 (RUI).....16-9	DS401P (FUO)16-7
DP521 (FUI)16-14	DS401P (RUI)16-8
DP521 (FUO)16-10	DS402 (FUI)16-13
DP521 (FUO)16-11	DS402 (FUO)16-7
DP521 (RUI).....16-10	DS402 (RUI).....16-8
DP550 (FUI)16-15	DS402 (RUI).....16-9
DP550 (FUO)16-12	DS451 (RUI).....16-8
DP550 (RUI).....16-11	DS451 (RUI).....16-9
DP550 (RUI).....16-12	DS461 (FUI)16-14
DP580 (FUI)16-15	DS461 (FUO)16-10
DP580 (FUO)16-12	DS461 (FUO)16-11
DP580 (RUI).....16-11	DS461 (RUI).....16-10
DP580 (RUI).....16-12	DS501 (FUI)16-13
DP601 (FUI)16-14	DS501 (FUO)16-7
DP601 (FUO)16-10	DS501 (RUI).....16-8
DP601 (FUO)16-11	DS501 (RUI).....16-9
DP601 (RUI).....16-10	DS521 (FUI)16-14
DP650 (FUI)16-15	DS521 (FUO)16-10
DP650 (FUO)16-12	DS521 (FUO)16-11
DP650 (RUI).....16-11	DS521 (RUI).....16-10
DP650 (RUI).....16-12	DS601 (FUI)16-14
DP651 (FUI)16-14	DS601 (FUO)16-10
DP651 (FUO)16-10	DS601 (FUO)16-11
DP651 (FUO)16-11	DS601 (RUI).....16-10
DP651 (RUI).....16-10	DS651 (FUI)16-14
DS341 (FUI)16-13	DS651 (FUO)16-10
DS341 (FUO)16-7	DS651 (FUO)16-11
DS341 (RUI).....16-8	DS651 (RUI).....16-10
DS341 (RUI).....16-9	DT341 (FUI).....16-13

EATON AXLES

	Page		Page
DT341 (FUO)	16-7	DT521 (RUI)	16-10
DT341 (RUI)	16-8	DT550 (FUI)	16-15
DT341 (RUI)	16-9	DT550 (FUO)	16-12
DT381 (FUI)	16-13	DT550 (RUI)	16-11
DT381 (FUO)	16-7	DT550 (RUI)	16-12
DT381 (RUI)	16-8	DT580 (FUI)	16-15
DT381 (RUI)	16-9	DT580 (FUO)	16-12
DT401 (FUI)	16-13	DT580 (RUI)	16-11
DT401 (FUO)	16-7	DT580 (RUI)	16-12
DT401 (RUI)	16-8	DT601 (FUI)	16-14
DT401 (RUI)	16-9	DT601 (FUO)	16-10
DT402 (FUI)	16-13	DT601 (FUO)	16-11
DT402 (FUO)	16-7	DT601 (RUI)	16-10
DT402 (RUI)	16-8	DT650 (FUI)	16-15
DT402 (RUI)	16-9	DT650 (FUO)	16-12
DT440 (FUI)	16-15	DT650 (RUI)	16-12
DT440 (FUO)	16-12	DT651 (FUI)	16-14
DT440 (RUI)	16-11	DT651 (FUO)	16-10
DT440 (RUI)	16-12	DT651 (FUO)	16-11
DT451 (FUI)	16-13	DT651 (RUI)	16-10
DT451 (FUO)	16-7	SUPER 23	16-13
DT451 (RUI)	16-8		
DT451 (RUI)	16-9		
DT461 (FUI)	16-14		
DT461 (FUO)	16-10		
DT461 (FUO)	16-11		
DT461 (RUI)	16-10		
DT480 (FUI)	16-15		
DT480 (FUO)	16-12		
DT480 (RUI)	16-11		
DT480 (RUI)	16-12		
DT501 (FUI)	16-13		
DT501 (FUO)	16-7		
DT501 (RUI)	16-8		
DT501 (RUI)	16-9		
DT521 (FUI)	16-14		
DT521 (FUO)	16-10		
DT521 (FUO)	16-11		

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
H172 L172 L600 M172 PRC1104 PRC672 PRC673 PRC864 PRLC1754 PRLC614 PRLC615 PRM672 PRM673 PSC596 PSC726 PSC824 PSC825 PSM596 PSM824 PSM825 RS-XX-120 RS-XX-125 RS-XX-140 RS-XX-210 RS-XX-220 RS-XX-230	1.75"-34	2.25"	2.25"	4.19"	Easy Service	141DYS28A
C100 C102 C103	1.38"-10	1.75"	2.13"	3.50" 3.50" 4.00" 3.96" 4.00"	Easy Service Easy Service Easy Service Easy Service Easy Service	141NYS22A 141TYS22A 148DYS22-4A 148NYS22-1A 155DYS22-2A
D140 PRC264 PRS264 PSC204 PSC205 PSC353 PSC354 PSC593 PSC594 PSM593 PSM594	1.38"-10	1.75"	2.13"	3.50" 3.50" 3.96" 3.96" 3.96" 2.31" 2.94"	Easy Service Easy Service Easy Service Easy Service Easy Service Comp.Flange Wing Bearing	141DYS22A 141NYS22A4 148DYS22A 148N-4-8961X 148TYS22A 2WCS22-51A1 62NYS22-9A
C100 C102 C103	1.38"-26	1.75"	2.13"	3.50"	Easy Service	141TYS22-8A

(C) Cast Version

(FUO) Forward Unit Output

(FUI) Forward Unit Input

(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PSC723	1.50"-10	1.75"	2.25"	2.94"	Wing Bearing	62NYS24-36
T223	1.50"-10	2.19"	2.13"	4.25" 3.97" 2.81" 2.94"	Easy Service Easy Service Comp.Flange Comp.Flange	148N-4-3731 155NYS24-6 2WCS24-42 2WCS24-43
F106 F140 FDS75 FDS90 PSC724 PSC823 PSM823	1.50"-10	2.19"	2.25"	4.00" 3.88" 4.19" 4.19" 4.00" 4.00" 4.70" 3.88" 3.47" 3.94" 3.44" 3.44"	Easy Service Easy Service Easy Service Easy Service Easy Service Easy Service Round Bearing Wing Bearing Wing Bearing Wing Bearing Wing Bearing Wing Bearing	141N-4-2241X 141NYS24A4 148DYS24-2A 148NYS24A2 155DYS24-2A 155NYS24-3A1 155TYSB24-5 58WBYS24-1A 62NYS24-17A1 62NYSB24-31 72NYS24-25A 72NYS24A1
FDS1600 PRC1103 PRC671 (FUI) PRC672 PRC863 PRLC1753 (FUI) PRLC614 PRM672 PSC592 PSC595 (FUI) PSC596 PSC726 PSC824 PSM824	1.63"-10	2.13"	2.38"	4.73" 4.75" 3.19"	Full Round Easy Service Wing Bearing	17NYS26 17TYS26-3 62NYS26-13
T223H	1.75"-10	2.19"	2.25"	2.75"	Comp.Flange	2WCS28-33

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PR401 (FUO)	1.75"-10	2.25"	2.75"	4.75"	Full Round	16N-4-1931
PRC1313 (FUO)				5.00"	Full Round	16N-4-3621
PRC673 (FUO)				6.00"	Full Round	16N-4-3861
PRLC615 (FUO)				5.41"	Full Round	16N-4-4481
PRM673 (FUO)				6.00"	Full Round	16NYS28-11
PSC597 (FUO)				4.88"	Full Round	17N-4-2381
SLHD (FUO)				6.25"	Full Round	17N-4-4091
SPRC1353 (FUO)				3.88"	Wing Bearing	58WBYS28-3
SPRC1734 (FUO)				4.00"	Wing Bearing	62NYS28-111
SQHD (FUO)				3.31"	Wing Bearing	62NYS28-123
T182A				3.31"	Wing Bearing	62NYS28-195
T182B				3.50"	Wing Bearing	72NYS28-42
T215						
T219						
TR403						
PR401 (RUI)	1.75"-10	2.25"	2.75"	4.75"	Full Round	16N-4-3611X
PRC1313 (RUI)				6.00"	Full Round	16N-4-4451X
PRC673 (RUI)				5.00"	Full Round	16NYS28-5A
PRM673 (RUI)				6.25"	Full Round	17N-4-4831X
PSC597 (RUI)				3.88"	Wing Bearing	58WBYS28-3A
SLHD (RUI)				4.00"	Wing Bearing	62NYS28-111A
SPRC1353 (RUI)				3.31"	Wing Bearing	62NYS28-123A
SPRC1734 (RUI)				3.31"	Wing Bearing	62NYS28-195A
SQHD (RUI)				3.50"	Wing Bearing	72NYS28-174A
T182A				3.50"	Wing Bearing	72NYS28-42A
T182B						
TR403						

(C) Cast Version

(FUO) Forward Unit Output

(FUI) Forward Unit Input

(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
H172	1.75"-34	2.25"	2.50"	4.21"	Easy Service	141N-4-8061X
L172				4.47"	Easy Service	148DYS28A
L600				4.46"	Easy Service	148N-4-8051X
M172				4.47"	Easy Service	148TYS28A
PRC1104				4.69"	Easy Service	155DYS28-1A
PRC672				4.69"	Easy Service	155N-4-4111-1X
PRC673				4.66"	Easy Service	155NYS28-5A
PRC864				4.88"	Full Round	16N-4-5621X
PRLC1754				4.88"	Easy Service	16TYS28-13A
PRLC614				5.04"	Round Bearing	16TYSB28-53
PRLC615				4.88"	Full Round	17NYS28-43A
PRM672				4.88"	Easy Service	17TYS28-43A (C)
PRM673				4.88"	Easy Service	17TYS28-57A
PSC596				3.16"	Comp.Flange	2WCS28-72A
PSC726				2.84"	Comp.Flange	2WCS28-73A
PSC824				3.76"	Comp.Flange	2WCS28-80A
PSC825				2.84"	Comp.Flange	2WCS28-84A
PSM596				3.88"	Wing Bearing	58WBYS28-182A
PSM824				3.88"	Wing Bearing	58WBYS28-186A
PSM825				2.94"	Comp.Flange	5WCS28-54A
RS-XX-120				4.25"	Wing Bearing	62NYS28-154A
RS-XX-125				4.25"	Wing Bearing	62NYS28-155A
RS-XX-140				3.31"	Wing Bearing	62NYS28-160A
RS-XX-210				3.94"	Wing Bearing	62NYS28-201A
RS-XX-220				3.94"	Wing Bearing	62NYS28-202A
RS-XX-230				3.75"	Wing Bearing	72NYS28-162A
				3.75"	Wing Bearing	72NYS28-166A
				4.63"	Wing Bearing	92NYS36-62A
RP611 (FUO)	1.75"-34	2.25"	2.50"	2.94"	Comp.Flange	16N-1-6121
RT-XX-140 (FUO)				6.03"	Full Round	16N-4-6251
SL100 (FUO)				5.44"	Full Round	16N-4-6261
SPRC1357 (FUO)				5.19"	Full Round	176NYS28
SPRC1736 (FUO)				5.97"	Full Round	17N-4-6321
SQ100 (FUO)				4.88"	Full Round	17N-4-6331
SQHP (FUO)				4.88"	Easy Service	17N-4-6331-1
				4.00"	Wing Bearing	72NYS28-165
				3.63"	Wing Bearing	72NYS28-176
				4.69"	Wing Bearing	72NYS28-177
				4.25"	Wing Bearing	72NYS28-179
				3.88"	Wing Bearing	82NYS28-36
				4.25"	Wing Bearing	92NYS28-5

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PRC1044	1.88"-10	2.38"	2.75"	5.00"	Full Round	16N-4-2501
PRC1105				4.56"	Full Round	16NYS30A
PRC1314				4.50"	Full Round	17N-4-2271
PRC671 (FUO)				5.38"	Full Round	17NYS30
PRC675				3.63"	Wing Bearing	72NYS30-2
PRC676						
PRLC1753 (FUO)						
PRLC1756						
PRM675						
PRM676						
PSC1614						
PSC1617						
PSC1794						
PSC595 (FUO)						
PSC826						
PSM1044						
PSM1614						
PSM1617						
PSM826						
Q100						
SPRC1355						
SPRC1736						
PR300	1.97"-10	2.62"	2.75"	5.12"	Full Round	16N-4-5281X
PR400				4.81"	Full Round	17N-4-4181X
PR500				5.25"	Full Round	17N-4-4361X
PRC1315				6.50"	Full Round	17N-4-4481X
PRC672				5.25"	Easy Service	17TYS31-59A
PRC673				5.53"	Full Round	18NYS31A
PRC674				3.44"	Comp.Flange	3WCS31-15A
PRLC756				3.38"	Comp.Flange	5WCS31-7A
PRM672				3.88"	Wing Bearing	72NYS31-3A
PRM673				3.88"	Wing Bearing	72NYS31-4A
PRM674				4.33"	Wing Bearing	72NYS31-8A
PS300				3.88"	Wing Bearing	82NYS31-5A
PSC1045				3.88"	Wing Bearing	82NYS31-6A
PSC1615						
PSC1618						
PSM1045						
PSM1615						
PSM1618						
R100						
R140						
R160						

(C) Cast Version

(FUI) Forward Unit Input

(FUO) Forward Unit Output

(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
R200	1.97"-10	2.62"	2.75"	5.12"	Full Round	16N-4-5281X
R220				4.81"	Full Round	17N-4-4181X
R230				5.25"	Full Round	17N-4-4361X
R240				6.50"	Full Round	17N-4-4481X
R300				5.25"	Easy Service	17TYS31-59A
R330				5.53"	Full Round	18NYS31A
R340				3.44"	Comp.Flange	3WCS31-15A
R360				3.38"	Comp.Flange	5WCS31-7A
RT140				3.88"	Wing Bearing	72NYS31-3A
RT240				3.88"	Wing Bearing	72NYS31-4A
RT340				4.33"	Wing Bearing	72NYS31-8A
SHD (RUI)				3.88"	Wing Bearing	82NYS31-5A
SHDD (RUI)				3.88"	Wing Bearing	82NYS31-6A
SPRC135-6						
SPRC1356						
SPRC1926 (RUI)						
SSHD (RUI)						
STHD (RUI)						
SUDD (RUI)						
SUHD (RUI)						
U200						
U240						
U300						
S162	1.97"-10	2.62"	2.75"	3.44"	Comp.Flange	16N-1-2121
S163				5.12"	Full Round	16N-4-3681
SHD (FUO)				3.38"	Comp.Flange	17N-1-1461
SHDD (FUO)				5.25"	Full Round	17N-4-3221
SPRC1926 (FUO)				6.50"	Full Round	17N-4-4131
SSHD (FUO)				5.53"	Full Round	18N-4-2251
STHD (FUO)				3.88"	Wing Bearing	72NYS31-3
SUDD (FUO)				3.88"	Wing Bearing	72NYS31-4
SUHD (FUO)				4.33"	Wing Bearing	72NYS31-8
				3.88"	Wing Bearing	82NYS31-5
				3.88"	Wing Bearing	82NYS31-6
				4.13"	Wing Bearing	85WBYS31-4
T215	2.00"-10	2.25"	2.62"	4.34"	Comp.Flange	3WCS32-79
T219						

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SLHD (FUI) SPRC1353 (FUI) SPRC1734 (FUI) SQHD (FUI)	2.00"-10	2.56"	2.94"	5.19" 5.38" 5.19" 5.19" 5.38" 5.38" 3.31" 3.88"	Full Round Full Round Easy Service Full Round Easy Service Full Round Comp.Flange Wing Bearing	16N-4-5131X 176N-4-181X 17N-4-3241-1 17N-4-4291X 18N-4-1921-1 18N-4-2341X 3WCS32-43A 92NYS32-2A
T215 T219 T226 T228 T77-3	2.00"-10	3.00"	2.94"	5.03" 5.00" 5.00" 5.81" 5.63" 5.63" 5.63" 4.81" 4.81" 5.06" 5.81" 4.31" 4.25" 4.25" 4.75" 4.25" 4.25"	Easy Service Full Round Easy Service Full Round Easy Service Full Round Full Round Full Round Full Round Easy Service Full Round Wing Bearing Wing Bearing Wing Bearing Wing Bearing Wing Bearing Wing Bearing	155TYS32-23A 16NYS32-26A 16TYS32-26A 176NYS32-7A 17N-4-2191-1 17NYS32-10A 17NYS32-10A1 17NYS32-63A 17NYS32-63A1 17TYS32-83A 18NYS32-1A 58WBYS32-41A 62NYS32-16A 72NYS32-302 82NYS32-56A 92NYS32-5A 72NYS32-48
T218PD	2.00"-39	2.17"	3.00"	4.26"	Easy Service	16TYS32-65A

(C) Cast Version

(FUO) Forward Unit Output

(FUI) Forward Unit Input

(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PRC1044	2.00"-39	2.31"	3.00"	4.75"	Easy Service	148TYS32-4A
PRC1314				4.75"	Easy Service	155DYS32-6A
PRC265				4.38"	Easy Service	155TYS32-2A1
PRC676				4.75"	Easy Service	155TYS32-6A
PRLC1756				5.54"	Full Round	16N-4-6281X
PRLC415				6.22"	Full Round	16N-4-6291X
PRLC755				5.54"	Easy Service	16TYS32-32A
PRM676				6.22"	Easy Service	16TYS32-33A
PRS265				4.88"	Easy Service	16TYS32-60A
PSC1044				5.19"	Full Round	176NYS32-3A2
PSC1614				5.19"	Full Round	176NYS32-3A3
PSC205				5.19"	Easy Service	176TYS32-3A1
PSC826				6.25"	Full Round	17N-4-6391X
PSM1044				5.16"	Full Round	17N-4-6421X
PSM1614				5.16"	Easy Service	17N-4-7631-1X
PSM826				5.16"	Easy Service	17TYS32-55A (C)
Q100				6.25"	Easy Service	17TYS32-56A
R125				5.16"	Easy Service	17TYS32-96A
R128				5.19"	Full Round	18NYS32-12A3
R270				5.75"	Full Round	18NYS32-17A2
R611				5.19"	Easy Service	18TYS32-12A1
RF-XX-145				3.25"	Comp.Flange	2WCS32-13A
RP611 (RUI)				4.06"	Comp.Flange	2WCS32-15AX
RS-XX-145				3.38"	Comp.Flange	3WCS32-73A1
RS-XX-240				4.41"	Comp.Flange	3WCS32-81A
RS-XX-380				3.81"	Wing Bearing	58WBYS32-47A
RT-XX-140 (RUI)				3.31"	Comp.Flange	5WCS32-86A2
RT-XX-145 (RUI)				2.62"	Comp.Flange	5WCS32-89A1
RT-XX-380 (RUI)				3.27"	Comp.Flange	5WCS32-94A1
SL100 (RUI)				4.00"	Wing Bearing	62NYS32-48A
SPRC1357 (RUI)				3.81"	Wing Bearing	72NYS32-244A
SPRC1736 (RUI)				4.88"	Wing Bearing	72NYS32-245A
SQ100 (RUI)				4.06"	Wing Bearing	72NYSB32-258
SQHP (RUI)				3.88"	Wing Bearing	82NYS32-74A1
SR270 (FUI)				4.13"	Wing Bearing	85WBYS32-20A
SR270 (RUI)				4.44"	Wing Bearing	92NYS32-26A
SR280 (FUI)						
SR280 (RUI)						
ST270 (FUI)						
ST270 (RUI)						
ST280 (FUI)						
ST280 (RUI)						

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SU270 (FUI) SU270 (RUI) SU280 (FUI) SU280 (RUI) SW270 (FUI) SW270 (RUI) SW280 (FUI) SW280 (RUI)	2.00"-39	2.31"	3.00"	5.19"	Full Round	176NYS32-3A3
PRC4806 (FUO) R270 RS-XX-380 RT-XX-145 (FUO) RT-XX-160 (FUO) RT-XX-180 (FUO) RT-XX-380 (FUO) RT-XX-380 (RUI) SR170 (FUO) SR270 (FUI) SR270 (FUO) SR270 (RUI) SR280 (FUI) SR280 (FUO) SR280 (RUI) ST170 (FUO) ST270 (FUI) ST270 (FUO) ST270 (RUI) ST280 (FUI) ST280 (FUO) ST280 (RUI) SU170 (FUO) SU270 (FUI) SU270 (FUO) SU270 (RUI) SU280 (FUI) SU280 (FUO) SU280 (RUI) SW170 (FUO) SW270 (FUI) SW270 (FUO) SW270 (RUI) SW280 (FUI)	2.00"-39	2.31"	3.00"	4.75" 4.75" 4.38" 4.75" 6.22" 5.54" 5.54" 5.54" 5.19" 5.19" 6.25" 5.16" 5.16" 6.25" 5.16" 5.16" 5.19" 5.19" 3.25" 3.38" 3.81" 2.62" 3.27" 4.00" 3.81" 4.88" 3.88" 4.13" 4.25" 4.44"	Easy Service Easy Service Easy Service Easy Service Full Round Full Round Easy Service Easy Service Full Round Easy Service Full Round Full Round Easy Service Easy Service Easy Service Easy Service Full Round Easy Service Comp.Flange Comp.Flange Wing Bearing Comp.Flange Comp.Flange Wing Bearing Wing Bearing Wing Bearing Wing Bearing Wing Bearing Wing Bearing	148TYS32-4 155DYS32-6 155TYS32-2 155TYS32-6 16N-4-6241 16N-4-6271 16N-4-6271-1 16TYS32-60 176N-4-531 176TYS32-3 17N-4-6371 17N-4-6401 17TYS32-55 (C) 17TYS32-56 17TYS32-68 17TYS32-96 18N-4-3371 18TYS32-12 2WCS32-13 3WCS32-73 58WBYS32-47 5WCS32-89 5WCS32-94 62NYS32-48 72NYS32-244 72NYS32-245 82NYS32-74 85WBYS32-20 92NYS32-25 92NYS32-26

(C) Cast Version

(FUI) Forward Unit Input

(FUO) Forward Unit Output

(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SW280 (FUO)	2.00"-39	2.31"	3.00"	4.75"	Easy Service	148TYS32-4
SW280 (RUI)				4.75"	Easy Service	155DYS32-6
T270				4.38"	Easy Service	155TYS32-2
U270				4.75"	Easy Service	155TYS32-6
W270				6.22"	Full Round	16N-4-6241
				5.54"	Full Round	16N-4-6271
				5.54"	Easy Service	16N-4-6271-1
				5.54"	Easy Service	16TYS32-60
				5.19"	Full Round	176N-4-531
				5.19"	Easy Service	176TYS32-3
				6.25"	Full Round	17N-4-6371
				5.16"	Full Round	17N-4-6401
				5.16"	Easy Service	17TYS32-55 (C)
				6.25"	Easy Service	17TYS32-56
				5.16"	Easy Service	17TYS32-68
				5.16"	Easy Service	17TYS32-96
				5.19"	Full Round	18N-4-3371
				5.19"	Easy Service	18TYS32-12
				3.25"	Comp.Flange	2WCS32-13
				3.38"	Comp.Flange	3WCS32-73
				3.81"	Wing Bearing	58WBYS32-47
				2.62"	Comp.Flange	5WCS32-89
				3.27"	Comp.Flange	5WCS32-94
				4.00"	Wing Bearing	62NYS32-48
				3.81"	Wing Bearing	72NYS32-244
				4.88"	Wing Bearing	72NYS32-245
				3.88"	Wing Bearing	82NYS32-74
				4.13"	Wing Bearing	85WBYS32-20
				4.25"	Wing Bearing	92NYS32-25
				4.44"	Wing Bearing	92NYS32-26

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PSC1616	2.00"-39	2.31"	3.00"	4.38"	Easy Service	155TYS32-2A
PSM1616				4.75"	Easy Service	155TYS32-6A3
RP611 (FUI)				5.54"	Full Round	16NYS32-32A1
RT-XX-140 (FUI)				6.22"	Full Round	16NYS32-33A1
RT-XX-145 (FUI)				5.54"	Easy Service	16TYS32-32A1
SL100 (FUI)				4.88"	Easy Service	16TYS32-60A1
SPRC1356				5.19"	Full Round	176N-4-541X
SPRC1357 (FUI)				6.25"	Full Round	17N-4-6381X
SPRC1735				5.16"	Full Round	17N-4-6411X
SPRC1736 (FUI)				6.25"	Easy Service	17TYS32-56A1
SQ100 (FUI)				5.16"	Easy Service	17TYS32-96A1
SQHP (FUI)				5.19"	Full Round	18N-4-3381X
				5.19"	Easy Service	18N-4-3841-1
				5.75"	Full Round	18NYS32-17A
				3.25"	Comp.Flange	2WCS32-13A2
				3.38"	Comp.Flange	3WCS32-73A
				3.81"	Wing Bearing	58WBYS32-47A2
				3.31"	Comp.Flange	5WCS32-86A
				2.62"	Comp.Flange	5WCS32-89A
				3.27"	Comp.Flange	5WCS32-94A
				3.81"	Wing Bearing	72NYS32-244A1
				4.88"	Wing Bearing	72NYS32-245A1
				3.88"	Wing Bearing	82NYS32-74A
				4.13"	Wing Bearing	85WBYS32-20A1
				4.25"	Wing Bearing	92NYS32-25A
R270	2.00"-39	2.31"	3.00"	5.54"	Full Round	16NYS32-32
RS-XX-380				6.22"	Full Round	16NYS32-33
RT-XX-380 (RUI)				5.54"	Easy Service	16TYS32-32
SR270 (FUI)				5.19"	Easy Service	176TYS32-3A2
SR270 (RUI)				5.16"	Full Round	17NYS32-55A3
SR280 (FUI)				6.25"	Full Round	17NYS32-56A3
SR280 (RUI)				5.16"	Easy Service	17TYS32-68A2
ST270 (FUI)				5.19"	Full Round	18NYS32-12A2
ST270 (RUI)				5.75"	Full Round	18NYS32-17A1
ST280 (FUI)				5.19"	Easy Service	18TYS32-12A2
ST280 (RUI)				3.31"	Comp.Flange	5WCS32-86A3
SU270 (FUI)				2.62"	Comp.Flange	5WCS32-89A2
SU270 (RUI)				3.27"	Comp.Flange	5WCS32-94A2
SU280 (FUI)				3.88"	Wing Bearing	82NYS32-74A2
SU280 (RUI)				4.13"	Wing Bearing	85WBYS32-20A2
SW270 (FUI)						
SW270 (RUI)						
SW280 (FUI)						

(C) Cast Version

(FUI) Forward Unit Input

(FUO) Forward Unit Output

(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SW280 (RUI)	2.00"-39	2.31"	3.00"	5.54"	Full Round	16NYS32-32
				6.22"	Full Round	16NYS32-33
				5.54"	Easy Service	16TYS32-32
				5.19"	Easy Service	176TYS32-3A2
				5.16"	Full Round	17NYS32-55A3
				6.25"	Full Round	17NYS32-56A3
				5.16"	Easy Service	17TYS32-68A2
				5.19"	Full Round	18NYS32-12A2
				5.75"	Full Round	18NYS32-17A1
				5.19"	Easy Service	18TYS32-12A2
				3.31"	Comp.Flange	5WCS32-86A3
				2.62"	Comp.Flange	5WCS32-89A2
				3.27"	Comp.Flange	5WCS32-94A2
				3.88"	Wing Bearing	82NYS32-74A2
				4.13"	Wing Bearing	85WBYS32-20A2
RS-XX-145	2.00"-39	2.31"	3.00"	4.85"	RPL	20WYS32-1A
RS-XX-240				5.95"	RPL	20WYS32-2A
RT-XX-145 (RUI)						
SQ100 (RUI)						
RT-XX-145 (FUO)	2.00"-39	2.31"	3.00"	4.85"	RPL	20WYS32-1
RT-XX-160 (FUO)				5.95"	RPL	20WYS32-2
RT-XX-180 (FUO)						
RT-XX-380 (FUO)						

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
FDS1800	2.00"-39	2.44"	2.75"	5.12"	Full Round	16N-4-5431X
FDS2100				5.94"	Full Round	16N-4-6961X
PRC1315				6.25"	Full Round	16NYS32-13A
PRC1318				5.19"	Full Round	176NYS32-4A
PRC1925				5.19"	Easy Service	176TYS32-4A
PRC3795				5.25"	Full Round	17N-4-5531X
PRC3805				4.81"	Full Round	17N-4-5551X
PRC4364				6.50"	Full Round	17NYS32-40A
PRC4805				4.81"	Easy Service	17TYS32-69A
PRC677				5.25"	Easy Service	17TYS32-70A
PRC867				5.53"	Full Round	18N-4-3171X
PRLC1757				5.53"	Easy Service	18TYS32-3A
PRM677				3.38"	Comp.Flange	2WCS32-12A
PSC1485				3.38"	Comp.Flange	3WCS32-68A
PSC1615				3.38"	Comp.Flange	3WCS32-75A1
PSC1618				3.31"	Comp.Flange	5WCS32-75A
PSC1875				3.31"	Comp.Flange	5WCS32-76A
PSC827				3.88"	Wing Bearing	72NYS32-219A1
PSM1485				3.88"	Wing Bearing	72NYS32-220A1
PSM1615				4.31"	Wing Bearing	72NYS32-221A2
PSM1618				4.31"	Wing Bearing	72NYS32-222A
PSM827				3.88"	Wing Bearing	82NYS32-69A1
R155				3.88"	Wing Bearing	82NYS32-70A1
R255				6.25"	Full Round	16N-4-6871X
RF-XX-155				5.12"	Easy Service	16N-4-6951-1X
RF-XX-156				5.12"	Full Round	16N-4-6951X
SHD (RUI)				5.19"	Full Round	176NYS32-4A1
SHDD (RUI)				6.50"	Full Round	17N-4-6871X
SPRC1737				4.81"	Full Round	17N-4-6941X
SPRC1925						
SPRC1926 (RUI)						
SSHD (RUI)						
STHD (RUI)						
SUDD (RUI)						
SUHD (RUI)						
U240						

(C) Cast Version

(FUO) Forward Unit Output

(FUI) Forward Unit Input

(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PRC1315	2.00"-39	2.44"	2.75"	5.25"	Full Round	17N-4-6951X
				5.25"	Easy Service	17TYS32-70A1
				5.53"	Full Round	18N-4-3571X
				5.53"	Easy Service	18TYS32-3A1
				3.38"	Comp.Flange	3WCS32-68A2
				3.31"	Comp.Flange	5WCS32-75A2
				3.31"	Comp.Flange	5WCS32-76A2
				3.88"	Wing Bearing	72NYS32-219A
				3.88"	Wing Bearing	72NYS32-220A
				4.31"	Wing Bearing	72NYS32-221A
				4.31"	Wing Bearing	72NYS32-222A1
				3.88"	Wing Bearing	82NYS32-70A
PRC1925	2.00"-39	2.44"	2.75"	6.25"	Full Round	16N-4-6871X
PRC3795				5.12"	Easy Service	16N-4-6951-1X
PRC3805				5.12"	Full Round	16N-4-6951X
PRC4364				5.19"	Full Round	176NYS32-4A1
PRC4805				6.50"	Full Round	17N-4-6871X
PRC677				4.81"	Full Round	17N-4-6941X
PRC867				5.25"	Full Round	17N-4-6951X
PRLC1757				5.25"	Easy Service	17TYS32-70A1
PRM677				5.53"	Full Round	18N-4-3571X
PSC1485				5.53"	Easy Service	18TYS32-3A1
PSC1615				3.38"	Comp.Flange	3WCS32-68A2
PSC1875				3.31"	Comp.Flange	5WCS32-75A2
PSC827				3.31"	Comp.Flange	5WCS32-76A2
PSM1485				3.88"	Wing Bearing	72NYS32-219A
PSM1615				3.88"	Wing Bearing	72NYS32-220A
PSM827				4.31"	Wing Bearing	72NYS32-221A
R155				4.31"	Wing Bearing	72NYS32-222A1
RF-XX-155				3.88"	Wing Bearing	82NYS32-70A
RF-XX-156						
SHD (RUI)						
SPRC1737						
SPRC1925						
SSHD (RUI)						
STHD (RUI)						
SUDD (RUI)						
SUHD (RUI)						

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SHD (FUO)	2.00"-39	2.44"	2.75"	5.12"	Full Round	16N-4-5421
SHDD (FUO)				5.12"	Easy Service	16N-4-5421-1
SPRC1926 (FUO)				5.94"	Full Round	16N-4-5441
SSHD (FUO)				6.25"	Full Round	16N-4-5461
STHD (FUO)				5.19"	Full Round	176NYS32-4
SUDD (FUO)				6.50"	Full Round	17N-4-5501
SUHD (FUO)				5.25"	Full Round	17N-4-5521
				4.81"	Full Round	17N-4-5541
				5.25"	Easy Service	17N-4-6951-1
				4.81"	Easy Service	17TYS32-69
				5.53"	Easy Service	18N-4-2781-1
				5.53"	Full Round	18NYS32-3
				3.38"	Comp.Flange	3WCS32-68
				3.31"	Comp.Flange	5WCS32-75
				3.88"	Wing Bearing	72NYS32-219
				3.88"	Wing Bearing	72NYS32-220
				4.31"	Wing Bearing	72NYS32-221
				4.31"	Wing Bearing	72NYS32-222
				3.88"	Wing Bearing	82NYS32-69
				3.88"	Wing Bearing	82NYS32-70
				4.13"	Wing Bearing	85WBYS32-11
				3.88"	Wing Bearing	92NYS32-15
				5.25"	Easy Service	17N-4-6951-1X
T218	2.13"-41	2.19"	3.00"	4.26"	Easy Service	17TYS34-26A
T2111	2.13"-41	2.31"	2.94"	4.75"	Easy Service	148TYS34-3
T215				4.31"	Easy Service	155TYS34-6A
T219				4.63"	Easy Service	16TYS34-21A
				5.16"	Easy Service	17TYS34-38AX
				5.75"	Full Round	18NYS34-4A
				5.75"	Easy Service	18TYS34-4AX
				3.00"	Comp.Flange	5WCS34-7
				3.00"	Comp.Flange	5WCS34-8
	2.13"-41	2.50"	2.94"	3.19"	Comp.Flange	5WCS34-9
				3.69"	Wing Bearing	85WBYS34-4
T-2120	2.13"-41	2.50"	2.94"	5.35"	Full Round	17NYS34-29A
T2111				5.35"	Easy Service	17TYS34-29A
T2120RS				5.94"	Full Round	18NYS34-5A
				5.94"	Easy Service	18TYS34-5A

(C) Cast Version

(FUI) Forward Unit Input

(FUO) Forward Unit Output

(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PRC1927	2.25"-10	3.00"	3.00"	3.84"	Comp.Flange	16N-1-6341X
PRC3796				5.63"	Full Round	16N-4-6891X
PRC4264				5.84"	Full Round	176N-4-731X
PRC4807				3.75"	Comp.Flange	17N-1-5631X
PRC4824				6.06"	Full Round	17N-4-4411X
PRC5225				7.19"	Full Round	17N-4-6891X
PRC5324				6.06"	Easy Service	17TYS36-52A
R170				3.75"	Comp.Flange	18N-1-2341X
R180				5.85"	Easy Service	18N-4-2551-1X
RL170				5.85"	Full Round	18N-4-2551X
S170				4.25"	Wing Bearing	72NYS36-40A1
SFDD4640 (FUI)				4.25"	Wing Bearing	72NYS36-54A2
SPRC1927				4.75"	Wing Bearing	82NYS36-26A1
SR170 (RUI)				4.75"	Wing Bearing	82NYS36-30A1
SRDD (FUI)						
ST170 (RUI)						
SU170 (RUI)						
SW170 (RUI)						
T228						
U170						
U180						
W170						
SFDD4640 (FUO)	2.25"-10	3.00"	3.00"	5.63"	Full Round	16NYS36A1
SFDD4640 (RUI)				5.84"	Full Round	176N-4-201X
SRDD (FUO)				7.19"	Full Round	17NYS36-19A
SRDD (RUI)				6.06"	Full Round	17NYS36A
SRTD (FUI)				5.85"	Full Round	18NYS36A
SRTD (FUO)				3.75"	Comp.Flange	5WCS36-76A2
SRTD (RUI)				4.25"	Wing Bearing	72NYS36-54A
SSHD (RUI)				4.75"	Wing Bearing	82NYS36-26A
STDD (FUI)				4.75"	Wing Bearing	82NYS36-30A
STDD (FUO)				4.19"	Wing Bearing	92NYS36-6A1
STDD (RUI)						
STHD (FUI)						
SUDD (FUI)						
SUHD (FUI)						
T218	2.25"-41	2.22"	3.00"	4.25"	Easy Service	16TYS34-16A
T2111	2.28"-44	2.80"	2.94"	5.66"	Easy Service	17TYS36-59A
				5.75"	Full Round	18NYS36-17A
				5.75"	Easy Service	18TYS36-17A
				4.38"	Wing Bearing	72NYS36-97A

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
61142	2.38"-46	2.32"	3.25"	6.19"	Full Round	16NYS38-12A
61143				4.94"	Full Round	16NYS38-8A
RC-XX-160				6.19"	Easy Service	16TYS38-12A
RF-XX-160				5.06"	Full Round	176NYS38-14A
RS-XX-160				5.38"	Easy Service	17N-4-7181-1X
RT-XX-145 (FUI)				5.38"	Full Round	17N-4-7181X
RT-XX-160 (FUI)				5.38"	Easy Service	17TYS38-32A (C)
RT-XX-160 (RUI)				6.50"	Easy Service	17TYS38-71A
				5.16"	Easy Service	18N-4-3731-1X
				5.16"	Full Round	18NYS38-16A
				5.16"	Round Bearing	18NYSB38-1
				3.31"	Comp.Flange	3WCS38-8A1
				3.88"	Comp.Flange	5WCS38-18A
				3.56"	Comp.Flange	5WCS38-23A2
				4.25"	Wing Bearing	72NYS38-24A
				4.25"	Wing Bearing	72NYS38-26A
				3.80"	Wing Bearing	72NYS38-31A
				4.25"	Wing Bearing	82NYS38-31A
				4.25"	Wing Bearing	82NYS38-32A
				4.06"	Wing Bearing	85WBYS38-14A
				4.22"	Wing Bearing	92NYS38-73A
				4.90"	RPL	20WYS38-1A
				4.90"	RPL	20WYS38-4A
				4.73"	RPL	25WYS38-3A
61142	2.38"-46	2.33"	3.25"	6.50"	Full Round	17NYS38-38A
61143				4.88"	Full Round	17NYS38-61A
RC-XX-160				5.95"	RPL	20WYS38-3A
RF-XX-160						
RS-XX-160						
RT-XX-145 (FUI)						
RT-XX-160 (FUI)						
RT-XX-160 (RUI)						

(C) Cast Version

(FUI) Forward Unit Input

(FUO) Forward Unit Output

(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SHD (FUI) SHDD (FUI) SPRC1926 (FUI) SSHD (FUI) STHD (FUI) SUDD (FUI) SUHD (FUI)	2.38"-46	2.62"	3.25"	5.44" 5.44" 5.69" 5.69" 5.44" 5.44" 3.50" 3.50" 3.50" 4.38" 4.58" 4.58" 3.98" 4.50"	Easy Service Full Round Full Round Easy Service Full Round Easy Service Comp.Flange Comp.Flange Comp.Flange Wing Bearing Wing Bearing Wing Bearing Wing Bearing Wing Bearing	176N-4-211-1X 176N-4-211X 17N-4-5461X 17TYS38-52A 18N-4-2711X 18TYS38A 5WCS38-4 5WCS38-5A 5WCS38-6A 72NYS38-15A 82NYS38-14A 82NYS38-15A 92NYS38-39A 92NYS38-46A1
T228	2.38"-46	2.88"	3.00"	5.63" 6.06" 5.85" 3.75" 3.75" 3.75" 4.75"	Full Round Full Round Full Round Comp.Flange Comp.Flange Comp.Flange Wing Bearing	176NYS38-25A 17NYS38-69A 18NYS38-25A 3WCS38-13A 5WCS38-31A 5WCS38-32A 82NYS38-34A
PRC4806 (FUI) PRC5225 R180 RS-XX-181 RT-XX-180 (FUI) RT-XX-380 (FUI) SR170 (FUI) SR270 (FUI) SR280 (FUI) ST170 (FUI) ST270 (FUI) ST280 (FUI) SU170 (FUI) SU270 (FUI) SU280 (FUI) SW170 (FUI) SW270 (FUI) SW280 (FUI) U180	2.38"-46	2.88"	3.25"	5.63" 5.63" 5.94" 6.19" 6.93" 5.94" 6.93" 5.69" 5.69" 3.63" 3.56" 3.95" 4.31" 4.19"	Full Round Easy Service Full Round Full Round Full Round Easy Service Easy Service Easy Service Full Round Comp.Flange Comp.Flange Comp.Flange Wing Bearing Wing Bearing	176NYS38-13A1 176TYS38-13A1 17N-4-5961X 17NYS38-17A 17NYS38-63 17TYS38-53A1 17TYS38-70A1 18N-4-3221-1X 18N-4-3221X 3WCS38-9 5WCS38-12A 5WCS38-34A 85WBYS38-19A 92NYS38-52A

(C) Cast Version
(FUO) Forward Unit Output

(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
RF-XX-180 RS-XX-180 RT-XX-180 (RUI) RS-XX-181	2.38"-46	2.88"	3.25"	5.50" 5.50" 5.63" 5.63" 5.94" 6.93" 6.19" 5.94" 6.93" 5.69" 5.69" 3.13" 3.56" 3.63" 3.63" 3.95" 4.69" 4.69" 4.63" 4.19" 6.25"	Full Round Easy Service Easy Service Full Round Full Round Full Round Full Round Easy Service Easy Service Easy Service Full Round Comp.Flange Comp.Flange Comp.Flange Comp.Flange Comp.Flange Wing Bearing Wing Bearing Wing Bearing Wing Bearing RPL	16NYS38-11A 16TYS38-11A 176N-4-861-1X 176N-4-861X 17N-4-6961X 17N-4-7851X 17NYS38-17A2 17TYS38-53A 17TYS38-70A 18N-4-3581-1X 18N-4-3581X 3WCS38-11A 5WCS38-12A2 5WCS38-20A 5WCS38-24A 5WCS38-34A2 72NYS38-20A 72NYS38-22A 82NYS38-28A 92NYS38-52A2 20WYS38-8A
RT-XX-180 (FUI) RT-XX-380 (FUI) RT-XX-380 (RUI)	2.38"-46	2.88"	3.25"	5.00" 5.00"	RPL RPL	20WYS38-10A 25WYS38-8A
T228	2.38"-46	2.88"	3.25"	5.69"	Full Round	18NYS38-8A3
T228	2.50"-16	3.25"	3.00"	4.75"	Wing Bearing	82NYS40-30A
59000 Series 59732 59733	2.53"-16	2.75"	3.25"	6.44" 3.48" 3.48"	Full Round Comp.Flange Comp.Flange	17NYS40-106A 3WCS40-1A 3WCS40-1A1
59000 Series 59732 59733	2.53"-16	2.75"	3.50"	3.75" 3.68"	Comp.Flange Comp.Flange	5WCS40-29A1 5WCS40-39
T228	2.53"-16	3.25"	3.25"	6.06" 5.81" 6.06" 6.06"	Full Round Full Round Easy Service Full Round	176NYS40-21A 17NYS40-37A 17TYS40-151A 18NYS40A
T-2120 T2120RS	2.99"-22	2.75"	3.75"	5.56" 4.25"	Full Round Wing Bearing	18NYS48-1A 92NYS48-72A

(C) Cast Version

(FUI) Forward Unit Input

(FUO) Forward Unit Output

(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

INDEX

	Page
59000 Series	16-38
59732	16-38
59733	16-38
61142	16-36
61143	16-36
C100	16-20
C100	16-21
C102	16-20
C102	16-21
C103	16-20
C103	16-21
D140	16-20
F106	16-21
F140	16-21
FDS1600	16-21
FDS1800	16-32
FDS2100	16-32
FDS75	16-21
FDS90	16-21
H172	16-20
H172	16-23
L172	16-20
L172	16-23
L600	16-20
L600	16-23
M172	16-20
M172	16-23
PR300	16-24
PR400	16-24
PR401 (FUO)	16-22
PR401 (RUI)	16-22
PR500	16-24
PRC1044	16-24
PRC1044	16-27
PRC1103	16-21
PRC1104	16-20

	Page
PRC1104	16-23
PRC1105	16-24
PRC1313 (FUO)	16-22
PRC1313 (RUI)	16-22
PRC1314	16-24
PRC1314	16-27
PRC1315	16-24
PRC1315	16-32
PRC1315	16-33
PRC1318	16-32
PRC1925	16-32
PRC1925	16-33
PRC1927	16-35
PRC264	16-20
PRC265	16-27
PRC3795	16-32
PRC3795	16-33
PRC3796	16-35
PRC3805	16-32
PRC3805	16-33
PRC4264	16-35
PRC4364	16-32
PRC4364	16-33
PRC4805	16-32
PRC4805	16-33
PRC4806 (FUI)	16-37
PRC4806 (FUO)	16-28
PRC4807	16-35
PRC4824	16-35
PRC5225	16-35
PRC5225	16-37
PRC5324	16-35
PRC671 (FUI)	16-21
PRC671 (FUO)	16-24
PRC672	16-20

MERITOR AXLES AND TRANSFER CASES

Page	Page
PRC672.....16-21	PRM672.....16-23
PRC672.....16-23	PRM672.....16-24
PRC672.....16-24	PRM673.....16-20
PRC673.....16-20	PRM673.....16-23
PRC673.....16-23	PRM673.....16-24
PRC673.....16-24	PRM673 (FUO)16-22
PRC673 (FUO).....16-22	PRM673 (RUI).....16-22
PRC673 (RUI)16-22	PRM674.....16-24
PRC674.....16-24	PRM675.....16-24
PRC675.....16-24	PRM676.....16-24
PRC676.....16-24	PRM676.....16-27
PRC676.....16-27	PRM677.....16-32
PRC67716-32	PRM677.....16-33
PRC67716-33	PRS26416-20
PRC863.....16-21	PRS26516-27
PRC864.....16-20	PS300.....16-24
PRC864.....16-23	PSC104416-27
PRC86716-32	PSC104516-24
PRC86716-33	PSC148516-32
PRLC1753 (FUI)16-21	PSC148516-33
PRLC1753 (FUO).....16-24	PSC161416-24
PRLC1754.....16-20	PSC161416-27
PRLC1754.....16-23	PSC161516-24
PRLC1756.....16-24	PSC161516-32
PRLC1756.....16-27	PSC161516-33
PRLC1757.....16-32	PSC161616-30
PRLC1757.....16-33	PSC161716-24
PRLC415.....16-27	PSC161816-24
PRLC614.....16-20	PSC161816-32
PRLC614.....16-21	PSC179416-24
PRLC614.....16-23	PSC187516-32
PRLC615.....16-20	PSC187516-33
PRLC615.....16-23	PSC20416-20
PRLC615 (FUO).....16-22	PSC20516-20
PRLC755.....16-27	PSC20516-27
PRLC756.....16-24	PSC35316-20
PRM67216-20	PSC35416-20
PRM67216-21	PSC59216-21

MERITOR AXLES AND TRANSFER CASES

	Page		Page
PSC593.....	16-20	PSM593.....	16-20
PSC594.....	16-20	PSM594.....	16-20
PSC595 (FUI).....	16-21	PSM596.....	16-20
PSC595 (FUO).....	16-24	PSM596.....	16-23
PSC596.....	16-20	PSM823.....	16-21
PSC596.....	16-21	PSM824.....	16-20
PSC596.....	16-23	PSM824.....	16-21
PSC597 (FUO).....	16-22	PSM824.....	16-23
PSC597 (RUI).....	16-22	PSM825.....	16-20
PSC723.....	16-21	PSM825.....	16-23
PSC724.....	16-21	PSM826.....	16-24
PSC726.....	16-20	PSM826.....	16-27
PSC726.....	16-21	PSM827.....	16-32
PSC726.....	16-23	PSM827.....	16-33
PSC823.....	16-21	Q100.....	16-24
PSC824.....	16-20	Q100.....	16-27
PSC824.....	16-21	R100.....	16-24
PSC824.....	16-23	R125.....	16-27
PSC825.....	16-20	R128.....	16-27
PSC825.....	16-23	R140.....	16-24
PSC826.....	16-24	R155.....	16-32
PSC826.....	16-27	R155.....	16-33
PSC827.....	16-32	R160.....	16-24
PSC827.....	16-33	R170.....	16-35
PSM1044.....	16-24	R180.....	16-35
PSM1044.....	16-27	R180.....	16-37
PSM1045.....	16-24	R200.....	16-25
PSM1485.....	16-32	R220.....	16-25
PSM1485.....	16-33	R230.....	16-25
PSM1614.....	16-24	R240.....	16-25
PSM1614.....	16-27	R255.....	16-32
PSM1615.....	16-24	R270.....	16-27
PSM1615.....	16-32	R270.....	16-28
PSM1615.....	16-33	R270.....	16-30
PSM1616.....	16-30	R300.....	16-25
PSM1617.....	16-24	R330.....	16-25
PSM1618.....	16-24	R340.....	16-25
PSM1618.....	16-32	R360.....	16-25

MERITOR AXLES AND TRANSFER CASES

	Page		Page
R611.....	16-27	RT-XX-140 (RUI).....	16-27
RC-XX-160.....	16-36	RT-XX-145 (FUI).....	16-30
RF-XX-145.....	16-27	RT-XX-145 (FUI).....	16-36
RF-XX-155.....	16-32	RT-XX-145 (FUO).....	16-28
RF-XX-155.....	16-33	RT-XX-145 (FUO).....	16-31
RF-XX-156.....	16-32	RT-XX-145 (RUI).....	16-27
RF-XX-156.....	16-33	RT-XX-145 (RUI).....	16-31
RF-XX-160.....	16-36	RT-XX-160 (FUI).....	16-36
RF-XX-180.....	16-38	RT-XX-160 (FUO).....	16-28
RL170.....	16-35	RT-XX-160 (FUO).....	16-31
RP611 (FUI).....	16-30	RT-XX-160 (RUI).....	16-36
RP611 (FUO).....	16-23	RT-XX-180 (FUI).....	16-37
RP611 (RUI).....	16-27	RT-XX-180 (FUI).....	16-38
RS-XX-120.....	16-20	RT-XX-180 (FUO).....	16-28
RS-XX-120.....	16-23	RT-XX-180 (FUO).....	16-31
RS-XX-125.....	16-20	RT-XX-180 (RUI).....	16-38
RS-XX-125.....	16-23	RT-XX-380 (FUI).....	16-37
RS-XX-140.....	16-20	RT-XX-380 (FUI).....	16-38
RS-XX-140.....	16-23	RT-XX-380 (FUO).....	16-28
RS-XX-145.....	16-27	RT-XX-380 (FUO).....	16-31
RS-XX-145.....	16-31	RT-XX-380 (RUI).....	16-27
RS-XX-160.....	16-36	RT-XX-380 (RUI).....	16-28
RS-XX-180.....	16-38	RT-XX-380 (RUI).....	16-30
RS-XX-181.....	16-37	RT-XX-380 (RUI).....	16-38
RS-XX-181.....	16-38	RT140.....	16-25
RS-XX-210.....	16-20	RT240.....	16-25
RS-XX-210.....	16-23	RT340.....	16-25
RS-XX-220.....	16-20	S162.....	16-25
RS-XX-220.....	16-23	S163.....	16-25
RS-XX-230.....	16-20	S170.....	16-35
RS-XX-230.....	16-23	SFDD4640 (FUI).....	16-35
RS-XX-240.....	16-27	SFDD4640 (FUO).....	16-35
RS-XX-240.....	16-31	SFDD4640 (RUI).....	16-35
RS-XX-380.....	16-27	SHD (FUI).....	16-37
RS-XX-380.....	16-28	SHD (FUO).....	16-25
RS-XX-380.....	16-30	SHD (FUO).....	16-34
RT-XX-140 (FUI).....	16-30	SHD (RUI).....	16-25
RT-XX-140 (FUO).....	16-23	SHD (RUI).....	16-32

MERITOR AXLES AND TRANSFER CASES

	Page		Page
SHD (RUI)	16-33	SPRC1926 (RUI)	16-32
SHDD (FUI)	16-37	SPRC1927	16-35
SHDD (FUO)	16-25	SQ100 (FUI)	16-30
SHDD (FUO)	16-34	SQ100 (FUO)	16-23
SHDD (RUI)	16-25	SQ100 (RUI)	16-27
SHDD (RUI)	16-32	SQ100 (RUI)	16-31
SL100 (FUI)	16-30	SQHD (FUI)	16-26
SL100 (FUO)	16-23	SQHD (FUO)	16-22
SL100 (RUI)	16-27	SQHD (RUI)	16-22
SLHD (FUI)	16-26	SQHP (FUI)	16-30
SLHD (FUO)	16-22	SQHP (FUO)	16-23
SLHD (RUI)	16-22	SQHP (RUI)	16-27
SPRC135-6	16-25	SR170 (FUI)	16-37
SPRC1353 (FUI)	16-26	SR170 (FUO)	16-28
SPRC1353 (FUO)	16-22	SR170 (RUI)	16-35
SPRC1353 (RUI)	16-22	SR270 (FUI)	16-27
SPRC1355	16-24	SR270 (FUI)	16-28
SPRC1356	16-25	SR270 (FUI)	16-30
SPRC1356	16-30	SR270 (FUI)	16-37
SPRC1357 (FUI)	16-30	SR270 (FUO)	16-28
SPRC1357 (FUO)	16-23	SR270 (RUI)	16-27
SPRC1357 (RUI)	16-27	SR270 (RUI)	16-28
SPRC1734 (FUI)	16-26	SR270 (RUI)	16-30
SPRC1734 (FUO)	16-22	SR280 (FUI)	16-27
SPRC1734 (RUI)	16-22	SR280 (FUI)	16-28
SPRC1735	16-30	SR280 (FUI)	16-30
SPRC1736	16-24	SR280 (FUI)	16-37
SPRC1736 (FUI)	16-30	SR280 (FUO)	16-28
SPRC1736 (FUO)	16-23	SR280 (RUI)	16-27
SPRC1736 (RUI)	16-27	SR280 (RUI)	16-28
SPRC1737	16-32	SR280 (RUI)	16-30
SPRC1737	16-33	SRDD (FUI)	16-35
SPRC1925	16-32	SRDD (FUO)	16-35
SPRC1925	16-33	SRDD (RUI)	16-35
SPRC1926 (FUI)	16-37	SRTD (FUI)	16-35
SPRC1926 (FUO)	16-25	SRTD (FUO)	16-35
SPRC1926 (FUO)	16-34	SRTD (RUI)	16-35
SPRC1926 (RUI)	16-25	SSHD (FUI)	16-37

MERITOR AXLES AND TRANSFER CASES

Page	Page
SSHD (FUO) 16-25	SU270 (FUI) 16-28
SSHD (FUO) 16-34	SU270 (FUI) 16-30
SSHD (RUI) 16-25	SU270 (FUI) 16-37
SSHD (RUI) 16-32	SU270 (FUO) 16-28
SSHD (RUI) 16-33	SU270 (RUI) 16-28
SSHD (RUI) 16-35	SU270 (RUI) 16-30
ST170 (FUI) 16-37	SU280 (FUI) 16-28
ST170 (FUO) 16-28	SU280 (FUI) 16-30
ST170 (RUI) 16-35	SU280 (FUI) 16-37
ST270 (FUI) 16-27	SU280 (FUO) 16-28
ST270 (FUI) 16-28	SU280 (RUI) 16-28
ST270 (FUI) 16-30	SU280 (RUI) 16-30
ST270 (FUI) 16-37	SUDD (FUI) 16-35
ST270 (FUO) 16-28	SUDD (FUI) 16-37
ST270 (RUI) 16-27	SUDD (FUO) 16-25
ST270 (RUI) 16-28	SUDD (FUO) 16-34
ST270 (RUI) 16-30	SUDD (RUI) 16-25
ST280 (FUI) 16-27	SUDD (RUI) 16-32
ST280 (FUI) 16-28	SUDD (RUI) 16-33
ST280 (FUI) 16-30	SUHD (FUI) 16-35
ST280 (FUI) 16-37	SUHD (FUI) 16-37
ST280 (FUO) 16-28	SUHD (FUO) 16-25
ST280 (RUI) 16-27	SUHD (FUO) 16-34
ST280 (RUI) 16-28	SUHD (RUI) 16-25
ST280 (RUI) 16-30	SUHD (RUI) 16-32
STDD (FUI) 16-35	SUHD (RUI) 16-33
STDD (FUO) 16-35	SW170 (FUI) 16-37
STDD (RUI) 16-35	SW170 (FUO) 16-28
STHD (FUI) 16-35	SW170 (RUI) 16-35
STHD (FUI) 16-37	SW270 (FUI) 16-28
STHD (FUO) 16-25	SW270 (FUI) 16-30
STHD (FUO) 16-34	SW270 (FUI) 16-37
STHD (RUI) 16-25	SW270 (FUO) 16-28
STHD (RUI) 16-32	SW270 (RUI) 16-28
STHD (RUI) 16-33	SW270 (RUI) 16-30
SU170 (FUI) 16-37	SW280 (FUI) 16-28
SU170 (FUO) 16-28	SW280 (FUI) 16-30
SU170 (RUI) 16-35	SW280 (FUI) 16-37

MERITOR AXLES AND TRANSFER CASES

	Page		Page
SW280 (FUO)	16-29	U240	16-32
SW280 (RUI)	16-28	U270	16-29
SW280 (RUI)	16-29	U300	16-25
SW280 (RUI)	16-31	W170	16-35
T-2120	16-34	W270	16-29
T-2120	16-38		
T182A	16-22		
T182B	16-22		
T2111	16-34		
T2111	16-35		
T2120RS	16-34		
T2120RS	16-38		
T215	16-22		
T215	16-25		
T215	16-26		
T215	16-34		
T218	16-34		
T218	16-35		
T218PD	16-26		
T219	16-22		
T219	16-25		
T219	16-26		
T219	16-34		
T223	16-21		
T223H	16-21		
T226	16-26		
T228	16-26		
T228	16-35		
T228	16-37		
T228	16-38		
T270	16-29		
T77-3	16-26		
TR403	16-22		
U170	16-35		
U180	16-35		
U180	16-37		
U200	16-25		
U240	16-25		

NOTES

ALLISON TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
R2	1.38"-32	3.66"	2.13"	6.65" 6.65"	Round Bearing Round Bearing	GMT 455	141TYSB22-4 141TYSB22-4A
AD6	1.63"-31	2.56"	2.44"	3.44"	Comp.Flange	With 9"x 3"brake	5WCS28-64
AD6	1.63"-31	2.56"	2.44"	4.19" 4.63" 4.24"	Easy Service Easy Service Easy Service	Without brake	141TYS28-19 148TYS28-17 155TYS28-20
MT40	1.78"-27	1.91"	2.17"	2.88"	Wing Bearing		72NYS28-66
MT640 MT643 MT644	1.78"-34	2.75"	2.56"	3.70" 4.56"	Comp.Flange Wing Bearing	With 12"x 4"brake	17N-1-5371X 58WBYS28-162A
AT540 AT543 AT545	1.78"-34	2.75"	2.56"	6.19" 6.25" 6.19" 6.25"	Round Bearing Round Bearing Round Bearing Round Bearing	With Bendix 9"x 3"or 10"x 3"brake	148NYSB29A 148TYSB28-11A 148TYSB29-1 155TYSB28-14A
MT640 MT643 MT644	1.78"-34	2.75"	2.56"	4.38"	Wing Bearing	Without brake, threaded	58WBYS28-144
AT540 AT543 AT545	1.78"-34	2.75"	2.56"	3.42" 6.25" 5.17" 5.17" 6.25" 5.31" 6.00" 3.70" 3.70"	Comp.Flange Round Bearing Easy Service Easy Service Round Bearing Easy Service Easy Service Comp.Flange Comp.Flange	Without brake	148N-1-4481X 148TYSB28-20A 155N-4-4801-1X 155N-4-4801-2X 155TYSB28-22A 16TYS28-51A 17N-4-5041-1 5WCS28-66 5WCS28-66A
MT640 MT643 MT644	1.78"-34	2.75"	2.56"	5.31" 5.31" 7.19" 6.00" 4.56" 4.69"	Full Round Easy Service Full Round Easy Service Wing Bearing Wing Bearing	Without brake	16N-4-4841X 16TYS28-8A 17N-4-5041X 17TYS28-62A 58WBYS28-163 72NYS28-141
AT540 AT543 AT545	1.81"-34	2.75"	2.56"	6.19"	Round Bearing		141NYSB29A1
TT2000 Series	1.88"-14	2.02"	2.56"	3.34"	Wing Bearing	With brake	58WBYS30-7
TT2000 Series	1.88"-14	2.32"	2.56"	4.40" 4.63"	Wing Bearing Wing Bearing	Without brake	58WBYS30-6 62NYS30-22
4460 TG602	1.91"-14	2.79"	2.62"	3.77"	Wing Bearing		72NYS30-1
MD6	2.13"-41	2.05"	3.54"	3.08"	Comp.Flange	With 12"x 3"brake	5WCS32-96
MD6	2.13"-41	2.05"	3.54"	5.00" 4.88"	Easy Service Easy Service	Without brake	16TYS32-59 17TYS32-67 (C)

(IN) Input
(OUT) Output

(C) Cast Version

ALLISON TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
				4.88"	Easy Service		17TYS32-77
4460 HT70	2.36"-18	2.31"	3.00"	3.00"	Wing Bearing		72NYS38-4
HTB741 HTB755BR	2.36"-18	2.34"	2.75"	5.12" 5.50" 5.31" 5.31" 5.63" 5.85" 3.81"	Full Round Easy Service Full Round Easy Service Full Round Easy Service Wing Bearing		176NYS38-21 176TYS38-23 17NYS38-62 17TYS38-62 18NYS38-23 18TYS38-24 92NYS38-76
HTB741 HTB755BR	2.36"-18	2.34"	3.75"	3.00" 3.00"	Comp.Flange Comp.Flange		5WCS38-25 5WCS38-26
CLBT750 (IN) CRT6030 CRT7033 (IN)	2.36"-18	2.76"	3.00"	3.50" 4.09" 4.28"	Wing Bearing Wing Bearing Wing Bearing		72NYS38-1 72NYS38-2 85WBYS38-2
TC	2.36"-18	3.19"	3.00"	4.00"	Wing Bearing		72NYS38
CLBT750 (OUT) HT740 HT750	2.36"-18	3.38"	3.50"	6.12" 6.12" 5.75" 5.75" 5.75" 6.12" 6.12" 5.22"	Full Round Easy Service Full Round Easy Service Easy Service Full Round Easy Service Wing Bearing		176N-4-271 176N-4-271-1 17N-4-4561 17N-4-4561-1 17TYS38-22 (C) 18N-4-2581 18N-4-2581-1 92NYS38-12
MT650 MT653 MT654CR	2.38"-46	3.38"	3.50"	5.22"	Wing Bearing	With 12"x 4"brake	72NYS38-10
MT650 MT653 MT654CR	2.38"-46	3.38"	3.50"	5.75"	Full Round	Without brake	17N-4-4771
MT650 MT653 MT654CR	2.39"-46	3.38"	3.50"	3.86"	Comp.Flange	With 12"x 4"brake	17N-1-4631X

(IN) Input
(OUT) Output

(C) Cast Version

ALLISON TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
MT650 MT653 MT654CR	2.39"-46	3.38"	3.50"	6.12" 6.12" 6.00" 5.75" 5.75" 6.16" 6.15" 4.75" 4.75"	Full Round Easy Service Full Round Easy Service Easy Service Full Round Easy Service Wing Bearing Wing Bearing	Without brake	16N-4-4861 16N-4-4861-1 176N-4-381 17TYS38-55 17TYS38-7 (C) 18N-4-2541 18N-4-2541-1 82NYS38-12 92NYS38-68
CRT5633	2.50"-19	3.00"	3.50"	5.00" 5.00"	Wing Bearing Wing Bearing		92NYS40 92NYS40-3
CRT5643	2.50"-19	3.13"	3.50"	3.98"	Wing Bearing		92NYS40-35
CLBT750 (OUT)	2.56"-20	3.34"	3.50"	5.17"	Wing Bearing		92NYS42-16
CLBT750 (OUT) HT740 HT750	2.72"-18	3.38"	3.50"	4.09"	Comp.Flange		17N-1-4541
CBT5640 CLBT5840 (IN) CLBT5860 CT5640	3.00"-23	3.00"	4.00"	4.50"	Wing Bearing		85WBYS48-14

(IN) Input
(OUT) Output

(C) Cast Version

ALLISON TRANSMISSIONS

INDEX

	Page
4460	16-47
4460	16-48
AD6	16-47
AT540	16-47
AT543	16-47
AT545	16-47
CBT5640	16-49
CLBT5840 (IN)	16-49
CLBT5860	16-49
CLBT750 (IN)	16-48
CLBT750 (OUT)	16-48
CLBT750 (OUT)	16-49
CRT5633	16-49
CRT5643	16-49
CRT6030	16-48
CRT7033 (IN)	16-48
CT5640	16-49
HT70	16-48
HT740	16-48
HT740	16-49
HT750	16-48
HT750	16-49
HTB741	16-48
HTB755BR	16-48
MD6	16-48
MT40	16-47
MT640	16-47
MT643	16-47
MT644	16-47
MT650	16-49
MT653	16-49
MT654CR	16-49
R2	16-47
TC	16-48
TG602	16-47
TT2000 Series	16-47

CLARK TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
CL450	1.75"-10	2.00"	2.50"	5.06" 3.50" 5.06" 6.00" 5.98" 6.42" 6.73" 5.30"	Round Bearing Comp.Flange Round Bearing Round Bearing Round Bearing Round Bearing Round Bearing Wing Bearing	With 9"x 3"brake	141TYSB28-20X 148N-1-6081X 148TYSB28-7 148TYSB28-9A 155TYSB28-13A 155TYSB28-38A 16TYSB28-58A 58WBYS28-154
CL450	1.75"-10	2.00"	2.50"	3.63" 4.00" 4.00" 4.57" 3.81"	Easy Service Easy Service Easy Service Full Round Wing Bearing	Without brake	141TYS28-18 148DYS28-16 148TYS28-16 16NYS28-45 58WBYS28-218
CL550	1.75"-10	2.25"	2.50"	4.19" 4.28" 7.69" 7.69" 4.12" 4.13" 8.00" 8.00" 4.25" 4.81" 3.50"	Easy Service Easy Service Round Bearing Round Bearing Full Round Easy Service Round Bearing Round Bearing Wing Bearing Comp.Flange Wing Bearing		155N-4-2511 155TYS28-8 155TYSB31-7 155TYSB31-7A 16N-4-1051 16TYS28-20 16TYSB31-20 16TYSB31-20A 58WBYS28-54 5WCS28-67 72NYS28-18
CL550	1.97"-10	2.80"	2.75"	5.00" 5.28" 5.75" 4.81" 4.81"	Easy Service Easy Service Easy Service Comp.Flange Comp.Flange		155TYS31-6 16TYS31-16 17TYS31-62 5WCS31-24 5WCS31-26

(IN) Input
(OUT) Output

(C) Cast Version

CLARK TRANSMISSIONS

INDEX

	Page
CL450.....	16-51
CL550.....	16-51

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
CL450 FS3005 FS4005	1.75"-10	2.00"	2.50"	5.06" 3.50" 5.06" 6.00" 5.98" 6.42" 6.73" 5.30"	Round Bearing Comp.Flange Round Bearing Round Bearing Round Bearing Round Bearing Round Bearing Wing Bearing	With 9"x 3"brake	141TYSB28-20X 148N-1-6081X 148TYSB28-7 148TYSB28-9A 155TYSB28-13A 155TYSB28-38A 16TYSB28-58A 58WBYS28-154
CL450 FS3005 FS4005	1.75"-10	2.00"	2.50"	3.63" 4.00" 4.00" 4.57" 3.81"	Easy Service Easy Service Easy Service Full Round Wing Bearing	Without brake	141TYS28-18 148DYS28-16 148TYS28-16 16NYS28-45 58WBYS28-218
CL550 FS5005	1.75"-10	2.25"	2.50"	4.19" 4.28" 7.69" 7.69" 4.12" 4.13" 8.00" 8.00" 4.25" 4.81" 3.50"	Easy Service Easy Service Round Bearing Round Bearing Full Round Easy Service Round Bearing Round Bearing Wing Bearing Comp.Flange Wing Bearing		155N-4-2511 155TYS28-8 155TYSB31-7 155TYSB31-7A 16N-4-1051 16TYS28-20 16TYSB31-20 16TYSB31-20A 58WBYS28-54 5WCS28-67 72NYS28-18
CL550 FS5005	1.97"-10	2.80"	2.75"	5.00" 5.28" 5.75" 4.81" 4.81"	Easy Service Easy Service Easy Service Comp.Flange Comp.Flange		155TYS31-6 16TYS31-16 17TYS31-62 5WCS31-24 5WCS31-26
2 Speed 62 (OUT) 3 Speed 62 (IN) 3 Speed 65 (IN) 5 Speed 65 5 Speed 650 5 Speed 74 5 Speed 740 5 Speed 75 5-C-72 5-C-720	2.00"-10	3.00"	3.25"	4.81"	Full Round		17N-4-2131

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
FS5106A FS6005 FS6105 FS6106 FS6206A FS7206A	2.00"-38	2.13"	2.75"	4.03" 4.03" 7.56" 7.56" 4.00" 4.50" 7.87" 7.87" 5.63" 5.25" 5.25" 5.25" 7.97" 7.97" 3.94" 4.13"	Easy Service Easy Service Round Bearing Round Bearing Full Round Easy Service Round Bearing Round Bearing Full Round Full Round Easy Service Easy Service Round Bearing Round Bearing Wing Bearing Wing Bearing		148TYS32-5 155DYS32-7 155TYSB32-26 155TYSB32-26A 16N-4-6321 16TYS32-61 16TYSB32-72 16TYSB32-72A 176NYS32-6 17N-4-7301 17TYS32-66 (C) 17TYS32-73 17TYSB32-84 17TYSB32-84A 58WBYS32-44 72NYS32-250
10 Speed 1120 10 Speed 65 10 Speed 650 15 Speed 1120 2 Speed 92 3 Speed 65 (OUT) 3 Speed 92 4 Speed 75 4-A-112 4-A-86 4-A-860 5 Speed 1120 5 Speed 1220 FS8109A MT11605 (OUT) MT905 (OUT) R1150 R1160 R96 R960 RT510 RT610 RT6609 RT6610 RT8609 T11605	2.25"-10	3.00"	3.50"	5.50" 5.50" 5.75" 5.65" 5.65" 5.25" 5.25" 5.25" 5.84" 3.63" 3.63" 3.69"	Full Round Easy Service Full Round Full Round Easy Service Full Round Full Round Easy Service Easy Service Comp.Flange Comp.Flange Comp.Flange		16N-4-3321 16N-4-3321-1 16N-4-4961 176N-4-701 176N-4-761-1X 17N-4-2141 17N-4-6861 17N-4-6901-1X 18N-4-2021-1 3WCS36-25 3WCS36-3 5WCS36-112

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
T905	2.25"-10	3.00"	3.50"	5.50" 5.50" 5.75" 5.65" 5.65" 5.25" 5.25" 5.25" 5.84" 3.63" 3.63" 3.69"	Full Round Easy Service Full Round Full Round Easy Service Full Round Full Round Easy Service Easy Service Comp.Flange Comp.Flange Comp.Flange		16N-4-3321 16N-4-3321-1 16N-4-4961 176N-4-701 176N-4-761-1X 17N-4-2141 17N-4-6861 17N-4-6901-1X 18N-4-2021-1 3WCS36-25 3WCS36-3 5WCS36-112
FS8109A MT11605 (OUT) RT6609 RT6610 RT8609 T11605	2.25"-10	3.00"	3.75"	5.75" 5.65" 5.25" 5.25" 5.25" 5.84" 4.84"	Easy Service Easy Service Full Round Easy Service Easy Service Easy Service Wing Bearing		16TYS36-11A 176N-4-1101-1X 17NYS36-48A 17TYS36-48A (C) 17TYS36-55A 18TYS36-15A 92NYS36-68A
FS5106 FS6105 FS8206 T-8607	2.34"-45	3.00"	3.75"	5.75" 5.65" 5.65" 5.75" 5.75" 5.75" 3.69" 3.69"	Easy Service Easy Service Full Round Full Round Easy Service Easy Service Comp.Flange Comp.Flange		16TYS38-22A 176N-4-901-1X 176N-4-901X 17N-4-7271X 17TYS38-50A (C) 17TYS38-64A 5WCS38-28A 5WCS38-29A
MRT11609 (OUT) MRT11610 (OUT) MRT11613 (OUT) MRT11615 (OUT) RT1110 RT11109-ATR RT11509 RT11608 RT11609 RT11610 RT11613 RT11615 RT11709 RT11710 RT11715	2.50"-10	3.00"	2.94"	5.88" 4.44" 4.44" 4.75"	Full Round Wing Bearing Wing Bearing Wing Bearing		18N-4-1961 72NYS40-99 72NYS40-99A 82NYS40-28

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RT12109	2.50"-10	3.00"	2.94"	5.88"	Full Round		18N-4-1961
RT12609				4.44"	Wing Bearing		72NYS40-99
RT12610				4.44"	Wing Bearing		72NYS40-99A
RT12709				4.75"	Wing Bearing		82NYS40-28
RT12710							
RT13609							
RT13709							
RT13710							
RT613							
RT6613							
RT7608LL							
RT8608L							
RT906							
RT909							
RT910							
RT9109							
RT913							
RT915							
RT9508							
RT9509							
RT9513							
RTE12609							
RTLO1210A							
RTLO12610B							
RTLO12613B							
RTLO13610B							
RTLX12713A							
RTO11608LL							
RTO11618							
RTO11708LL							
RTO958LL							
RTT12609							
T1056AA							
T1106							
T11606							
T11607							
T955							
TA4510							

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
11600 RT11608 RT11610 RT11613 RT11615 RT11709 RT11710 RT11715 RT6613 RT909 T955	2.50"-10	3.00"	3.75"	5.15" 5.15"	RPL RPL		20WYS40-2A 25WYS40-2A
MRT11609 (OUT) MRT11610 (OUT) MRT11613 (OUT) MRT11615 (OUT) RT1110 RT11109-ATR RT11509 RT11608 RT11609 RT11610 RT11613 RT11615 RT11709 RT11710 RT11715 RT12109 RT12609 RT12610 RT12709 RT12710 RT13609 RT13709 RT13710 RT613 RT6613 RT7608LL RT8608L RT906 RT909 RT910 RT9109	2.50"-10	3.00"	3.75"	6.12" 6.12" 6.03" 6.03" 5.63" 5.63" 5.63" 5.63" 5.63" 5.63" 5.63" 5.88" 5.88" 3.63" 3.63" 3.63" 3.63" 4.31" 4.31" 4.25"	Full Round Easy Service Full Round Easy Service Full Round Easy Service Full Round Easy Service Easy Service Easy Service Easy Service Full Round Comp.Flange Comp.Flange Comp.Flange Comp.Flange Wing Bearing Wing Bearing Wing Bearing		16N-4-4971 16N-4-4971-1 176N-4-781X 176TYS40-14A 17N-4-3611 17N-4-3611-1 17N-4-6921X 17TYS40-125A (C) 17TYS40-144A 17TYS40-9 (C) 18N-4-3551-1X 18N-4-3551X 5WCS40-40 5WCS40-40A 5WCS40-41 5WCS40-41A 85WBYS40-34 85WBYS40-34A 92NYS40-40A

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RT913	2.50"-10	3.00"	3.75"	6.12"	Full Round		16N-4-4971
RT915				6.12"	Easy Service		16N-4-4971-1
RT9508				6.03"	Full Round		176N-4-781X
RT9509				6.03"	Easy Service		176TYS40-14A
RT9513				5.63"	Full Round		17N-4-3611
RTE12609				5.63"	Easy Service		17N-4-3611-1
RTLO1210A				5.63"	Full Round		17N-4-6921X
RTLO12610B				5.63"	Easy Service		17TYS40-125A (C)
RTLO12613B				5.63"	Easy Service		17TYS40-144A
RTLO13610B				5.63"	Easy Service		17TYS40-9 (C)
RTLX12713A				5.88"	Easy Service		18N-4-3551-1X
RTO11608LL				5.88"	Full Round		18N-4-3551X
RTO11618				3.63"	Comp.Flange		5WCS40-40
RTO11708LL				3.63"	Comp.Flange		5WCS40-40A
RTO958LL				3.63"	Comp.Flange		5WCS40-41
RTT12609				3.63"	Comp.Flange		5WCS40-41A
T1056AA				4.31"	Wing Bearing		85WBYS40-34
T1106				4.31"	Wing Bearing		85WBYS40-34A
T11606				4.25"	Wing Bearing		92NYS40-40A
T11607							
T955							
TA4510							
T14607	2.50"-49	3.00"	3.75"	6.03"	Easy Service		176N-4-771-1X
				6.03"	Full Round		176N-4-771X
				5.63"	Full Round		17N-4-7041X
				5.63"	Easy Service		17TYS40-131A (C)
				5.63"	Easy Service		17TYS40-143A
				5.88"	Easy Service		18N-4-3621-1X
				5.88"	Full Round		18N-4-3621X
				3.63"	Comp.Flange		5WCS40-42A
				3.63"	Comp.Flange		5WCS40-43A
				4.63"	Wing Bearing		92NYS40-39A

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RT11209 RT11210 RT12209 RT12210 RT13209 RT13210 RTO11209 RTO11210 RTO12209 RTO12210 RTO13209 RTO13210	2.54"-49	2.75"	3.75"	5.63" 6.25"	RPL RPL		20WYS40-3 25WYS40-3
T14607	2.54"-49	3.00"	3.75"	5.15" 5.18"	RPL RPL		20WYS40-4A 25WYS40-4A
4-F-1440 4-FS-1440 4-MB-1440 (OUT) 4-MS-1440 (OUT) AT1202 (OUT) R1550 RT11109-ATS RT1213 RT12509 RT12510 RT12513 RT14109 RT14608 RT14609 RT14610 RT14610B RT14613 RT14615 RT14709 RT14710 RT14715 RT15610B RT15613 RT15615 RT15715 RT16610B RTAO14710B RTLO1410A	2.75"-10	3.00"	3.75"	5.97" 5.97" 5.97" 5.97" 5.75" 5.75" 5.75" 5.75" 5.75" 6.06" 6.06" 6.06" 6.06" 6.06" 4.06" 4.06" 4.50" 4.50" 4.84"	Full Round Easy Service Easy Service Full Round Full Round Easy Service Easy Service Easy Service Full Round Easy Service Full Round Easy Service Easy Service Full Round Comp.Flange Comp.Flange Wing Bearing Wing Bearing Wing Bearing		176N-4-711 176N-4-711-1 176N-4-791-1X 176N-4-791X 17N-4-6821 17N-4-6821-1 17N-4-6931-1X 17N-4-6931X 17TYS44-7A (C) 18N-4-3491 18N-4-3491-1 18N-4-3561-1X 18N-4-3561X 5WCS44-3 5WCS44-3A 85WBYS44-1 85WBYS44-1A 92NYS44-22A

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RTLO14613B	2.75"-10	3.00"	3.75"	5.97"	Full Round		176N-4-711
RTLO14618A				5.97"	Easy Service		176N-4-711-1
RTLO16618A				5.97"	Easy Service		176N-4-791-1X
RTLX14713A				5.97"	Full Round		176N-4-791X
RTLX14718B				5.75"	Full Round		17N-4-6821
RTLX16718B				5.75"	Easy Service		17N-4-6821-1
RTO1157				5.75"	Easy Service		17N-4-6931-1X
RTO11607L				5.75"	Full Round		17N-4-6931X
RTO11607LL				5.75"	Easy Service		17TYS44-7A (C)
RTO11707LL				6.06"	Full Round		18N-4-3491
RTO1258LL				6.06"	Easy Service		18N-4-3491-1
RTO14608LL				6.06"	Easy Service		18N-4-3561-1X
RTO14708LL				6.06"	Full Round		18N-4-3561X
RTO15618				4.06"	Comp.Flange		5WCS44-3
RTO2008				4.06"	Comp.Flange		5WCS44-3A
				4.50"	Wing Bearing		85WBYS44-1
				4.50"	Wing Bearing		85WBYS44-1A
				4.84"	Wing Bearing		92NYS44-22A
AT1202 (IN)	2.75"-10	3.00"	3.75"	5.97"	Easy Service		176N-4-721-1X
				5.97"	Full Round		176N-4-721X
				5.75"	Full Round		17N-4-6841X
				5.75"	Easy Service		17TYS44-12A
				6.06"	Full Round		18N-4-3501X
				6.06"	Easy Service		18TYS44-3A
				4.84"	Wing Bearing		92NYS44-23A
RT12509	2.75"-10	3.00"	3.75"	5.09"	RPL		20WYS44-2A
RT14608				5.09"	RPL		25WYS44-2A
RT15613							
RTO11607							
RT14209	2.79"-54	2.75"	3.75"	5.63"	RPL		20WYS45
RT14210				6.25"	RPL		25WYS45
RT14915							
RT8908LL							
RTO11908LL							
RTO11909MLL							
RTO14209							
RTO14210							
RTO14908LL							
RTO14909MLL							
RTO14915							
RTO15210							
RTO16210							

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RTO16908LL	2.79"-54	2.75"	3.75"	5.63"	RPL		20WYS45
RTO16915				6.25"	RPL		25WYS45

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

INDEX

	Page		Page
10 Speed 1120.....	16-54	FS5106A.....	16-54
10 Speed 65.....	16-54	FS6005.....	16-54
10 Speed 650.....	16-54	FS6105.....	16-54
11600	16-57	FS6105.....	16-55
15 Speed 1120.....	16-54	FS6106.....	16-54
2 Speed 62 (OUT).....	16-53	FS6206A.....	16-54
2 Speed 92.....	16-54	FS7206A.....	16-54
3 Speed 62 (IN).....	16-53	FS8109A.....	16-54
3 Speed 65 (IN).....	16-53	FS8109A.....	16-55
3 Speed 65 (OUT).....	16-54	FS8206.....	16-55
3 Speed 92.....	16-54	MRT11609 (OUT).....	16-55
4 Speed 75.....	16-54	MRT11609 (OUT).....	16-57
4-A-112.....	16-54	MRT11610 (OUT).....	16-55
4-A-86.....	16-54	MRT11610 (OUT).....	16-57
4-A-860.....	16-54	MRT11613 (OUT).....	16-55
4-F-1440.....	16-59	MRT11613 (OUT).....	16-57
4-FS-1440	16-59	MRT11615 (OUT).....	16-55
4-MB-1440 (OUT)	16-59	MRT11615 (OUT).....	16-57
4-MS-1440 (OUT)	16-59	MT11605 (OUT)	16-54
5 Speed 1120.....	16-54	MT11605 (OUT)	16-55
5 Speed 1220.....	16-54	MT905 (OUT)	16-54
5 Speed 65.....	16-53	R1150	16-54
5 Speed 650.....	16-53	R1160.....	16-54
5 Speed 74.....	16-53	R1550.....	16-59
5 Speed 740.....	16-53	R96.....	16-54
5 Speed 75.....	16-53	R960.....	16-54
5-C-72	16-53	RT1110.....	16-55
5-C-720	16-53	RT1110.....	16-57
AT1202 (IN).....	16-60	RT11109-ATR	16-55
AT1202 (OUT).....	16-59	RT11109-ATR	16-57
CL450.....	16-53	RT11109-ATS	16-59
CL550.....	16-53	RT11209.....	16-59
FS3005.....	16-53	RT11210.....	16-59
FS4005.....	16-53	RT11509.....	16-55
FS5005.....	16-53	RT11509.....	16-57
FS5106.....	16-55		

FULLER TRANSMISSIONS

	Page		Page
RT11608.....	16-55	RT13709.....	16-57
RT11608.....	16-57	RT13710.....	16-56
RT11609.....	16-55	RT13710.....	16-57
RT11609.....	16-57	RT14109.....	16-59
RT11610.....	16-55	RT14209.....	16-60
RT11610.....	16-57	RT14210.....	16-60
RT11613.....	16-55	RT14608.....	16-59
RT11613.....	16-57	RT14608.....	16-60
RT11615.....	16-55	RT14609.....	16-59
RT11615.....	16-57	RT14610.....	16-59
RT11709.....	16-55	RT14610B	16-59
RT11709.....	16-57	RT14613.....	16-59
RT11710.....	16-55	RT14615.....	16-59
RT11710.....	16-57	RT14709.....	16-59
RT11715.....	16-55	RT14710.....	16-59
RT11715.....	16-57	RT14715.....	16-59
RT12109.....	16-56	RT14915.....	16-60
RT12109.....	16-57	RT15610B	16-59
RT1213.....	16-59	RT15613.....	16-59
RT12209.....	16-59	RT15613.....	16-60
RT12210.....	16-59	RT15615.....	16-59
RT12509.....	16-59	RT15715.....	16-59
RT12509.....	16-60	RT16610B	16-59
RT12510.....	16-59	RT510.....	16-54
RT12513.....	16-59	RT610.....	16-54
RT12609.....	16-56	RT613.....	16-56
RT12609.....	16-57	RT613.....	16-57
RT12610.....	16-56	RT6609.....	16-54
RT12610.....	16-57	RT6609.....	16-55
RT12709.....	16-56	RT6610.....	16-54
RT12709.....	16-57	RT6610.....	16-55
RT12710.....	16-56	RT6613.....	16-56
RT12710.....	16-57	RT6613.....	16-57
RT13209.....	16-59	RT7608LL.....	16-56
RT13210.....	16-59	RT7608LL.....	16-57
RT13609.....	16-56	RT8608L.....	16-56
RT13609.....	16-57	RT8608L.....	16-57
RT13709.....	16-56	RT8609.....	16-54

FULLER TRANSMISSIONS

Page	Page
RT8609.....16-55	RTLX14718B.....16-60
RT8908LL.....16-60	RTLX16718B.....16-60
RT906.....16-56	RTO11209.....16-59
RT906.....16-57	RTO11210.....16-59
RT909.....16-56	RTO1157.....16-60
RT909.....16-57	RTO11607.....16-60
RT910.....16-56	RTO11607L.....16-60
RT910.....16-57	RTO11607LL.....16-60
RT9109.....16-56	RTO11608LL.....16-56
RT9109.....16-57	RTO11608LL.....16-58
RT913.....16-56	RTO11618.....16-56
RT913.....16-58	RTO11618.....16-58
RT915.....16-56	RTO11707LL.....16-60
RT915.....16-58	RTO11708LL.....16-56
RT9508.....16-56	RTO11708LL.....16-58
RT9508.....16-58	RTO11908LL.....16-60
RT9509.....16-56	RTO11909MLL.....16-60
RT9509.....16-58	RTO12209.....16-59
RT9513.....16-56	RTO12210.....16-59
RT9513.....16-58	RTO1258LL.....16-60
RTAO14710B.....16-59	RTO13209.....16-59
RTE12609.....16-56	RTO13210.....16-59
RTE12609.....16-58	RTO14209.....16-60
RTLO1210A.....16-56	RTO14210.....16-60
RTLO1210A.....16-58	RTO14608LL.....16-60
RTLO12610B.....16-56	RTO14708LL.....16-60
RTLO12610B.....16-58	RTO14908LL.....16-60
RTLO12613B.....16-56	RTO14909MLL.....16-60
RTLO12613B.....16-58	RTO14915.....16-60
RTLO13610B.....16-56	RTO15210.....16-60
RTLO13610B.....16-58	RTO15618.....16-60
RTLO1410A.....16-59	RTO16210.....16-60
RTLO14613B.....16-60	RTO16908LL.....16-61
RTLO14618A.....16-60	RTO16915.....16-61
RTLO16618A.....16-60	RTO2008.....16-60
RTLX12713A.....16-56	RTO958LL.....16-56
RTLX12713A.....16-58	RTO958LL.....16-58
RTLX14713A.....16-60	RTT12609.....16-56

FULLER TRANSMISSIONS

	Page
RTT12609	16-58
T-8607	16-55
T1056AA	16-56
T1056AA	16-58
T1106	16-56
T1106	16-58
T11605	16-54
T11605	16-55
T11606	16-56
T11606	16-58
T11607	16-56
T11607	16-58
T14607	16-58
T14607	16-59
T905	16-55
T955	16-56
T955	16-57
T955	16-58
TA4510	16-56
TA4510	16-58

MERITOR TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
RM-10-115	2.50"-10	3.00"	3.75"	6.03"	Full Round	176N-4-781X
RM-10-125				6.03"	Easy Service	176TYS40-14A
RMO-10-115				5.88"	Easy Service	18N-4-3551-1X
RMO-10-125				5.88"	Full Round	18N-4-3551X
RMO-10-135				5.15"	RPL	20WYS40-2A
RMO-9-115				5.15"	RPL	25WYS40-2A
RMO-9-125						
RMX-10-115						
RMX-9-115						
RMX-9-125						
RM-10-135	2.75"-10	3.00"	3.75"	5.97"	Easy Service	176N-4-791-1X
RM-10-145				5.97"	Full Round	176N-4-791X
RM-13-145				5.75"	Easy Service	17N-4-6931-1X
RM-9-135				5.75"	Full Round	17N-4-6931X
RM-9-145				6.06"	Easy Service	18N-4-3561-1X
RM-9-155				6.06"	Full Round	18N-4-3561X
RMO-10-135				5.09"	RPL	20WYS44-2A
RMO-10-145				5.09"	RPL	25WYS44-2A
RMO-10-155				4.84"	Wing Bearing	92NYS44-22A
RMO-10-165						
RMO-13-145						
RMO-9-135						
RMO-9-145						
RMO-9-155						
RMO-9-165						
RMX-10-135						
RMX-10-145						
RMX-10-155						
RMX-10-165						
RMX-13-145						
RMX-9-135						
RMX-9-145						
RMX-9-155						
RMX-9-165						

(IN) Input
(OUT) Output

(C) Cast Version

MERITOR TRANSMISSIONS

INDEX

	Page
RM-10-115	16-66
RM-10-125	16-66
RM-10-135	16-66
RM-10-145	16-66
RM-13-145	16-66
RM-9-135	16-66
RM-9-145	16-66
RM-9-155	16-66
RMO-10-115	16-66
RMO-10-125	16-66
RMO-10-135	16-66
RMO-10-145	16-66
RMO-10-155	16-66
RMO-10-165	16-66
RMO-13-145	16-66
RMO-9-115	16-66
RMO-9-125	16-66
RMO-9-135	16-66
RMO-9-145	16-66
RMO-9-155	16-66
RMO-9-165	16-66
RMX-10-115.....	16-66
RMX-10-135.....	16-66
RMX-10-145.....	16-66
RMX-10-155.....	16-66
RMX-10-165.....	16-66
RMX-13-145.....	16-66
RMX-9-115.....	16-66
RMX-9-125.....	16-66
RMX-9-135.....	16-66
RMX-9-145.....	16-66
RMX-9-155.....	16-66
RMX-9-165.....	16-66

NEW PROCESS TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
NP435 NP540 NP542	1.50"-10	2.00"	2.13"	3.70"	Wing Bearing	Drilled	58WBYS24-7
NP435 NP540 NP542	1.50"-10	2.00"	2.13"	3.75"	Wing Bearing	Threaded	58WBYS24
NP435 NP540 NP542	1.50"-35	2.00"	2.13"	5.06" 4.13"	Easy Service Easy Service		141TYS24-6 155N-4-5381-1
D SPEC NP435 NP540 NP542	1.50"-35	2.00"	2.50"	5.06" 5.06" 5.06" 5.06"	Round Bearing Easy Service Round Bearing Round Bearing	For GMC, GMT 455	141TYSB24-6A 148NYS24-7A 148NYSB24-7A 148TYSB24-4A
NP541	1.75"-10	2.00"	2.50"	3.63" 4.00" 4.00" 4.57" 3.81"	Easy Service Easy Service Easy Service Full Round Wing Bearing	Without brake	141TYS28-18 148DYS28-16 148TYS28-16 16NYS28-45 58WBYS28-218

(IN) Input
(OUT) Output

(C) Cast Version

NEW PROCESS TRANSMISSIONS

INDEX

	Page
D SPEC	16-68
NP435	16-68
NP540	16-68
NP541	16-68
NP542	16-68

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
CL550	1.75"-10	2.25"	2.50"	4.19"	Easy Service	155N-4-2511
CM50				4.28"	Easy Service	155TYS28-8
FS5005				7.69"	Round Bearing	155TYSB31-7
SP5000				7.69"	Round Bearing	155TYSB31-7A
SP5052				4.12"	Full Round	16N-4-1051
SP5252				4.13"	Easy Service	16TYS28-20
SP5652				8.00"	Round Bearing	16TYSB31-20
SP5662				8.00"	Round Bearing	16TYSB31-20A
SP5752				4.25"	Wing Bearing	58WBYS28-54
SP5753				4.81"	Comp.Flange	5WCS28-67
SP5756				3.50"	Wing Bearing	72NYS28-18
SP5852						
SP5853						
6041 (IN and OUT)	1.97"-6	3.00"	2.75"	5.00"	Full Round	16N-4-1431
6231 (IN and OUT)				5.19"	Full Round	17N-4-3191
6241						
6440						
7041 (IN)						
7231 (IN and OUT)						
CM60	2.00"-10	3.00"	2.75"	5.19"	Full Round	16NYS32-49
SP6000				5.19"	Easy Service	16TYS32-49
SP6052				5.25"	Full Round	17NYS32-21
SP6252				5.25"	Easy Service	17TYS32-21 (C)
SP6253				5.25"	Easy Service	17TYS32-75
SP6352				4.63"	Wing Bearing	58WBYS32-39
SP6452				4.63"	Wing Bearing	72NYS32-157
SP6453				4.25"	Wing Bearing	72NYS32-172
SP6852						
SP6853						
SP7000						
SP7352						
SP7452						
SP7453						

(IN) Input
(OUT) Output

(C) Cast Version

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
5105B	2.00"-38	2.13"	2.75"	4.03"	Easy Service	148TYS32-5
5106				4.03"	Easy Service	155DYS32-7
6105A				7.56"	Round Bearing	155TYSB32-26
6105B				7.56"	Round Bearing	155TYSB32-26A
CM55				4.00"	Full Round	16N-4-6321
CM5552C				4.50"	Easy Service	16TYS32-61
CM5552D				7.87"	Round Bearing	16TYSB32-72
CM5852A				7.87"	Round Bearing	16TYSB32-72A
FS5106A				5.63"	Full Round	176NYS32-6
FS6005				5.25"	Full Round	17N-4-7301
FS6105				5.25"	Easy Service	17TYS32-66 (C)
FS6106				5.25"	Easy Service	17TYS32-73
FS6206A				7.97"	Round Bearing	17TYSB32-84
FS7206A				7.97"	Round Bearing	17TYSB32-84A
				3.94"	Wing Bearing	58WBYS32-44
				4.13"	Wing Bearing	72NYS32-250
1241 (IN)	2.22"-6	3.25"	3.00"	5.72"	Full Round	16N-4-4741
7016				6.00"	Easy Service	176TYS36-2
7041 (OUT)				5.31"	Full Round	17N-4-3031
7216				5.31"	Easy Service	17N-4-3031-1
738 (IN and OUT)				5.31"	Easy Service	17TYS36-4 (C)
8012				6.00"	Full Round	18N-4-1971
8016				6.00"	Easy Service	18N-4-1971-1
8031 (IN and OUT)				4.69"	Wing Bearing	72NYS36-51
8035				4.50"	Wing Bearing	82NYS36-63
8041				5.17"	Wing Bearing	92NYS36-41
8045						
8051						
8052						
8054						
8055						
8212						
8216						
8245						
8251						
8252						
8255						
8341 (OUT)						
8345 (OUT)						
8440						
8445						
8512						
8516						

(IN) Input
(OUT) Output

(C) Cast Version

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
8542	2.22"-6	3.25"	3.00"	5.72"	Full Round	16N-4-4741
8545				6.00"	Easy Service	176TYS36-2
8553				5.31"	Full Round	17N-4-3031
8554				5.31"	Easy Service	17N-4-3031-1
8555				5.31"	Easy Service	17TYS36-4 (C)
8716				6.00"	Full Round	18N-4-1971
8742				6.00"	Easy Service	18N-4-1971-1
8744				4.69"	Wing Bearing	72NYS36-51
8753				4.50"	Wing Bearing	82NYS36-63
8755				5.17"	Wing Bearing	92NYS36-41
SP8000						
8341 (IN)	2.22"-6	3.25"	3.00"	6.00"	Full Round	176N-4-171X
8345 (IN)				6.00"	Easy Service	176TYS36-2A
				5.31"	Full Round	17N-4-3041X
				5.31"	Easy Service	17TYS36-54A
SST1006	2.25"-10	2.25"	3.12"	5.25"	Easy Service	176N-4-41-1
SST1007						
SST1020						
SST1207						
SST1211						
SST1212						
SST1214						
SST1272						
SST1274-A						
SST1310						
SST1352						
SST1362						
SST1372						
SST1412						
SST1414						
SST1420-3A						
SST1452						
SST1453						
SST1463						
SST9072						

(IN) Input
(OUT) Output

(C) Cast Version

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SST1010 SST1052 SST1062 SST1064 SST1252 SST1253 SST1254 SST1262 SST1263 SST1264 SST1265	2.34"-16	2.75"	2.81"	5.19" 5.56" 4.19"	Full Round Full Round Wing Bearing	17N-4-5341 18N-4-3011 92NYS38-45
PS125-7B PS140-7A PS97-7A	2.50"-49	2.75"	3.06"	5.56" 5.56" 5.19" 5.19" 5.56" 5.56" 4.25"	Full Round Easy Service Full Round Easy Service Full Round Easy Service Wing Bearing	176N-4-1251 176N-4-1251-1 17N-4-7691 17N-4-7691-1 18N-4-3821 18N-4-3821-1 92NYS40-41
1241 (IN)	2.63"-20	2.75"	3.00"	5.56" 5.56" 5.19" 5.19" 5.56" 5.56" 4.25" 4.25"	Easy Service Full Round Full Round Easy Service Full Round Easy Service Wing Bearing Wing Bearing	176N-4-871-1X 176N-4-871X 17N-4-7071X 17TYS42-5A 18N-4-3541 18N-4-3541-1X 92NYS42-18 92NYS42-18A
SST1006 SST1007 SST1020 SST1207 SST1211 SST1212 SST1214 SST1272 SST1274-A SST1310 SST1352 SST1362 SST1372 SST1412 SST1414 SST1420-3A SST1452	2.63"-20	2.75"	3.00"	5.56" 5.56"	Full Round Full Round	176N-4-41 18N-4-3021

(IN) Input
(OUT) Output

(C) Cast Version

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SST1453 SST1463 SST9072	2.63"-20	2.75"	3.00"	5.56" 5.56"	Full Round Full Round	176N-4-41 18N-4-3021
SST1006 SST1007 SST1020 SST1207 SST1211 SST1212 SST1214 SST1272 SST1274-A SST1310 SST1352 SST1362 SST1372 SST1412 SST1414 SST1420-3A SST1452 SST1453 SST1463 SST9072	2.63"-20	2.75"	3.75"	5.56" 5.19" 5.19" 5.19" 5.56" 4.25"	Easy Service Full Round Easy Service Easy Service Easy Service Wing Bearing	16TYS42 17N-4-5351 17TYS42-1 (C) 17TYS42-4 18N-4-3031-1 92NYS42-14
1241C (OUT) 1241D (OUT) P1241C (OUT) P1241D (OUT)	2.75"-10	2.94"	3.38"	6.00" 6.00" 5.31" 5.31" 5.31" 6.00" 6.00" 4.38"	Full Round Easy Service Full Round Easy Service Easy Service Full Round Easy Service Wing Bearing	176N-4-61 176N-4-61-1 17N-4-4651 17TYS44-11 17TYS44-5 (C) 18N-4-2171 18N-4-2171-1 92NYS44-18

(IN) Input
(OUT) Output

(C) Cast Version

SPICER TRANSMISSIONS

INDEX

	Page		Page
1241 (IN)	16-71	8345 (IN)	16-72
1241 (IN)	16-73	8345 (OUT)	16-71
1241C (OUT).....	16-74	8440.....	16-71
1241D (OUT).....	16-74	8445.....	16-71
5105B	16-71	8512.....	16-71
5106	16-71	8516.....	16-71
6041 (IN and OUT).....	16-70	8542.....	16-72
6105A.....	16-71	8545.....	16-72
6105B	16-71	8553.....	16-72
6231 (IN and OUT).....	16-70	8554.....	16-72
6241	16-70	8555.....	16-72
6440	16-70	8716.....	16-72
7016	16-71	8742.....	16-72
7041 (IN)	16-70	8744.....	16-72
7041 (OUT)	16-71	8753.....	16-72
7216	16-71	8755.....	16-72
7231 (IN and OUT).....	16-70	CL550	16-70
738 (IN and OUT).....	16-71	CM50	16-70
8012	16-71	CM55	16-71
8016	16-71	CM5552C	16-71
8031 (IN and OUT).....	16-71	CM5552D	16-71
8035	16-71	CM5852A	16-71
8041	16-71	CM60	16-70
8045	16-71	FS5005.....	16-70
8051	16-71	FS5106A	16-71
8052	16-71	FS6005.....	16-71
8054	16-71	FS6105.....	16-71
8055	16-71	FS6106.....	16-71
8212	16-71	FS6206A	16-71
8216	16-71	FS7206A	16-71
8245	16-71	P1241C (OUT)	16-74
8251	16-71	P1241D (OUT)	16-74
8252	16-71	PS125-7B.....	16-73
8255	16-71	PS140-7A.....	16-73
8341 (IN)	16-72	PS97-7A.....	16-73
8341 (OUT)	16-71		

SPICER TRANSMISSIONS

Page	Page
SP5000.....16-70	SST1207.....16-73
SP5052.....16-70	SST1207.....16-74
SP5252.....16-70	SST1211.....16-72
SP5652.....16-70	SST1211.....16-73
SP5662.....16-70	SST1211.....16-74
SP5752.....16-70	SST1212.....16-72
SP5753.....16-70	SST1212.....16-73
SP5756.....16-70	SST1212.....16-74
SP5852.....16-70	SST1214.....16-72
SP5853.....16-70	SST1214.....16-73
SP6000.....16-70	SST1214.....16-74
SP6052.....16-70	SST1252.....16-73
SP6252.....16-70	SST1253.....16-73
SP6253.....16-70	SST1254.....16-73
SP6352.....16-70	SST1262.....16-73
SP6452.....16-70	SST1263.....16-73
SP6453.....16-70	SST1264.....16-73
SP6852.....16-70	SST1265.....16-73
SP6853.....16-70	SST1272.....16-72
SP7000.....16-70	SST1272.....16-73
SP7352.....16-70	SST1272.....16-74
SP7452.....16-70	SST1274-A.....16-72
SP7453.....16-70	SST1274-A.....16-73
SP8000.....16-72	SST1274-A.....16-74
SST100616-72	SST1310.....16-72
SST100616-73	SST1310.....16-73
SST100616-74	SST1310.....16-74
SST100716-72	SST1352.....16-72
SST100716-73	SST1352.....16-73
SST100716-74	SST1352.....16-74
SST101016-73	SST1362.....16-72
SST102016-72	SST1362.....16-73
SST102016-73	SST1362.....16-74
SST102016-74	SST1372.....16-72
SST105216-73	SST1372.....16-73
SST106216-73	SST1372.....16-74
SST106416-73	SST1412.....16-72
SST120716-72	SST1412.....16-73

SPICER TRANSMISSIONS

Page

SST1412 16-74

SST1414 16-72

SST1414 16-73

SST1414 16-74

SST1420-3A..... 16-72

SST1420-3A..... 16-73

SST1420-3A..... 16-74

SST1452 16-72

SST1452 16-73

SST1452 16-74

SST1453 16-72

SST1453 16-74

SST1463 16-72

SST1463 16-74

SST9072 16-72

SST9072 16-74

NOTES

SUPERCESSION LISTING

Old Number	New Number
10N-1075XS	R1075XS
10N-10V5	R10V5
10N-2701SF	R10270-SF
10N-2702SF	R10270-SF
10N-UTP-175-3	RUTP1753
121N-3-0686X	121N-3-686X
126NLS18DC	No Longer Available
131N-26-367	131N-26-497
131N-26-427	131N-26-367
131N-28-1747X	131N-28-2957X
131N-28-1777X	131N-28-2947X
131N-28-1937X	131N-28-2977X
131N-3-4951	131N-3-7981
131N-3-4951KX	131N-3-7981KX
131N-3-4951X	131N-3-7981KX
131N-3-5221	131N-3-8001
131N-3-5221KX	131N-3-8001KX
131N-3-5821	131N-3-8021
131N-3-5821KX	131N-3-8021KX
131N-3-6061	131N-3-6061KX
131N-40-1221-1	No Longer Available
131N-40-138	131N-40-138-2
131N-83-188-1X	No Longer Available
131NF3	No Longer Available
131NLS20-3DC	No Longer Available
131NLS20-6DC	No Longer Available
131NLS20DC	No Longer Available
131NLS24DC	No Longer Available
131NY16	No Longer Available
131NY30	No Longer Available
131NY38-1	No Longer Available
131NY46	No Longer Available
131NY46-1	No Longer Available
131NY54	No Longer Available
131NY54-2	No Longer Available
133N-3-4681	133N-3-7961
133N-3-4681KX	133N-3-7961KX
133N-3-7481	133N-3-8041
133N-3-7481KX	133N-3-8041KX
133N-3-7961X	No Longer Available
133N-3-8041	133N-3-8041KX
135N-3-1501X	No Longer Available
135N-3-2471X	No Longer Available
135N-3-488X	No Longer Available
135N-3-598X	No Longer Available
135N-40-1011	135N-40-1101
135N-4-283K	No Longer Available
135N-53-151	135N-53-1351
135NF4	No Longer Available
135NLS22-3DC	No Longer Available
135NLS22DC	No Longer Available
135NY46	No Longer Available
135NY54	No Longer Available
135NY54-2	No Longer Available
135NYS26	No Longer Available
141DYS22A	No Longer Available
141DYS24-2A	No Longer Available

Old Number	New Number
141DYS28A	No Longer Available
141N-2-549	No Longer Available
141N-3-118X	No Longer Available
141N-3-1481X	No Longer Available
141N-3-2041X	No Longer Available
141N-3-508	141N-3-508KX
141N-3-508X	No Longer Available
141N-3-788X	No Longer Available
141N-4-2241X	No Longer Available
141N-53-1071	No Longer Available
141N-53-1131	No Longer Available
141N-53-161	No Longer Available
141N-53-611	No Longer Available
141NF1	141N-2-159
141NF2	141N-2-549
141NLS24-3DC	141N-3-2041KX
141NLS24-6DC	No Longer Available
141NLS24-9DC	141N-3-118KX
141NLS24DC	No Longer Available
141NY42	No Longer Available
141NY45	No Longer Available
141NY45-1	No Longer Available
141NY45-3	No Longer Available
141NY54	No Longer Available
141NY54-1	No Longer Available
141NY54-2	No Longer Available
141NYS22-1	No Longer Available
141NYS22-1A	No Longer Available
141NYS22A	No Longer Available
141NYS22A1	No Longer Available
141NYS24-1	141N-4-6561
141NYS24-2	141TYSB24-6
141NYS24A	No Longer Available
141NYS24A4	No Longer Available
141NYS28-14A	141DYS28A
141NYS28-4	141NYSB28-4
141NYS28A	No Longer Available
141NYSB22-8	141TYSB22-11
141NYSB24-2	141TYSB24-6
141NYSB29	No Longer Available
141NYSB29A1	No Longer Available
141TYS28-17	No Longer Available
141TYSB22-13A	141TYSB22-18A
141TYSB22-15A	141TYSB22-11A
141TYSB22-19	141TYSB22-11
141TYSB22-19A	141TYSB22-11A
148DYS24	No Longer Available
148DYS24-2	148N-4-3781
148N-3-1641X	No Longer Available
148N-3-1661KX	No Longer Available
148N-40-971	148N-40-1571
148N-4-3541	No Longer Available
148N-4-4051	No Longer Available
148N-4-7541	148TYS28A
148N-4-8961X	No Longer Available
148N-53-241	No Longer Available
148N-53-291	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
148NF17	No Longer Available
148NF2	148N-2-479
148NF3	148N-2-479
148NF4	No Longer Available
148NLS25-15A	No Longer Available
148NLS25-8A	No Longer Available
148NLS25-9A	No Longer Available
148NLS25-9A1	No Longer Available
148NLS25DC	148NLS25-9A
148NLS25DC1	148NLS25-9A1
148NLS26-3DC	No Longer Available
148NLS26DC	No Longer Available
148NLS32DC	No Longer Available
148NY54	148N-28-547
148NY54-2	148N-28-537
148NY54-7	148N-28-537
148NY62-1	No Longer Available
148NYS22-4	No Longer Available
148NYS22-4A	No Longer Available
148NYS24-11	No Longer Available
148NYS24-4	148N-4-3091
148NYS26-3	No Longer Available
148NYS28-14	No Longer Available
148NYS28-15	No Longer Available
148NYS28-17	148NYSB28-17
148NYS28-36A	148N-4-10471-1X
148NYS28-9A	No Longer Available
148NYS28-9A1	No Longer Available
148NYS29-1A	No Longer Available
148NYS29A	148NYSB29
148NYS31-7	148N-4-3861
148NYS32-10A	No Longer Available
148NYS32-4A	No Longer Available
148NYS32-8	148NYS32-9
148NYS32-8A	No Longer Available
148NYS32-9A	No Longer Available
148NYS34	No Longer Available
148NYSB24-7	No Longer Available
148NYSB28-26	No Longer Available
148NYSB28-34	No Longer Available
148NYSB32-5A	148TYSB32-2A
148TYS28-19A	No Longer Available
148TYS32-6A	No Longer Available
148TYSB22-3A	No Longer Available
148TYSB28-11	No Longer Available
148TYSB28-20	No Longer Available
148TYSB28-20A	No Longer Available
148TYSB28-40A	No Longer Available
148TYSB28-9	No Longer Available
148TYSB28-9A	No Longer Available
148TYSB32-16	No Longer Available
148TYSB32-16A	No Longer Available
14TYS22-8	No Longer Available
14TYS22-8A	No Longer Available
155DYS24	No Longer Available
155DYS24-2A	No Longer Available
155DYS28-1	No Longer Available

Old Number	New Number
155DYS29A	No Longer Available
155N170-2	No Longer Available
155N-2-699	155NF7
155N-28-277	No Longer Available
155N-28-307	155NY53-4
155N-3-1241KX	No Longer Available
155N-40-461	155N-40-761
155N-40-761	No Longer Available
155N-4-2521	No Longer Available
155N-4-2801-1X	No Longer Available
155N-4-3911-1	No Longer Available
155N-4-4071X	No Longer Available
155N-4-4111-1X	155TYS28-1A
155N-4-4241	No Longer Available
155N-4-4351-1X	No Longer Available
155N-4-5431-1X	No Longer Available
155N-4-5691-1X	155N-4-6831-1X
155N-4-5691X	155N-4-6831-1X
155N-53-261	BSS24-60A
155N-53-271	No Longer Available
155NF2	155N-2-669
155NF3	No Longer Available
155NF7	No Longer Available
155NLS28	155N-3-1241X
155NLS28-10DC	No Longer Available
155NLS28-15A	155N-3-1241X
155NLS28-15A1	No Longer Available
155NLS28-20A	No Longer Available
155NLS28-3DC	155NLS28-20A
155NLS28-6DC	No Longer Available
155NLS28DC	155N-3-1241X
155NLS28DC1	155NLS28-15A1
155NY52-3	No Longer Available
155NY53	No Longer Available
155NY53-10	No Longer Available
155NY53-4	155N-28-307
155NY54	No Longer Available
155NY62	155N-28-277
155NYS24-1	155N-4-2051
155NYS24-9A	155DYS24-2A
155NYS28-3	155N-4-2041
155NYS28-4	No Longer Available
155NYS32	No Longer Available
155NYS32-16	No Longer Available
155NYS34	No Longer Available
155NYSB28-14	No Longer Available
155NYSB29-2A	No Longer Available
155NYSB31-8	No Longer Available
155NYSB31-9	No Longer Available
155NYSB32-13A	155TYSB32-13A
155NYSB32-4	155TYSB32-13
155RLS28-1	155RLS28-1A1S
155TYS22A	155N-4-5451-1X
155TYS24	155N-4-4211-1
155TYS24-2	155N-4-2731-1
155TYS24-2A	155N-4-4351-1X
155TYS24-3	155N-4-5381-1

SUPERCESSION LISTING

Old Number	New Number
155TYS28-15	155N-4-5551-1
155TYS28-15A	155N-4-5611-1X
155TYS28-3	No Longer Available
155TYS28-5A	155N-4-3581-1X
155TYS29A	155N-4-4801-1X
155TYS31-2	No Longer Available
155TYS31-2A	No Longer Available
155TYS32-12	155TYS32-23
155TYS32-14A	155N-4-6831-1X
155TYS32-16A	No Longer Available
155TYS32-2A1	No Longer Available
155TYS32-30	No Longer Available
155TYS32-8	No Longer Available
155TYS32-8A	No Longer Available
155TYS32-8A1	No Longer Available
155TYS34	No Longer Available
155TYS34-2A	No Longer Available
155TYS34-2A1	No Longer Available
155TYS34A	155N-4-5431-1X
155TYSB28-13	No Longer Available
159TYS32-1A	A3260S1657
1610BL	1199-N-1860
1612B	1199-X-1870
1613C	No Longer Available
1641B	1199-B-2576
16N-28-667	16N-28-887
16N-40-471	No Longer Available
16N-40-481	No Longer Available
16N-40-501	No Longer Available
16N-40-511	No Longer Available
16N-40-671	No Longer Available
16N-40-741	16N-40-1011
16N-4-1521	No Longer Available
16N-4-2401	No Longer Available
16N-4-3801	No Longer Available
16N-4-4741	16NYS36-7
16N-4-4761	16N-4-4761X
16N-4-4891X	16N-4-6251
16N-4-4971-1	No Longer Available
16N-4-5031-1	No Longer Available
16N-4-5451X	16N-4-6961X
16N-82-751-12	No Longer Available
16NF1	16N-2-279
16NF3	16N-2-629
16NLS32-20DC	No Longer Available
16NLS32-28CA	16N-3-2261X
16NLS32-2DC	16N-3-288X
16NLS32-33A	No Longer Available
16NLS32-47A	16NLS32-47A1
16NLS32-47CA	16NLS32-47A1
16NLS32-8	16N-3-2261X
16NYS26-2	No Longer Available
16NYS28-1	No Longer Available
16NYS28-12	16N-4-4571
16NYS28-13A	16N-4-5621X
16NYS28-20	16N-4-1051
16NYS28-26	16N-4-4481

Old Number	New Number
16NYS28-34	16N-4-6251
16NYS28-35	16N-4-6261
16NYS28-38	16NYS28-59
16NYS28-39	16NYS28-60
16NYS28-43A	16N-4-7301X
16NYS28-54	16NYS28-59
16NYS28-8A	16N-4-4841X
16NYS30-1A	Contact Specs
16NYS31-3	16N-4-4541
16NYS31-8	No Longer Available
16NYS31-9	16N-4-4551
16NYS32-13	16N-4-5461
16NYS32-15	16N-4-5721
16NYS32-1A1	16N-4-5131X
16NYS32-26	No Longer Available
16NYS32-26A	No Longer Available
16NYS32-32A	16N-4-6281X
16NYS32-33A	16N-4-6291X
16NYS32-33A1	No Longer Available
16NYS32-34	16NYS32-43
16NYS32-37	16N-4-5981
16NYS32-38A	16NYS32-74A
16NYS32-48	16N-4-6321
16NYS32-5	16N-4-5421
16NYS32-51	No Longer Available
16NYS32-76A	16N-4-6291X
16NYS32-9	16N-4-5441
16NYS34	16N-4-5731
16NYS34-3	16N-4-5751
16NYS34-7	16N-4-5031
16NYS34-9A	16NYS34-9A1
16NYS36-4	16N-4-3321
16NYS36A	16N-4-6891X
16NYSM32-19	No Longer Available
16NYSM32-20	No Longer Available
16TYS28-13	16N-4-5571-1
16TYS28-21	16N-4-1721-1
16TYS28-8A	16N-4-4841-1X
16TYS32-32	16N-4-6271-1
16TYS32-33	16TYS32-76
16TYS32-33A	16TYS32-76A
16TYS32-60A	16TYS32-86A
16TYS32-60A1	16N-4-6431-1X
16TYS32-61	16N-4-6321-1
16TYS32-86	16N-4-6421-1
16TYS38-1	16N-4-4861-1
16TYS38-8A	16N-4-7341-1X
170N-4-651-1X	170TYS32-2A
176N-4-101	176N-4-211X
176N-4-1031-1	176TYS38-27
176N-4-1041-1X	176TYS38-27A
176N-4-11	176N-4-791X
176N-4-221X	No Longer Available
176N-4-241X	No Longer Available
176N-4-321	176N-4-1421
176N-4-41	No Longer Available
176N-4-711-1	176TYS44-4

SUPERCESSION LISTING

Old Number	New Number
176NLS40-2	176N-3-21X
176NLS40-4DC	176N-3-41X
176NLS40-7A	176N-3-21X
176NLS40-9	176N-3-41X
176NLS40-9A	176N-3-41X
176NY60-1	176N-28-17
176NYS32-1A	176N-4-181X
176NYS32-3	176N-4-531
176NYS32-3A	176N-4-541X
176NYS36-5A	176N-4-331X
176NYS38-11	176N-4-391
176NYS38-13A	176N-4-861X
176NYS38-16A	176N-4-851X
176NYS38-20A	176N-4-1161X
176NYS38-20A1	176N-4-1161X
176NYS38-3A	176N-4-211X
176NYS38-4	176N-4-161
176NYS38-4A	176N-4-161
176NYS38-6	176N-4-441
176NYS38-8	176N-4-381
176NYS39-1A	176N-4-241X
176NYS40-14A	176N-4-781X
176NYS42-1	176N-4-41
176NYS42-2A	176N-4-871X
176NYS44-4A	176N-4-791X
176NYSC38-26	176N-4-821
176NYSC38-4	176N-4-161
176TYS32-3A	176N-4-541-1X
176TYS36-5A	176N-4-331-1X
176TYS38-13A	176N-4-861-1X
176TYS38-14A	176TYS38-27A
176TYS38-20	176N-4-1151-1
176TYS38-20A	176N-4-1161-1X
176TYS38-3	176N-4-211-1X
176TYS38-3A	176N-4-211-1X
176TYS38-4	176N-4-161-1
176TYS38-4A	176TYSC38-4A
176TYS38-5	176N-4-271-1
176TYS40-14	176N-4-651-1
176TYS40-14A	176N-4-781-1X
176TYS40-17A	176N-4-771-1X
176TYS40-20	176N-4-1251-1
176TYS44-4A	176N-4-791-1X
176TYS45	176N-4-1681-1
176TYSC38-26	176N-4-821-1
1792B	1199-T-2854
17N-1-4631X	No Longer Available
17N-1-5631X	No Longer Available
17N-15-93	No Longer Available
17N-16-53	No Longer Available
17N-16-93	No Longer Available
17N-2-749	17NF1
17N-28-367	17NY60-15
17N-28-427	No Longer Available
17N-3-1501X	No Longer Available
17N-3-1521X	No Longer Available
17N-3-1541X	No Longer Available

Old Number	New Number
17N-3-2241X	17N-3-2631X
17N-3-2261X	17N-3-2651X
17N-3-2341X	17N-3-2671X
17N-3-2551X	17N-3-2401X
17N-40-161	No Longer Available
17N-40-181	No Longer Available
17N-40-311	No Longer Available
17N-40-401	17N-40-541
17N-40-451	17N-40-521
17N-40-51	No Longer Available
17N-40-61	No Longer Available
17N-4-1981-1	17TYSC31-54
17N-4-2021	17N-4-3481
17N-42-1081	No Longer Available
17N-4-3121	17N-4-3291
17N-4-3141	No Longer Available
17N-4-3181	17N-4-4721
17N-4-3191	No Longer Available
17N-4-3371	17N-4-4721
17N-4-4121	17NYS36-19
17N-4-4191X	17N-4-4411X
17N-4-4881	17N-4-6321
17N-4-4911X	17N-4-6321
17N-4-4981X	17NYS32-99
17N-4-5041	17N-4-5041X
17N-4-5051X	17NYS32-100
17N-4-5101X	17N-4-6411X
17N-4-5121X	17N-4-6331
17N-4-5511X	17N-4-6871X
17N-4-5531X	17N-4-6951X
17N-4-5551X	17N-4-6941X
17N-4-5591	17N-4-6841X
17N-4-5961-1X	No Longer Available
17N-4-6001-1X	No Longer Available
17N-4-6001X	17N-4-8531X
17N-4-6371	17NYS32-99
17N-4-6371-1	17TYS32-99
17N-4-6381X	17NYS32-99A
17N-4-6391-1X	17TYS32-99A
17N-4-6401	17NYS32-100
17N-4-6401-1	17N-4-7621-1
17N-4-6421X	17NYS32-100A
17N-4-6611	17N-4-6921X
17N-4-7041X	No Longer Available
17N-4-7161-1	17TYS38-76
17N-4-7181-1X	17TYS38-76A
17N-4-7301-1	17TYS32-73
17N-54-251	No Longer Available
17N-82-1061-1	Contact Specs
17N-82-1061-13	17NYSM40-162
17N-82-1061-2	Contact Specs
17N-82-1091-1	17N-82-1091-13
17N-82-1091-1	17N-82-1091-13
17N-82-1091-10	No Longer Available
17N-82-1091-11	No Longer Available
17N-82-1091-12	17N-82-1171-2
17N-82-1091-3	17NYSM40-171

SUPERCESSION LISTING

Old Number	New Number
17N-82-1091-4	17N-82-1171-5
17N-82-1091-8	No Longer Available
17N-82-1091-9	No Longer Available
17N-82-1191-1	17NYSM40-169
17N-82-1231	17NYSM40-127
17N-82-741	No Longer Available
17N-82-971-1X	17N-82-1061-3
17NF2	17N-2-739
17NF23	17NF28
17NLS40-103A	17NLS40-121A
17NLS40-109A	17N-3-2651X
17NLS40-112A	Contact Specs
17NLS40-120A	17N-3-2401X
17NLS40-24DC	No Longer Available
17NLS40-40	17NLS40-40DC
17NLS40-42	17N-3-2671X
17NLS40-43	17N-3-2651X
17NLS40-43DC	17N-3-2651X
17NLS40-47	17NLS40-47CA
17NLS40-47DC	17NLS40-47CA
17NLS40-49	17NLS40-49DC
17NLS40-50	17NLS40-98CA
17NLS40-50DC	17NLS40-98CA
17NLS40-56DC	17NLS40-121A
17NLS40-72DC	17N-3-2401X
17NLS40-86DC	17N-3-2571X
17NLS40-90	Contact Specs
17NLS40-90DC	Contact Specs
17NLS40-97A	17N-3-2671X
17NLS40-98A	17NLS40-98CA
17NLS40-98C	17NLS40-98CA
17NLS40-99A	17N-3-2761X
17NLS40DC	17N-3-1501X
17NS40-97CKT	17NNA003
17NY52	No Longer Available
17NY58	No Longer Available
17NY60	17N-28-347
17NY60-12	17N-28-347
17NY60-14	17NY60-15
17NY60-3	17N-28-347
17NY60-7	17N-28-347
17NY60-8	17N-28-427
17NY68	No Longer Available
17NYS28-15	17N-4-4311
17NYS28-2A1	17N-4-4831X
17NYS28-46A	17N-4-5041X
17NYS28-49	17N-4-6321
17NYS28-49A	17N-4-5111X
17NYS28-50A	17N-4-5131X
17NYS28-51	17N-4-6481
17NYS28-52	17N-4-6451
17NYS28-65	17N-4-6451
17NYS28-65A	17N-4-8521X
17NYS28-66	17N-4-6481
17NYS31-19	17N-4-4371
17NYS31A	17N-4-4361X
17NYS32	17N-4-3241

Old Number	New Number
17NYS32-10	17N-4-2191
17NYS32-3A	No Longer Available
17NYS32-40	17N-4-5501
17NYS32-41	17N-4-5521
17NYS32-41A3	17N-4-6951X
17NYS32-44	17N-4-7141
17NYS32-48	17N-4-5781
17NYS32-52	17NYS32-60
17NYS32-55A	17N-4-6411X
17NYS32-55A1	17NYS32-100A
17NYS32-55A3	17NYS32-100A2
17NYS32-56	17NYS32-99
17NYS32-56A	17NYS32-99A
17NYS32-56A3	17NYS32-99A3
17NYS32-57	17N-4-5991
17NYS32-57A	17N-4-8531X
17NYS32-58	17N-4-6011
17NYS32-58A	17N-4-6021X
17NYS32-59	17N-4-6201
17NYS32-63	No Longer Available
17NYS32-63A	No Longer Available
17NYS32-85A	17N-4-8531X
17NYS32-86A	17N-4-6021X
17NYS32-90A	17N-4-9041X
17NYS32-95	17NYS32-99
17NYS32-96A	17NYS32-100A
17NYS32-96A2	17NYS32-100A2
17NYS33-3	17N-4-3791
17NYS34-11	17N-4-5821
17NYS34-14A	17N-4-7321X
17NYS34-18	17N-4-7541
17NYS34-18A	17NYS34-18A1
17NYS34-19A	17NYS34-19A1
17NYS36-2	17N-4-2441
17NYS36-22	17N-4-4341
17NYS36-40A	17N-4-8551X
17NYS36-5	17N-4-1971
17NYS36-60A	17N-4-8551X
17NYS38-15	17N-4-5341
17NYS38-16	17N-4-5801
17NYS38-17A	17N-4-5961X
17NYS38-18	17NYS38-63
17NYS38-18A	17N-4-7851X
17NYS38-22	17N-4-4561
17NYS38-24	17N-4-5841
17NYS38-28	17N-4-6601
17NYS38-29	17N-4-5841
17NYS38-31A	17N-4-6961X
17NYS38-32	17N-4-7161
17NYS38-32A	17N-4-7181X
17NYS38-35A	17NYS38-61A
17NYS38-63A	17N-4-7851X
17NYS38-8	17N-4-4601
17NYS38-8A	17N-4-5071X
17NYS39-2	No Longer Available
17NYS40-107	No Longer Available
17NYS40-125A	17N-4-6921X

SUPERCESSION LISTING

Old Number	New Number
17NYS40-128	17N-4-4421
17NYS40-13	17N-4-4421
17NYS44-6A	17N-4-6841X
17NYS44-7	17N-4-6821
17NYS44-7A	17N-4-6931X
17NYS51	No Longer Available
17NYSM40-102	No Longer Available
17NYSM40-104	17NYSM40-173
17NYSM40-116	17NYSM40-169
17NYSM40-120	17NYSM40-170
17NYSM40-123	17NYSM40-171
17NYSM40-155	17N-82-1061-3
17NYSM40-156	Contact Specs
17NYSM40-158	17NYSM40-169
17NYSM40-33	Contact Specs
17NYSM40-40	No Longer Available
17NYSM40-41	Contact Specs
17NYSM40-42	Contact Specs
17NYSM40-46	17N-82-741
17NYSM40-47	No Longer Available
17NYSM40-50	17N-82-1171-1
17NYSM40-54	Contact Specs
17NYSM40-56	17N-82-1061-3
17NYSM40-58	17N-82-1171-2
17NYSM40-59	17N-82-1091-8
17NYSM40-60	17N-82-1091-2
17NYSM40-61	No Longer Available
17NYSM40-62	Contact Specs
17NYSM40-63	17N-82-1091-11
17NYSM40-64	17N-82-1171-1
17NYSM40-65	17N-82-1171-12
17NYSM40-68	Contact Specs
17NYSM40-71	17NYSM40-169
17NYSM40-79	17N-82-1171-5
17NYSM40-80	Contact Specs
17NYSM40-81	17N-82-1171-2
17NYSM40-82	17N-82-1061-5
17NYSM40-84	17N-82-1091-13
17NYSM40-85	Contact Specs
17NYSM40-86	17NYSM40-169
17NYSM40-88	17N-82-1171-5
17NYSM40-89	17N-82-1211
17NYSM40-91	17N-82-1061-4
17NYSM40-94	17N-82-1061-9
17NYSM40-95	17N-82-1061-8
17SYS36-1A1	17TYS36-50
17TYS28-62	17N-4-5041-1
17TYS31-54	17TYS31-54
17TYS31-61A	17TYS31-66A
17TYS31-66A	KIT-1646
17TYS32-100	17N-4-7621-1
17TYS32-100A	17N-4-7641-1X
17TYS32-56	17TYS32-99
17TYS32-56A1	17TYS32-99A
17TYS32-66	17TYS32-73
17TYS32-68	17N-4-7621-1
17TYS32-68A	17N-4-7641-1X

Old Number	New Number
17TYS32-68A1	17N-4-7631-1X
17TYS32-70	17N-4-6951-1X
17TYS32-70A1	17N-4-6951-1X
17TYS32-71	17N-4-7141-1
17TYS32-89A	17N-4-6001-1X
17TYS32-93A	17N-4-8991-1X
17TYS32-95	17TYS32-99
17TYS32-95A	17TYS32-99A
17TYS32-96A	Contact Specs
17TYS36-50	17N-4-1991-1
17TYS36-51A	17N-4-6041-1X
17TYS36-53	17N-4-6861-1
17TYS36-56A	17N-4-6901-1X
17TYS36-59A	No Longer Available
17TYS38-31A	17N-4-6961-1X
17TYS38-52A	17N-4-5461-1X
17TYS38-53A	17N-4-6961-1X
17TYS38-54A	17TYS38-76A
17TYS38-55	17N-4-4771-1
17TYS38-56	17N-4-4601-1
17TYS38-57	17N-4-4561-1
17TYS38-60A	17N-4-7531-1X
17TYS38-72A	17TYS38-75A
17TYS40-144A	17N-4-6921-1X
17TYS42-4	17N-4-5351-1
17TYS44-10A	17N-4-6931-1X
17TYSB35-2A	No Longer Available
17TYS32-71	17N-4-7141-1
18N-1-211	No Longer Available
18N-1-81	No Longer Available
18N-27-9-5013X	No Longer Available
18N-40-151	18N-40-201
18N-40-161	18N-40-191
18N-4-1901	No Longer Available
18N-4-2101	18NYS40-5
18N-4-2251	No Longer Available
18N-4-2481X	18N-4-3371
18N-4-2491X	18N-4-3381X
18N-4-2531-1X	No Longer Available
18N-4-2651	18N-4-3201
18N-4-2751	18NYS44-3
18N-4-3171X	18N-4-3571X
18N-4-3721	18NYS38-27
18N-4-3721-1	18TYS38-27
18N-4-3731-1X	18TYS38-27A
18NF1	No Longer Available
18NLS48-10	18N-3-1431X
18NLS48-10DC	18N-3-1431X
18NLS48-13	18NLS48-13A
18NLS48-13DC	18NLS48-13A
18NLS48-16C	18N-3-1351X
18NLS48-5DC	18N-3-1371X
18NLS48-7DC	18N-3-1431X
18NY64	18N-28-127
18NY64-1	18N-28-127
18NY68	18N-28-117
18NYS31	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
18NYS32	18N-4-1921
18NYS32-11	18N-4-1921
18NYS32-12A	18N-4-3381X
18NYS32-4	18N-4-3371
18NYS32-4A	18N-4-3371
18NYS34-2A1	18N-4-3691X
18NYS36-11	18N-4-3271
18NYS36-11A	18N-4-3281X
18NYS36-19A	18N-4-3281X
18NYS38	18N-4-2701
18NYS38-10	18N-4-2581
18NYS38-13	18N-4-3251
18NYS38-16	18NYS38-27
18NYS38-16A	18NYS38-27A
18NYS38-20A	18N-4-3641X
18NYS38-21A	18N-4-3921X
18NYS38-21A1	18N-4-3921X
18NYS38-26	18N-4-3591
18NYS38-3	18N-4-1891
18NYS38-4	18N-4-2541
18NYS38-6	18N-4-3161
18NYS38-8A	18N-4-3221X
18NYS38-8A2	18N-4-3581X
18NYS38-8X	18N-4-3201
18NYS38A	18N-4-2711X
18NYS40-1	18N-4-1961
18NYS40-4A	18N-4-3551X
18NYS40-6A	18N-4-3621X
18NYS42-1	18N-4-3021
18NYS44	No Longer Available
18NYS44-2A	18N-4-3501X
18NYS44-4A	18N-4-3561X
18TYS32-12A	18N-4-3381-1X
18TYS32-13A	18N-4-3851-1X
18TYS36-11A	18N-4-4351-1X
18TYS36-19A	18N-4-4351-1X
18TYS38-16A	18TYS38-27A
18TYS38-21A	18N-4-3921-1X
18TYS38-26	18N-4-3591-1
18TYS38-3	18N-4-1891-1
18TYS38-8A	18N-4-3581-1X
18TYS40-4A	18N-4-3551-1X
18TYS44-1	18N-4-2171-1
18TYS44-4A	18N-4-3561-1X
20R4-3A	20R4-4A
20RLS40-11A	20RLS40-11A1S
20RLS40-11A1	20RLS40-11A1S
20RLS40-12A1	20RLS40-12A1S
20RLS40-1A	20RLS40-1A1
20RLS40-1A1	20RLS401A1S
20RLS401A1S	20RLS40-2A1S
20RLS40-1A2	20RLS40-2A1S
20RLS40-2A	20RLS40-2A1
20RLS40-2A1	20RLS40-2A1S
20RLS40-2A2	20RLS40-2A1S
20RLS40-3A	20RLS40-3A1
20RLS40-3A1	20RLS40-3A1S

Old Number	New Number
20RLS40-3A2	20RLS40-3A1S
20RPL14-6A	20WPL14-4A
20RY60-1	20RY60-5
20RY60-2	20RY60-6
20RYSM40-18	20RYSM40-24
20WPL14-3A	20WPL14-4A
20WYS32-1	20WYS32-17
20WYS32-1A	20WYS32-17A
20WYS32-1A1	20WYS32-17A1
20WYS38-1A	20WYS38-4A
20WYS40-4A	No Longer Available
20WYSC38-9	20WYSC38-18
25RLS40-1A	25RPL-SLIP
25RLS40-1A1	25RPL-SLIP
25RLS40-1A1S	25RPL-SLIP
25RLS40-1A2	25RPL-SLIP
25RLS48-1A1	25RLS48-1A1S
25RLS48A	25RLS48-A1S
25RLS48A1	25RLS48-A1S
25RLS48A2	25RLS48-A1S
25RPL14-6A	25WPL14-4A
25RY68-1	25RY68-3
25WPL14-3A	25WPL14-4A
25WYS38-1A	25WYS38-13A
25WYS38-3A	25WYS38-13A
25WYS38-4	25WYSC38-11
25WYSC38-4	25WYSC38-11
28CV82-HD	131N-CV82-HD
2WCS22-19	No Longer Available
2WCS22-46	No Longer Available
2WCS22-51A1	No Longer Available
2WCS24-43	No Longer Available
2WCS24-61	No Longer Available
2WCS24-75	No Longer Available
2WCS28-72A	No Longer Available
2WCS32-12A	No Longer Available
2WCS32-13	No Longer Available
2WCS32-13A	No Longer Available
2WCT22-12	No Longer Available
3N170-1	No Longer Available
3NLS24-1	No Longer Available
3NLS24-10	No Longer Available
3NLS24-10DC	No Longer Available
3NLS24-1DC	No Longer Available
3NY44	No Longer Available
3NYR16-4	No Longer Available
3NYR24-21	No Longer Available
3WCS28-94	No Longer Available
3WCS31-15A	No Longer Available
3WCS32-75	No Longer Available
3WCS38-13A	No Longer Available
3WCS38-8A1	No Longer Available
3898646	No Longer Available
44RYQ21-10	No Longer Available
44RYQ21-4	No Longer Available
44RYR20-2	No Longer Available
44RYR20-5	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
44RYR24-16	No Longer Available
44RYR24-4	No Longer Available
44RYR26-1	No Longer Available
44RYR26-4	No Longer Available
44RYS22-16A	No Longer Available
44RYS22-21A	No Longer Available
44RYS22-57A	No Longer Available
44RYS22-58A	No Longer Available
44RYS22-64	No Longer Available
44RYS22-9	No Longer Available
454-39-004211	No Longer Available
483-49-048-322	16NNC022D322
483-49-050-145	16NNS023D145
483-49-050-210	16NNS023D210
483-49-050-256	16NNS023D256
483-49-050-335	16NNS023D335
483-49-050-356	16NNS023D356
483-49-050-433	16NNS023D433
483-94-002167	16NNS024D167
4NF65	No Longer Available
4NF82	No Longer Available
4NY32	No Longer Available
4NY40-1	No Longer Available
4NYS20-5	No Longer Available
4NYS22	No Longer Available
4NYS24-51	No Longer Available
50NPS28-38	PS28-16-13
50NPS28-43	No Longer Available
50NPS28-44	155N-40-761
50NPS28-45	No Longer Available
55NYS22-19A	55NYS22-56A
55NYS22-64A	No Longer Available
55NYS22-7A	No Longer Available
55NYS26-1	No Longer Available
563-49-009027	No Longer Available
583-04-002019	16NNS037C019
58WB14-13A	58WB14-36A
58WB14-14A	58WB14-40A
58WB14-15A	58WB14-38A
58WB14-16A	No Longer Available
58WB14-25A	58WB14-35A
58WB14-26A	58WB14-36A
58WB14-27A	58WB14-37A
58WB14-28A	58WB14-38A
58WB14-30A	58WB14-40A
58WB170	No Longer Available
58WBF12	No Longer Available
58WBF2	No Longer Available
58WBF28	No Longer Available
58WBF34	No Longer Available
58WBF-36	No Longer Available
58WBF4	No Longer Available
58WBF5	No Longer Available
58WBF8	No Longer Available
58WBLS28-1	58WBLS28-41A
58WBLS28-11	58WBLS28-46DC
58WBLS28-11DC	58WBLS28-46DC

Old Number	New Number
58WBLS28-12	58WBLS28-12DC
58WBLS28-12DC	No Longer Available
58WBLS28-15DC	58WBLS28-47DC
58WBLS28-2	58WBLS28-42A
58WBLS28-21	58WBLS28-21DC
58WBLS28-21DC	No Longer Available
58WBLS28-2DC	58WBLS28-50DC
58WBLS28-41DC	58WBLS28-41A
58WBLS28-41DC3	58WBLS28-41A
58WBLS28-42DC	58WBLS28-42A
58WBLS28-43A	No Longer Available
58WBLS28-46DC	No Longer Available
58WBLS28-47DC	No Longer Available
58WBLS28-52A	No Longer Available
58WBLS32-14A	No Longer Available
58WBLS32-15A	No Longer Available
58WBLS32-2DC	No Longer Available
58WBLS32-3DC	No Longer Available
58WBLS32-9A	No Longer Available
58WBLS40-1DC	No Longer Available
58WBY53-5	No Longer Available
58WBY53-8	No Longer Available
58WBY53-9	No Longer Available
58WBY62	No Longer Available
58WBYR20-12	No Longer Available
58WBYR24-7	No Longer Available
58WBYR28	No Longer Available
58WBYR32-7	No Longer Available
58WBYS22	No Longer Available
58WBYS24	No Longer Available
58WBYS24-1	No Longer Available
58WBYS24-14	No Longer Available
58WBYS24-1A	No Longer Available
58WBYS24-7	No Longer Available
58WBYS26-1	No Longer Available
58WBYS26-10	No Longer Available
58WBYS26-14	No Longer Available
58WBYS28	No Longer Available
58WBYS28-14	No Longer Available
58WBYS28-162A	No Longer Available
58WBYS28-163	No Longer Available
58WBYS28-167	No Longer Available
58WBYS28-173	No Longer Available
58WBYS28-182	No Longer Available
58WBYS28-184	No Longer Available
58WBYS28-214	No Longer Available
58WBYS28-22	No Longer Available
58WBYS28-27	No Longer Available
58WBYS28-3	No Longer Available
58WBYS28-54	No Longer Available
58WBYS28-62	No Longer Available
58WBYS28-7	No Longer Available
58WBYS28-93	No Longer Available
58WBYS28-98A	No Longer Available
58WBYS30-10	No Longer Available
58WBYS30-12	No Longer Available
58WBYS30-6	58WBYSB30-6

17

Old Number	New Number
5WCS32-37A	No Longer Available
5WCS32-46	No Longer Available
5WCS32-49	No Longer Available
5WCS32-54A	No Longer Available
5WCS32-74	No Longer Available
5WCS32-76	5WCS32-103
5WCS32-87	No Longer Available
5WCS32-89A1	No Longer Available
5WCS32-93	No Longer Available
5WCS32-94	No Longer Available
5WCS32-99	No Longer Available
5WCS34-9	3260-C-1511
5WCS36-110	No Longer Available
5WCS36-76	No Longer Available
5WCS36-76A1	No Longer Available
5WCS38-16	No Longer Available
5WCS38-16A	No Longer Available
5WCS38-17	No Longer Available
5WCS38-31A	No Longer Available
5WCS38-32A	No Longer Available
5WCS38-6	No Longer Available
5WCS38-6A	No Longer Available
5WCS40-29A1	No Longer Available
62N14-19A	62N14-43A
62N14-20A	62N14-47A
62N14-21A	62N14-45A
62N170-11	No Longer Available
62NDCA1	No Longer Available
62NDCA-10	No Longer Available
62NDCA3	No Longer Available
62NF13	No Longer Available
62NF17	No Longer Available
62NLS28	62NLS28DC
62NLS28-1	62NLS28-1DC
62NLS28-12	62NLS28-12DC
62NLS28-12DC	No Longer Available
62NLS28-1DC	No Longer Available
62NLS28-22DC	No Longer Available
62NLS28-25A	No Longer Available
62NLS28-28DC	No Longer Available
62NLS28-2DC	62NLS28-2A
62NLS28-35DC	No Longer Available
62NLS28-4	No Longer Available
62NLS28-40	62NLS28-40DC
62NLS28-40DC	No Longer Available
62NLS28-43	62NLS28-43DC
62NLS28-4DC	No Longer Available
62NLS28-50DC	No Longer Available
62NLS28-8	62NLS28-8DC
62NLS28-80DC	No Longer Available
62NLS28-81DC	No Longer Available
62NLS28-85A	No Longer Available
62NLS28-8DC	No Longer Available
62NLS28-9DC	No Longer Available
62NLS28DC	No Longer Available
62NLS32-17	No Longer Available
62NLS32-17A	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
62NLS32-2	No Longer Available
62NLS32-20DC	No Longer Available
62NLS32-2DC	No Longer Available
62NLS32-3DC	No Longer Available
62NLS32-7DC	No Longer Available
62NLS328-83A	No Longer Available
62NLS32-9DC	No Longer Available
62NPS28	No Longer Available
62NPS28-1	No Longer Available
62NPS28-12	No Longer Available
62NPS28-13	No Longer Available
62NPS28-14	No Longer Available
62NPS28-15	No Longer Available
62NPS2819	No Longer Available
62NPS28-32	No Longer Available
62NPS28-4	No Longer Available
62NPS28-5	No Longer Available
62NPS28-8	No Longer Available
62NY42	No Longer Available
62NY44	No Longer Available
62NY44-1	No Longer Available
62NY45	No Longer Available
62NY45-1	No Longer Available
62NY45-2	No Longer Available
62NY52	No Longer Available
62NY52-3	No Longer Available
62NY53	No Longer Available
62NY61	No Longer Available
62NY61-1	No Longer Available
62NYS24-15	No Longer Available
62NYS24-21	No Longer Available
62NYS24-22	No Longer Available
62NYS24-31	No Longer Available
62NYS24-33A	No Longer Available
62NYS24-35	No Longer Available
62NYS24-8	No Longer Available
62NYS26	No Longer Available
62NYS26-17	62NYS26-13
62NYS26-4	No Longer Available
62NYS26-5	No Longer Available
62NYS26-7	No Longer Available
62NYS28-111A1	62NYS28-111A
62NYS28-129	No Longer Available
62NYS28-14	No Longer Available
62NYS28-154	62NYS28-154A
62NYS28-154A	No Longer Available
62NYS28-192	No Longer Available
62NYS28-195A	No Longer Available
62NYS28-196	No Longer Available
62NYS28-199	No Longer Available
62NYS28-212	No Longer Available
62NYS28-221A	No Longer Available
62NYS28-31	No Longer Available
62NYS28-59	No Longer Available
62NYS28-71	No Longer Available
62NYS28-91	No Longer Available
62NYS30-13	No Longer Available

Old Number	New Number
62NYS30-22	No Longer Available
62NYS30-7	No Longer Available
62NYS31	No Longer Available
62NYS31-17	No Longer Available
62NYS31-2	No Longer Available
62NYS32-16	No Longer Available
62NYS32-16A	No Longer Available
62NYS32-4	No Longer Available
62NYS32-47	No Longer Available
62NYS32-7	No Longer Available
62NYS34-13	No Longer Available
62NYS34-15	No Longer Available
62NYS34-9	No Longer Available
62NYS40-7A	No Longer Available
62NYSB28-213	No Longer Available
62NYSB30-22	No Longer Available
62NYSM28-16	No Longer Available
62NYSM28-18	No Longer Available
62NYSM28-2	No Longer Available
62NYSM28-207	No Longer Available
62NYSM28-215	No Longer Available
62NYSM28-216	No Longer Available
62NYSM28-217	No Longer Available
62NYSM28-23	No Longer Available
62NYSM28-51	No Longer Available
62NYSM28-7	No Longer Available
62NYSM28-89	No Longer Available
62NYSM28-9	No Longer Available
62NYSM32-17	No Longer Available
62NYSM32-43	No Longer Available
62NYSM36-9	No Longer Available
65NYS30-1	No Longer Available
660-59-039384	No Longer Available
660-59-045327	No Longer Available
660-59-069449	No Longer Available
684-95-004250	17NTS050B250
6NF3	No Longer Available
6NLS32	No Longer Available
6NPS32	No Longer Available
6NPS32-15	No Longer Available
6NY52-4	No Longer Available
6NYS28-28	No Longer Available
72BYS32-222A	No Longer Available
72N14-22A	72N14-57A
72N14-28A	72N14-68A
72N14-29A	72N14-67A
72N14-34A	72N14-71A
72N14-37A	72N14-70A
72N14-42A	72N14-61A
72N14-43A	72N14-57A
72N14-44A	72N14-58A
72N14-45A	72N14-67A
72N14-46A	72N14-62A
72N14-47A	72N14-68A
72N14-48A	72N14-70A
72N14-49A	72N14-71A
72N170	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
72N170-14	No Longer Available
72N171-1	No Longer Available
72N172-1	No Longer Available
72N175-1	No Longer Available
72N177-1	No Longer Available
72N30FM	No Longer Available
72NF13	No Longer Available
72NF18	No Longer Available
72NF27	No Longer Available
72NF32	No Longer Available
72NF41	No Longer Available
72NF46	No Longer Available
72NF50	No Longer Available
72NF6	No Longer Available
72NF8	No Longer Available
72NLS32-1	72NLS32-1DC
72NLS32-10DC	72NLS32-1DC
72NLS32-113DC	No Longer Available
72NLS32-124	No Longer Available
72NLS32-124A	No Longer Available
72NLS32-124DC1	No Longer Available
72NLS32-129	72NLS32-20DC
72NLS32-129DC	72NLS32-20DC
72NLS32-13	72NLS32-13DC
72NLS32-134DC	72NLS32-18DC
72NLS32-137DC	No Longer Available
72NLS32-13DC	No Longer Available
72NLS32-142DC	72NLS32-142A
72NLS32-15	72NLS32-15DC
72NLS32-15DC	No Longer Available
72NLS32-18	72NLS32-18DC
72NLS32-18DC	No Longer Available
72NLS32-19DC	No Longer Available
72NLS32-2	72NLS32-2DC
72NLS32-20	72NLS32-20DC
72NLS32-21	No Longer Available
72NLS32-21DC	No Longer Available
72NLS32-24	72NLS32-24DC
72NLS32-24DC	No Longer Available
72NLS32-27	72NLS32-27DC
72NLS32-27DC	No Longer Available
72NLS32-29	No Longer Available
72NLS32-29DC	No Longer Available
72NLS32-2DC	No Longer Available
72NLS32-33DC	No Longer Available
72NLS32-34	72NLS32-34DC
72NLS32-34DC	No Longer Available
72NLS32-35DC	No Longer Available
72NLS32-36DC	72NLS32-27DC
72NLS32-4	72NLS32-4DC
72NLS32-4DC	No Longer Available
72NLS32-50DC	No Longer Available
72NLS32-51DC	No Longer Available
72NLS32-52DC	No Longer Available
72NLS32-55	72NLS32-55DC
72NLS32-55DC	No Longer Available
72NLS32-61DC	No Longer Available

Old Number	New Number
72NLS32-6DC	No Longer Available
72NLS32-71DC1	No Longer Available
72NLS32-72	72NLS32-72DC
72NLS32-72DC	No Longer Available
72NLS32-77	72NLS32-77DC
72NLS32-77DC	No Longer Available
72NLS32-80DC	72NLS32-1DC
72NLS32-86DC	No Longer Available
72NLS32-89DC	No Longer Available
72NLS32-8DC	No Longer Available
72NLS40-1	No Longer Available
72NLS40-10	72NLS40-10DC
72NLS40-10DC	No Longer Available
72NLS40-12DC	No Longer Available
72NLS40-14	No Longer Available
72NLS40-14DC	No Longer Available
72NLS40-16DC	No Longer Available
72NLS40-1DC	No Longer Available
72NLS40-29	No Longer Available
72NLS40-29DC	No Longer Available
72NLS40-31	No Longer Available
72NLS40-31DC	No Longer Available
72NLS40-3DC	No Longer Available
72NLS40-5	72NLS40-5DC
72NLS40-5DC	No Longer Available
72NLS40-6DC	No Longer Available
72NLS40-7DC	No Longer Available
72NLS40-8DC	No Longer Available
72NPS32	No Longer Available
72NPS32-10	No Longer Available
72NPS32-101	PS32-16-16
72NPS32-13	No Longer Available
72NPS32-14	No Longer Available
72NPS32-17	No Longer Available
72NPS32-19	No Longer Available
72NPS32-21	No Longer Available
72NPS32-22	No Longer Available
72NPS32-25	PS32-16-16
72NPS32-26	No Longer Available
72NPS32-28	No Longer Available
72NPS32-29	No Longer Available
72NPS32-35	No Longer Available
72NPS32-5	No Longer Available
72NPS32-53	No Longer Available
72NPS32-6	No Longer Available
72NPS32-65	No Longer Available
72NPS32-73	No Longer Available
72NPS32-74	No Longer Available
72NPS32-83	No Longer Available
72NPS32-84	No Longer Available
72NPS32-87	No Longer Available
72NPS32-9	No Longer Available
72NPS32-96	PS32-16-30
72NPS40-2	No Longer Available
72NY43-3	72NY43
72NY43-5	No Longer Available
72NY44	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
72NY44-2	No Longer Available
72NY50-3	No Longer Available
72NY51-1	72NY51-4
72NY51-4	No Longer Available
72NY52	No Longer Available
72NY52-1	No Longer Available
72NY52-2	No Longer Available
72NY52-23	72NY52-1
72NY52-3	No Longer Available
72NY52-5	No Longer Available
72NY52-9	No Longer Available
72NY53	No Longer Available
72NY53-1	No Longer Available
72NY53-10	No Longer Available
72NY53-2	No Longer Available
72NY53-7	No Longer Available
72NY60-3	No Longer Available
72NY61	No Longer Available
72NY61-1	No Longer Available
72NY61-10	No Longer Available
72NY61-3	No Longer Available
72NY61-4	No Longer Available
72NYR24-7	No Longer Available
72NYR28-3	No Longer Available
72NYR32-11	No Longer Available
72NYR36-6	No Longer Available
72NYR37-1	No Longer Available
72NYR40-11	No Longer Available
72NYS22	No Longer Available
72NYS22-4	No Longer Available
72NYS24-26	72NYSB24-26
72NYS28	No Longer Available
72NYS28-107	72NYS28-108
72NYS28-108	No Longer Available
72NYS28-10A	No Longer Available
72NYS28-123A	No Longer Available
72NYS28-129	No Longer Available
72NYS28-15	No Longer Available
72NYS28-151A	72NYS28-176
72NYS28-153	No Longer Available
72NYS28-157A	72NYS28-177
72NYS28-16	No Longer Available
72NYS28-161	No Longer Available
72NYS28-163	72NYSB28-163
72NYS28-165	No Longer Available
72NYS28-170	No Longer Available
72NYS28-182	72NYSB28-182
72NYS28-189	No Longer Available
72NYS28-21	72NYS28-174
72NYS28-25	No Longer Available
72NYS28-28	No Longer Available
72NYS28-32	No Longer Available
72NYS28-33	No Longer Available
72NYS28-39	No Longer Available
72NYS28-4	No Longer Available
72NYS28-42	72NYS28-6
72NYS28-47	No Longer Available

Old Number	New Number
72NYS28-57	No Longer Available
72NYS28-63	No Longer Available
72NYS28-66	No Longer Available
72NYS28-7	No Longer Available
72NYS28-79	No Longer Available
72NYS28-80	No Longer Available
72NYS28-81	No Longer Available
72NYS28-85	No Longer Available
72NYS28-9	No Longer Available
72NYS30-1	No Longer Available
72NYS30-16	72NYS30-7
72NYS30-18	No Longer Available
72NYS30-19	No Longer Available
72NYS31-12	No Longer Available
72NYS31-14	No Longer Available
72NYS31-171A	No Longer Available
72NYS31-21	No Longer Available
72NYS31-29	No Longer Available
72NYS31-33	No Longer Available
72NYS31-3A	No Longer Available
72NYS31-41	72NYS31
72NYS31-43	No Longer Available
72NYS31-48	No Longer Available
72NYS31-49	No Longer Available
72NYS31-5	No Longer Available
72NYS31-50	No Longer Available
72NYS31-53	No Longer Available
72NYS31-54	No Longer Available
72NYS31-55	No Longer Available
72NYS31-6	No Longer Available
72NYS31-60	No Longer Available
72NYS31-64	No Longer Available
72NYS31-70	72NYS31-2
72NYS31-70A	72NYS31-2A
72NYS31-72	72NYS31-72
72NYS31-78	72NYS31-4
72NYS31-85	72NYS31-2
72NYS31-91	No Longer Available
72NYS31-91A	No Longer Available
72NYS32	No Longer Available
72NYS32-100	No Longer Available
72NYS32-107	No Longer Available
72NYS32-108	No Longer Available
72NYS32-110	No Longer Available
72NYS32-111	72NYS32-110
72NYS32-127	No Longer Available
72NYS32-129	No Longer Available
72NYS32-12A	No Longer Available
72NYS32-152	No Longer Available
72NYS32-154	No Longer Available
72NYS32-155	72NYS32-16
72NYS32-171A	No Longer Available
72NYS32-172	No Longer Available
72NYS32-173	No Longer Available
72NYS32-174	No Longer Available
72NYS32-186	No Longer Available
72NYS32-215	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
72NYS32-218	72NYS32-219
72NYS32-221A	No Longer Available
72NYS32-239	72NYS32-256
72NYS32-245	No Longer Available
72NYS32-245A	No Longer Available
72NYS32-251A	No Longer Available
72NYS32-34	No Longer Available
72NYS32-40	No Longer Available
72NYS32-44	No Longer Available
72NYS32-45	No Longer Available
72NYS32-46	No Longer Available
72NYS32-50	No Longer Available
72NYS32-55	No Longer Available
72NYS32-6	No Longer Available
72NYS32-7	72NYS32-12
72NYS32-70	No Longer Available
72NYS32-77	No Longer Available
72NYS32-7A	72NYS32-12A
72NYS32-8	72NYS32-123
72NYS34-23	No Longer Available
72NYS34-31	72NYS34-24
72NYS34-32	No Longer Available
72NYS34-33	No Longer Available
72NYS34-34	No Longer Available
72NYS34-36A	No Longer Available
72NYS34-40	No Longer Available
72NYS34-40A	No Longer Available
72NYS36	No Longer Available
72NYS36-14	72NYS36-38
72NYS36-2	No Longer Available
72NYS36-23	No Longer Available
72NYS36-36	No Longer Available
72NYS36-37	No Longer Available
72NYS36-42	No Longer Available
72NYS36-45	72NYS36-95
72NYS36-5	No Longer Available
72NYS36-51	No Longer Available
72NYS36-63	72NYSB36-63
72NYS36-72	No Longer Available
72NYS36-88	No Longer Available
72NYS36-92A	No Longer Available
72NYS36-93	No Longer Available
72NYS38	No Longer Available
72NYS38-10	No Longer Available
72NYS38-14	No Longer Available
72NYS38-15	No Longer Available
72NYS38-17	No Longer Available
72NYS38-20A	No Longer Available
72NYS38-4	No Longer Available
72NYS40	No Longer Available
72NYS40-1	No Longer Available
72NYS40-21	No Longer Available
72NYS40-22	No Longer Available
72NYS40-59	No Longer Available
72NYS40-80	72NYS40-99
72NYS40-90	No Longer Available
72NYS40-90A	No Longer Available

Old Number	New Number
72NYS40-95	No Longer Available
72NYSB24-26	No Longer Available
72NYSB24-28	No Longer Available
72NYSB26-33	No Longer Available
72NYSB31-33	No Longer Available
72NYSB32-259	No Longer Available
72NYSB32-311A	No Longer Available
72NYSB32-334A	No Longer Available
72NYSB36-63	No Longer Available
72NYSM32-1	No Longer Available
72NYSM32-11	No Longer Available
72NYSM32-118	No Longer Available
72NYSM32-122	No Longer Available
72NYSM32-128	No Longer Available
72NYSM32-137	No Longer Available
72NYSM32-161	No Longer Available
72NYSM32-164	No Longer Available
72NYSM32-184	No Longer Available
72NYSM32-200	No Longer Available
72NYSM32-216	No Longer Available
72NYSM32-231	No Longer Available
72NYSM32-3	No Longer Available
72NYSM32-42	No Longer Available
72NYSM32-54	No Longer Available
72NYSM32-57	No Longer Available
72NYSM32-58	No Longer Available
72NYSM32-59	No Longer Available
72NYSM32-61	No Longer Available
72NYSM32-65	No Longer Available
72NYSM32-74	No Longer Available
72NYSM40-100	No Longer Available
72NYSM40-12	No Longer Available
72NYSM40-13	No Longer Available
72NYSM40-14	No Longer Available
72NYSM40-15	No Longer Available
72NYSM40-18	No Longer Available
72NYSM40-35	No Longer Available
72NYSM40-37	No Longer Available
72NYSM40-40	No Longer Available
72NYSM40-56	No Longer Available
72NYSM40-66	No Longer Available
72NYSM40-71	No Longer Available
72NYSM40-87	No Longer Available
72NYSM40-97	No Longer Available
72NYT26-2	No Longer Available
72NYT28-6	No Longer Available
750N10	No Longer Available
750N170	No Longer Available
750NYSM27-4	750NYSM27-12
750NYSM27-5	750NYSM27-13
750NYSM28-117	No Longer Available
750NYSM28-164	750NYSM28-180
750NYSM28-178	750NYSM28-112
750NYSM28-185	No Longer Available
750NYSM28-8	750NYSM28-168
760-59-042040	No Longer Available
760-59-042220	92WDS014B220

SUPERCESSION LISTING

Old Number	New Number
760-590-42234	No Longer Available
763-69-013-022	No Longer Available
788-39-050157	18NTS016B160
788-39-050192	18NTS016B195
7NYS32-45	No Longer Available
7NYS36-53	No Longer Available
7NYS40-51	No Longer Available
802-53-43763X	No Longer Available
825-19-001333	25RHS003B324
82N14-20A	82N14-33A
82N14-21A	82N14-37A
82N14-22A	82N14-35A
82N14-25A	82N14-32A
82N14-26A	82N14-33A
82N14-27A	82N14-34A
82N14-28A	82N14-35A
82N14-30A	82N14-37A
82N170	No Longer Available
82N174-1	No Longer Available
82NF16	No Longer Available
82NLS40-1	82NLS40-1DC
82NLS40-12DC	No Longer Available
82NLS40-16DC	No Longer Available
82NLS40-17DC	No Longer Available
82NLS40-1DC	No Longer Available
82NLS40-2	82NLS40-2DC
82NLS40-25DC	No Longer Available
82NLS40-26DC	No Longer Available
82NLS40-2DC	No Longer Available
82NLS40-32DC	No Longer Available
82NLS40-35	82NLS40-35DC
82NLS40-35DC	No Longer Available
82NLS40-3DC	No Longer Available
82NLS40-44DC	No Longer Available
82NLS40-54	82NLS40-54DC
82NLS40-54DC	No Longer Available
82NLS40-57DC	No Longer Available
82NLS40-58DC	No Longer Available
82NLS40-6	No Longer Available
82NLS40-6DC	No Longer Available
82NLS40-80DC	No Longer Available
82NLS40-83	82NLS40-83A
82NLS40-83DC	82NLS40-83A
82NLS40-85DC	82NLS40-85A
82NLS40DC	No Longer Available
82NPS40	No Longer Available
82NPS40-1	No Longer Available
82NPS40-16	No Longer Available
82NPS40-17	No Longer Available
82NPS40-19	No Longer Available
82NPS40-48	No Longer Available
82NPS40-59	No Longer Available
82NPS40-6	No Longer Available
82NPS40-60	No Longer Available
82NY42	No Longer Available
82NY60	No Longer Available
82NY60-1	No Longer Available

Old Number	New Number
82NY60-16	No Longer Available
82NY60-20	No Longer Available
82NY60-5	No Longer Available
82NY60-6	No Longer Available
82NY66-1	No Longer Available
82NYS28-12	No Longer Available
82NYS28-21	No Longer Available
82NYS28-29A	No Longer Available
82NYS28-36	No Longer Available
82NYS28-4	No Longer Available
82NYS28-6	No Longer Available
82NYS28-8	No Longer Available
82NYS30-2	No Longer Available
82NYS31	No Longer Available
82NYS31-17	No Longer Available
82NYS31-19	No Longer Available
82NYS31-25	No Longer Available
82NYS31-28	No Longer Available
82NYS31-29	No Longer Available
82NYS31-3	No Longer Available
82NYS31-31	No Longer Available
82NYS31-37	82NYSC31-37
82NYS31-39	No Longer Available
82NYS31-6	No Longer Available
82NYS31-7	82NYS31-16
82NYS31-8	No Longer Available
82NYS32-11	No Longer Available
82NYS32-11A1	No Longer Available
82NYS32-23	No Longer Available
82NYS32-28	No Longer Available
82NYS32-30	No Longer Available
82NYS32-31	No Longer Available
82NYS32-33	No Longer Available
82NYS32-38	No Longer Available
82NYS32-41	No Longer Available
82NYS32-46	No Longer Available
82NYS32-50	No Longer Available
82NYS32-70A	No Longer Available
82NYS32-71A	No Longer Available
82NYS32-75	No Longer Available
82NYS32-9	No Longer Available
82NYS33-4	No Longer Available
82NYS34-13	No Longer Available
82NYS34-28	No Longer Available
82NYS34-6	No Longer Available
82NYS36-10	No Longer Available
82NYS36-105	No Longer Available
82NYS36-15	No Longer Available
82NYS36-16	No Longer Available
82NYS36-17	No Longer Available
82NYS36-19	No Longer Available
82NYS36-23	No Longer Available
82NYS36-30	No Longer Available
82NYS36-32	No Longer Available
82NYS36-47	No Longer Available
82NYS36-53A	No Longer Available
82NYS36-63	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
82NYS36-70	No Longer Available
82NYS36-72	No Longer Available
82NYS36-79	No Longer Available
82NYS36-87	No Longer Available
82NYS38-12	No Longer Available
82NYS38-14	No Longer Available
82NYS38-20	No Longer Available
82NYS38-30A	No Longer Available
82NYS38-34A	No Longer Available
82NYS39	No Longer Available
82NYS40-17	No Longer Available
82NYS40-2	No Longer Available
82NYS40-32	No Longer Available
82NYS40-42	No Longer Available
82NYS40-71	No Longer Available
82NYS40-87A	No Longer Available
82NYS40-96	No Longer Available
82NYS42	No Longer Available
82NYS44-2	No Longer Available
82NYS46-1	No Longer Available
82NYS48-14	No Longer Available
82NYSB36-22	No Longer Available
82NYSM40-102	No Longer Available
82NYSM40-103	No Longer Available
82NYSM40-104	No Longer Available
82NYSM40-14	No Longer Available
82NYSM40-45	No Longer Available
82NYSM40-49	No Longer Available
82NYSM40-6	No Longer Available
82NYT32	No Longer Available
850NYSM30-3	850NYSM30-25
850NYSM32-13	850NYSM32-18
850NYSM32-29	No Longer Available
850NYSM34-34	850NYSM34-55
850NYSM36-4	850NYSM36-19
850NYSM36-5	850NYSM36-19
854-64-49746	No Longer Available
85WB14-13A	85WB14-26A
85WB14-14A	85WB14-28A
85WB14-15A	85WB14-27A
85WB170	No Longer Available
85WBLS37-1A	No Longer Available
85WBLS40-1DC	No Longer Available
85WBLS40-23DC	No Longer Available
85WBLS40-24DC	No Longer Available
85WBLS40-3	85WBLS40-3DC
85WBLS40-3DC	No Longer Available
85WBLS48-4	No Longer Available
85WBLS48DC	No Longer Available
85WBY60	No Longer Available
85WBY60-13	No Longer Available
85WBY60-3	No Longer Available
85WBY66-1	No Longer Available
85WBYS30-1	No Longer Available
85WBYS31	No Longer Available
85WBYS31-4	No Longer Available
85WBYS31-6	85WBYS31-6

Old Number	New Number
85WBYS31-8A	No Longer Available
85WBYS32-1	No Longer Available
85WBYS32-9	No Longer Available
85WBYS34	No Longer Available
85WBYS38-14A	No Longer Available
85WBYS38-17	No Longer Available
85WBYS38-20A	No Longer Available
85WBYS40	No Longer Available
85WBYS40-3	No Longer Available
85WBYS47	No Longer Available
85WBYSB31-6	85WBYS31-6
85WBYSB32-19	No Longer Available
85WBYSB36-23	No Longer Available
85WBYSB36-33	No Longer Available
85WBYSM32-15	No Longer Available
85WBYSM34-5	No Longer Available
85WBYSM40-33	No Longer Available
85WBYSM40-36	No Longer Available
85WBYSM40-37	No Longer Available
85WBYSM40-38	No Longer Available
85WBYSM40-5	No Longer Available
85WBYSM48-7	No Longer Available
860-49-008234	No Longer Available
860-49-008-254	No Longer Available
860-49-008357	No Longer Available
860-49-008368	No Longer Available
860-49-011-266	No Longer Available
860-49-011-294	No Longer Available
860-49-011315	No Longer Available
860-49-011373	No Longer Available
860-49-011376	No Longer Available
860-49-011-489	No Longer Available
863-04-49625	No Longer Available
863-04-49626	No Longer Available
878-29-001-224	No Longer Available
878-29-003-382	No Longer Available
878-29-005-564	No Longer Available
884-94-49885	17NYS900B138
884-95-004139	No Longer Available
888-39-050-337	No Longer Available
888-39-050-467	No Longer Available
888-64-004-182	No Longer Available
888-79-061406	No Longer Available
888-79-063281	18NYS017B281
902-01-18186	No Longer Available
902-01-22770	No Longer Available
902-01-22942	No Longer Available
902-01-23833	No Longer Available
902-01-25347	No Longer Available
902-01-34183	No Longer Available
902-01-37636	No Longer Available
902-01-42601	No Longer Available
902-01-45066	No Longer Available
902-01-45922	No Longer Available
902-01-46228	No Longer Available
902-01-46968	No Longer Available
902-01-47281	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
902-01-47554	No Longer Available
902-01-47775	No Longer Available
902-01-48156	No Longer Available
902-01-48307	No Longer Available
902-01-48638	No Longer Available
902-01-48773	No Longer Available
902-01-48822	No Longer Available
902-01-49675	No Longer Available
902-01-49691	No Longer Available
902-02-47952	No Longer Available
902-02-49278	No Longer Available
902-02-50132	No Longer Available
902-02-50154	No Longer Available
902-03-32091	No Longer Available
902-04-34544	No Longer Available
902-04-35408	No Longer Available
902-04-35409	No Longer Available
902-04-35410	No Longer Available
902-04-35414	No Longer Available
902-04-35504	No Longer Available
902-04-36399	No Longer Available
902-04-36400	No Longer Available
902-04-36402	No Longer Available
902-04-36403	No Longer Available
902-04-36404	No Longer Available
902-04-36405	No Longer Available
902-04-36406	No Longer Available
902-04-36408	No Longer Available
902-04-36409	No Longer Available
902-04-40161	No Longer Available
902-04-40286	No Longer Available
902-04-40287	No Longer Available
902-04-40605	No Longer Available
902-04-40996	No Longer Available
902-04-41632	No Longer Available
902-04-41633	No Longer Available
902-04-41984	No Longer Available
902-04-43895	No Longer Available
902-04-44994	No Longer Available
902-04-44995	No Longer Available
902-04-45968	No Longer Available
902-04-46281	No Longer Available
902-04-46863	No Longer Available
902-04-47107	No Longer Available
902-04-47108	No Longer Available
902-04-47117	No Longer Available
902-04-47215	No Longer Available
902-04-47462	No Longer Available
902-04-47683	No Longer Available
902-04-47772	902-04-49367
902-04-47865	No Longer Available
902-04-48244	No Longer Available
902-04-48307	No Longer Available
902-04-48446	902-04-48983
902-04-48447	No Longer Available
902-04-48511	No Longer Available
902-04-48608	No Longer Available

Old Number	New Number
902-04-48880X	902-04-48880
902-04-48884	No Longer Available
902-04-48885	No Longer Available
902-04-48886	No Longer Available
902-04-48887	No Longer Available
902-04-48888	No Longer Available
902-04-48889	No Longer Available
902-04-48902	No Longer Available
902-04-49029	No Longer Available
902-04-49035	No Longer Available
902-04-49215	No Longer Available
902-04-49319	No Longer Available
902-04-49335	No Longer Available
902-04-49336	No Longer Available
902-04-49367	No Longer Available
902-04-49-400	902-04-50240
902-04-49414	No Longer Available
902-04-49488	No Longer Available
902-04-49-583	No Longer Available
902-04-49-685	No Longer Available
902-05-48421	No Longer Available
902-06-21794	No Longer Available
902-06-29655	No Longer Available
902-06-34175	No Longer Available
902-06-37756	No Longer Available
902-06-38000	No Longer Available
902-06-38906	No Longer Available
902-06-40188	No Longer Available
902-06-44826	No Longer Available
902-06-44865	No Longer Available
902-06-45067	No Longer Available
902-06-46604	No Longer Available
902-06-46815	No Longer Available
902-06-46859	No Longer Available
902-06-47015	No Longer Available
902-06-47317	No Longer Available
902-06-47467	No Longer Available
902-06-47510	No Longer Available
902-06-48466	No Longer Available
902-06-48805	No Longer Available
902-06-49587	No Longer Available
902-06-49590	No Longer Available
902-07-40365	No Longer Available
902-07-48172	No Longer Available
902-13-48-721	No Longer Available
902-13-49303	No Longer Available
902-13-49305	902-13-49605
902-13-49525	902-13-50134
902-13-49604	No Longer Available
902-13-49763	902-13-50135
902-13-49764	902-13-50136
902-13-50251	No Longer Available
902-17-1	No Longer Available
902-21-21794	No Longer Available
902-21-38906	No Longer Available
902-24-49402	No Longer Available
902-27-29414	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
902-27-37565	No Longer Available
902-27-38906	No Longer Available
902-27-44826	No Longer Available
902-27-44865	No Longer Available
902-30-21465	No Longer Available
902-30-33574	No Longer Available
902-30-33582	No Longer Available
902-30-34207	No Longer Available
902-30-39534	No Longer Available
902-30-40188	No Longer Available
902-30-43088	No Longer Available
902-30-44729	No Longer Available
902-30-48718	No Longer Available
902-30-49400	No Longer Available
902-30-49524	No Longer Available
902-55-35157	No Longer Available
902-55-35504	No Longer Available
902-55-36399	No Longer Available
902-55-36404	No Longer Available
902-55-36406	No Longer Available
902-55-40008	No Longer Available
902-55-40-161	No Longer Available
902-55-40162	No Longer Available
902-55-41630	No Longer Available
902-55-41632	No Longer Available
902-55-41984	No Longer Available
902-55-42377	No Longer Available
902-55-47-772	No Longer Available
902-61-47839	No Longer Available
902-61-47839X	902-61-47839
902-61-47920X	No Longer Available
902-61-48603	No Longer Available
902-65-40996	No Longer Available
902-65-48608	No Longer Available
902-65-49036	No Longer Available
902-65-49786	No Longer Available
902-78-46281	No Longer Available
902-92-49676	No Longer Available
902-92-49871	No Longer Available
902-92-49872	No Longer Available
903-01-38631	No Longer Available
903-02-29261	No Longer Available
903-02-30723	No Longer Available
903-02-48546	No Longer Available
903-04-37359	No Longer Available
903-04-41763	902-04-48888
903-04-41862	No Longer Available
903-04-43088	902-04-48885
903-04-43293	No Longer Available
903-04-43294	No Longer Available
903-04-43302	902-04-48884
903-04-43647	No Longer Available
903-04-44861	902-04-48886
903-04-48785	No Longer Available
903-07-30232	No Longer Available
903-24-33080	No Longer Available
903-24-46927	No Longer Available

Old Number	New Number
903-30-43088	902-30-43088
903-30-43499	No Longer Available
903-30-46884	No Longer Available
903-55-36403	No Longer Available
903-60-43413	No Longer Available
903-60-43421	No Longer Available
906-59-045140	No Longer Available
909-52-4	No Longer Available
920-19-001040	20RHS003B033
920-19-001050	20RHS003B043
920-92-50222	20RHM020B192
920-92-50224	20RHS005B022
927-51-10	No Longer Available
92N14-12A	92N14-30A
92N14-13A	92N14-25A
92N14-15A	92N14-24A
92N170	No Longer Available
92NDCA-13	No Longer Available
92NDCA8	No Longer Available
92NF14	No Longer Available
92NF7	No Longer Available
92NLS48	92NLS48DC
92NLS48-1	92NLS48-1DC1
92NLS48-10DC	No Longer Available
92NLS48-12	92NLS48-12DC
92NLS48-12DC	No Longer Available
92NLS48-17DC	No Longer Available
92NLS48-1DC	92NLS48-1DC1
92NLS48-1DC1	No Longer Available
92NLS48-2DC	No Longer Available
92NLS48-2DC1	No Longer Available
92NLS48-32DC	No Longer Available
92NLS48-47	92NLS48-47DC
92NLS48-49DC	No Longer Available
92NLS48-52DC	No Longer Available
92NLS48-56DC	No Longer Available
92NLS48-59A	No Longer Available
92NLS48-66DC	92NLS48-66A
92NLS48-67A	No Longer Available
92NLS48-67DC	92NLS48-67A
92NLS48DC	No Longer Available
92NLS48DC1	No Longer Available
92NPS48-1	No Longer Available
92NPS48-10	92NPS48-1
92NPS48-2	No Longer Available
92NPS48-21	No Longer Available
92NPS48-25	No Longer Available
92NPS48-8	No Longer Available
92NY51	No Longer Available
92NY60-6	No Longer Available
92NY66-1	No Longer Available
92NY66-13	No Longer Available
92NY68-1	No Longer Available
92NY68-3	No Longer Available
92NYS31-2	No Longer Available
92NYS31-7	No Longer Available
92NYS32-16A1	92NYS32-25A

SUPERCESSION LISTING

Old Number	New Number
92NYS32-23	92NYS32-29
92NYS32-28	No Longer Available
92NYS32-29	No Longer Available
92NYS32-34A	No Longer Available
92NYS32-35A	No Longer Available
92NYS32-36	No Longer Available
92NYS32-9	No Longer Available
92NYS33	92NYS33-2
92NYS33-1	No Longer Available
92NYS34-13	No Longer Available
92NYS34-24	No Longer Available
92NYS36	No Longer Available
92NYS36-15	No Longer Available
92NYS36-16	No Longer Available
92NYS36-3	No Longer Available
92NYS36-31	No Longer Available
92NYS36-38	No Longer Available
92NYS36-40	No Longer Available
92NYS36-47	No Longer Available
92NYS36-51	No Longer Available
92NYS36-53	No Longer Available
92NYS36-60	No Longer Available
92NYS36-62A	No Longer Available
92NYS36-67	No Longer Available
92NYS36-7	No Longer Available
92NYS38-1	No Longer Available
92NYS38-100A	No Longer Available
92NYS38-33	92NYSC38-33
92NYS38-42A	No Longer Available
92NYS38-55	92NYS38-69
92NYS38-67	No Longer Available
92NYS38-68	No Longer Available
92NYS38-70	No Longer Available
92NYS38-75A	92NYS38-75A1
92NYS38-76	No Longer Available
92NYS38-99A	No Longer Available
92NYS38A	No Longer Available
92NYS38A3	No Longer Available
92NYS39-1	No Longer Available
92NYS39A	No Longer Available
92NYS40-20	No Longer Available
92NYS40-3	No Longer Available
92NYS40-32	No Longer Available
92NYS40-36	No Longer Available
92NYS40-38A	92NYS40-40A
92NYS40-39	No Longer Available
92NYS40-39A	No Longer Available
92NYS40-4	No Longer Available
92NYS40-40A	No Longer Available
92NYS40-41	No Longer Available
92NYS40-7	92NYS40-40
92NYS42-14	No Longer Available
92NYS42-16	No Longer Available
92NYS44-17	No Longer Available
92NYS44-20	92NYS44-22
92NYS46	No Longer Available
92NYS47-2	No Longer Available

Old Number	New Number
92NYS48-1	No Longer Available
92NYS48-2	No Longer Available
92NYS48-3	No Longer Available
92NYS48-41	No Longer Available
92NYS48-66	No Longer Available
92NYS68-2	No Longer Available
92NYSB36-70A	No Longer Available
92NYSB38-42A	No Longer Available
92NYSM34-20	Contact Specs
92NYSM34-22	Contact Specs
92NYSM34-4	No Longer Available
92NYSM36-57	No Longer Available
92NYSM36-61	No Longer Available
92NYSM38-28	No Longer Available
92NYSM38-37	92NYSM38-78
92NYSM38-38	Contact Specs
92NYSM38-49	No Longer Available
92NYSM38-63	Contact Specs
92NYSM38-64	Contact Specs
92NYSM38-78	No Longer Available
92NYSM38-79	Contact Specs
92NYSM38-8	No Longer Available
92NYSM38-80	Contact Specs
92NYSM38-81	Contact Specs
92NYSM38-85	No Longer Available
92NYSM38-86	Contact Specs
92NYSM38-87	Contact Specs
92NYSM38-88	Contact Specs
92NYSM38-94	Contact Specs
92NYSM38-95	Contact Specs
92NYSM38-96	Contact Specs
92NYSM38-97	Contact Specs
92NYSM42-13	No Longer Available
92NYSM42-8	92NYSM42-13
92NYSM44-6	No Longer Available
92NYSM48-19	No Longer Available
92NYSM48-23	No Longer Available
92NYSM48-4	No Longer Available
92NYSM48-51	No Longer Available
92NYSM48-60	No Longer Available
92NYSM48-65	No Longer Available
92NYSM48-74	No Longer Available
92NYSM48-75	No Longer Available
92NYSM48-76	No Longer Available
950NYSM38	950NYSM38-15S
950NYSM38-10	950NYSM38-20
950NYSM38-11	950NYSM38-21
950NYSM38-8	950NYSM38-18S
950NYSM38-9	950NYSM38-19S
953-02-48831	No Longer Available
954-04-22987	No Longer Available
954-04-24432	No Longer Available
954-04-45-397	No Longer Available
954-04-47193	No Longer Available
954-05-101-443	72WDS008B443
954-05-117-020	No Longer Available
954-05-117-021	954-05-117-020

SUPERCESSION LISTING

Old Number	New Number
954-07-37014	No Longer Available
954-10-2	No Longer Available
954-11-2	No Longer Available
954-12-2	No Longer Available
954-13-2	No Longer Available
954-39-004019	No Longer Available
954-39-004089	No Longer Available
954-39-004139	No Longer Available
954-39-004199	No Longer Available
954-39-004-319	No Longer Available
954-39-008-029	No Longer Available
954-39-008-039	No Longer Available
954-39-008091	No Longer Available
954-39-008-213	No Longer Available
954-39-009-443	72WDS008B443
954-39-010058	No Longer Available
954-58-44-684	No Longer Available
954-64-47218	No Longer Available
954-64-48601X	No Longer Available
954-91-48-397	No Longer Available
954-92-35470	No Longer Available
954-92-38510	No Longer Available
954-92-47855	No Longer Available
954-92-48219	No Longer Available
954-92-49-002	No Longer Available
955-04-41709	No Longer Available
955-13-42813	No Longer Available
955-13-43463	No Longer Available
955-13-44389	No Longer Available
955-55-41709	No Longer Available
955-65-42813	No Longer Available
955-92-36044	No Longer Available
955-92-46779	No Longer Available
958-01-43274	958-01-50-119
958-01-44561	958-01-50-079
958-01-49378	No Longer Available
959-01-48137	No Longer Available
959-11-2	No Longer Available
959-49-050067	No Longer Available
959-55-34201	No Longer Available
959-57-45038	No Longer Available
959-92-41392	No Longer Available
959-92-41845	No Longer Available
960-01-49-773	No Longer Available
960-01-49-774	No Longer Available
960-01-49970	No Longer Available
960-04-19710	No Longer Available
960-04-47723	No Longer Available
960-04-47974	No Longer Available
960-04-853-374	No Longer Available
960-10-2	No Longer Available
960-11-2	No Longer Available
960-30-37981	No Longer Available
960-49-003-124	No Longer Available
960-49-008458	No Longer Available
960-49-026048	No Longer Available
960-59-041068	92WHS013B068

Old Number	New Number
960-59-045030	No Longer Available
960-59-045140	No Longer Available
960-59-045440	No Longer Available
960-91-38385	No Longer Available
960-92-38846	No Longer Available
960-92-44080	No Longer Available
960-92-47527	No Longer Available
960-92-49-873	No Longer Available
963-02-50-111	No Longer Available
963-13-42079	No Longer Available
963-92-48-253	85WHM010B062
963-92-48-799	No Longer Available
965-10-1	No Longer Available
965-10-2	No Longer Available
965-38-001048	No Longer Available
965-39-001015	No Longer Available
965-39-001048	No Longer Available
965-39-001110	62WHS001B110
965-55-49342	No Longer Available
965-60-25888	No Longer Available
965-64-42736	No Longer Available
965-92-36045	No Longer Available
965-92-39087	No Longer Available
965-92-42735	No Longer Available
965-92-44-696	No Longer Available
965-92-47959	No Longer Available
965-92-47960	No Longer Available
965-92-48256	No Longer Available
965-92-48676	No Longer Available
965-92-49342	No Longer Available
971-01-49344	A3202R9950S
978-99-45749	76NNA002S
983-04-44478	16NNS907D095
983-04-44-757	16NNS907D083
983-04-48168	16NTS906B040
983-04-48-798	16NNS907D475
983-04-49544	16NNS908D023
984-01-47975	No Longer Available
984-04-002-072	984-04-004072
984-04-004-294	17NNS043B294
984-04-44-758	17NNS913D133
984-04-44759	17NNM914D172
984-04-48735	17NNS907C201
984-04-49419	17NNS905B222
984-04-49420	17NNS905B201
984-04-49455	17NNS908C144
984-04-49565	17NNS906B144
984-04-49566	17NNS906B110
984-04-50363	17NTS901B097
984-05-002040	17NNS048B040
984-05-002053	17NNS048B053
984-05-018025	17NNS041B026
984-16-2	17NY01TA650
984-20-1	17NNM066B181
984-22-2	17NY01TA240
984-24-2	17NY01TA600
984-26-2	17NY01TA240

SUPERCESSION LISTING

Old Number	New Number
984-27-2	17NY01TA480
984-28-2	17NY01TA650
984-29-092026	17NNS041B026
984-55-48931	No Longer Available
984-55-49364	No Longer Available
984-58-44367	17NNA003
984-58-44409	17NS40-120AK
984-64-47963	No Longer Available
984-92-43883	884-95-002-094
984-92-45147	17NNM062B160
984-92-45681	17NNM066B181
984-92-47594	17NNS043B253
984-92-47596	17NNM053B113
984-92-47962	17NNM052B099
984-92-49825	17NTM055B128
984-92-50151	17NTM910B143
984-92-50152	17NTM912B153
988-92-49908	18NTM020B130
988-92-49917	18NTM027B160
988-99-47647	18NNA003S
990-12-2	No Longer Available
990-14-2	No Longer Available
990-49-062024	No Longer Available
991-12-2	No Longer Available
991-92-49073	No Longer Available
991-99-47102	No Longer Available
991-99-49451	No Longer Available
A909-51-8	No Longer Available
A922-50-8	No Longer Available
BHR56-1	No Longer Available
BHR62-3	No Longer Available
BH-R90-1	No Longer Available
BO-RUR-25-1	No Longer Available
BPS28-16-2	155N-53-61
BRNY33-7	No Longer Available
BSS22-114	No Longer Available
BSS22-115	No Longer Available
BSS22-118	No Longer Available
BSS22-120	141N-53-161
BSS22-122	No Longer Available
BSS22-123	No Longer Available
BSS22-124	141N-53-611
BSS24-30	BSS24-52A
BSS24-31	No Longer Available
BSS24-32	BSS24-53A
BSS24-38	No Longer Available
BSS24-39	No Longer Available
BSS24-40	No Longer Available
BSS24-41	141N-53-1071
BSS24-48	No Longer Available
BSS24-61A	No Longer Available
BSS24-8	BSS24-52
BSS25-1	148N-53-291
BSS25-10	148N-53-451
BSS25-14	148N-53-451
BSS25-2	148N-53-451
BSS25-21	No Longer Available

Old Number	New Number
BSS25-3	148N-53-451
BSS25-4	148N-53-291
BSS26-14	No Longer Available
BSS26-15	No Longer Available
BSS26-16	No Longer Available
BSS28-103	No Longer Available
BSS28-11	No Longer Available
BSS28-12	BSS28-103
BSS28-16	No Longer Available
BSS28-17	No Longer Available
BSS28-33	No Longer Available
BSS28-36	No Longer Available
BSS28-4	No Longer Available
BSS28-40	16N-53-141
BSS28-45	No Longer Available
BSS28-57	No Longer Available
BSS28-61	155N-53-61
BSS28-62	No Longer Available
BSS28-67	No Longer Available
BSS28-68	No Longer Available
BSS28-79	155N-53-61
BSS28-8	No Longer Available
BSS28-88	155N-53-61
BSS28-89	No Longer Available
BSS28-9	BSS28-92
BSS28-92	No Longer Available
BSS31-13	No Longer Available
BSS31-19	No Longer Available
BSS31-21	No Longer Available
BSS31-3	No Longer Available
BSS31-30	No Longer Available
BSS31-9	No Longer Available
BSS32-12	No Longer Available
BSS32-15	No Longer Available
BSS32-16	No Longer Available
BSS32-23A	No Longer Available
BSS32-31	No Longer Available
BSS36-10	No Longer Available
BSS38-10A	17N-53-311
BSS38-23	No Longer Available
BSS38-27	18N-53-171
BSS38-28	176N-53-21
BSS38-4	No Longer Available
BSS38-5	18N-53-91
BSS38-5A	18N-53-91A
BSS38-6	18N-53-51
BSS40-4	No Longer Available
BSS40-5	No Longer Available
BSS46-1	No Longer Available
BSS46-6	No Longer Available
BSS46-7	No Longer Available
CARP4-1	No Longer Available
CB210121-1X	CB210121-1XSA
CB210130-1X	CB210207-1X
CB21031X	No Longer Available
CB21033X	No Longer Available
CB21042X	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
CB21043X	No Longer Available
CB210661-1X	CB210661-1XSA
CB210875-1X	CB210875-1XSA
CB210881-1X	CB310012-1XSA
CB310008-1X	No Longer Available
CB310009-1X	No Longer Available
CB310010-1X	No Longer Available
CB310012-1X	CB310012-1XSA
CB310014-1X	No Longer Available
CBRR28-1	No Longer Available
CBRR38-1	CB210661-1XSA
CBSR64-3	No Longer Available
CCB1-4	No Longer Available
CCB206	CB210121-1XSA
CCB207	CB310012-1XSA
CLMR18-2A1	No Longer Available
CP1206X	CP141N
CP1208X	No Longer Available
CP1209X	CP1200X
CP1210X	CP155N
CP1214X	No Longer Available
CP121X	CP200X
CP131N	CP1200X
CP131N-1	CP1201X
CP133N	CP1203X
CP133N-1	CP1204X
CP135N	CP1205X
CP141N21	CP141N
CP148N-1	CP148N
CP155N-23	CP155N
CP16N13	R279X
CP16N14-8A	No Longer Available
CP16N-3	R279X
CP16N-9	R279X
CP16NS	R279X
CP16S	R674X
CP16S-1	R674X
CP16S-2	R674X
CP176N-2	R407X
CP176N-4	R407X
CP176NS	R407X
CP176S	CP176S-3
CP176S-1	R677X
CP176S-2	R677X
CP176S-4	R677X
CP17N-20	R280X
CP17N-22	R280X
CP17N-35	R280X
CP17N-37	R280X
CP17N-38	R675X
CP17NS	R280X
CP17NSB	No Longer Available
CP17S	R675X
CP17S-1	R675X
CP17S-2	R675X
CP17S-5	R675X
CP18N-12	R281X

Old Number	New Number
CP18N-15	R281X
CP18N17	R281X
CP18N-3	R281X
CP18N-8	R281X
CP18N-95	CP18N-96
CP18N-99	No Longer Available
CP18NS	R281X
CP18S	CP18S-3
CP18S-1	R676X
CP18S-2	R676X
CP1FR	No Longer Available
CP2011	CP2011X
CP20-RPL	CP20-RPL-S
CP20-RPL-1	CP20-RPL-S
CP20RPL-8	CP20-RPL
CP25-RPL	CP25-RPL-S
CP25-RPL-1	CP25-RPL-S
CP25RPL-9	CP25-RPL
CP3008	CP3147X
CP35N-20	Contact Specs
CP35N-3	No Longer Available
CP35N-4	No Longer Available
CP35R	Contact Specs
CP35R-17	No Longer Available
CP35R-3	No Longer Available
CP4113	CP4143X
CP438X	CP-674X
CP45N-1	No Longer Available
CP467X	No Longer Available
CP469X	CP-677X
CP5000	CP5122
CP5109	No Longer Available
CP510X	CP-676X
CP5154	No Longer Available
CP515X	CP-675X
CP521X	No Longer Available
CP544X	No Longer Available
CP58N-4	No Longer Available
CP58WB-29	CP58WB-DWT
CP58WB-30	CP58WB-HWD
CP58WB-31	CP58WB-HWD
CP58WB-35	CP58WB-DWT
CP58WB-37	CP58WB-HB
CP58WB-38	CP58WB-HWD
CP62N-40	No Longer Available
CP62N-47	CP62N-DWT
CP62N-48	CP62N-HB
CP62N-49	CP62N-HWD
CP62N-56	No Longer Available
CP65N	No Longer Available
CP6N	No Longer Available
CP726251-2	CP1306-1X
CP72625-2	No Longer Available
CP72625-3	CP1306X
CP72N-103	CP72N-HWD
CP72N-113	CP72N-DWT
CP72N-121	CP72N-HWD

SUPERCESSION LISTING

Old Number	New Number
CP72N-34	CP72N-HB
CP72N-89	CP72N-DWT
CP72N-90	CP72N-HB
CP74X	No Longer Available
CP7N	No Longer Available
CP82N-72	CP82N-HWD
CP82N-75	CP82N-HB
CP85WB-42	CP85WB-HWD
CP85WB-46	CP85WB-HWD
CP85WB-47	CP85WB-DWT
CP85WB-48	CP85WB-HB
CP92N102	CP92N-70
CP92N-17	CP92N-HWD
CP92N-49	CP92N-DWT
CP92N-50	CP92N-HB
CP92N-58	CP92N-HWD
CP92N66	No Longer Available
CP92N-71	CP92N-DWT
CP92N-72	CP92N-HB
CP92N-73	CP92N-HWD
CPL10N-4	CPL10N-2
CPL10S	CPL10N-2
CPL10S-1	CPL10N-2
CPL12R	Contact Specs
CPL12R-12	Contact Specs
CPL14N	Contact Specs
CPL14R	Contact Specs
CPL15N-1	CPL15N-1S
CPL6R-30	CPL6R-50
CPL6R-34	CPL6R-51
CPL6R-39	Contact Specs
CPL6R-40	CPL6R-50
CPL6R-47	CPL6R-53
CPL6R-52	Contact Specs
CPL6S-22	CPL6R-50
CPL6S-26	CPL6R-51
CPL6S-36	CPL6R-53
CPL6S-48	Contact Specs
CPLD-UJ12	No Longer Available
CS-C5-18-35	SP-1049
CS-C5-24-36	CSH5-24-37
CS-C6-16-58	SP-1045
CS-C6-24-56	SP-1013
CS-C7-20-10	SP-1012
CS-C7-20-11	SP-1010
CS-C7-20-46	SP-1010
CS-C7-20-47	SP-1010
CSC8-20-47	SP-1014
CS-H12-16-6	S-11212
CS-H4-20-13	CSH4-28-13
CS-H5-18-27	CSH5-24-27
CS-H5-18-28	CSH5-24-28
CS-H5-18-35	SP-1049
CS-H5-24-15	CS-H5-24-31
CS-H5-24-30	CSH5-24-37
CS-H5-24-31	S-155-2
CSH5-24-38	S-155B-2

Old Number	New Number
CS-H6-16-58	SP-1045
CS-H6-24-21	No Longer Available
CS-H6-24-23	S-168-2
CS-H6-24-24	S-1616-2
CS-H6-24-49	S-165B-2
CSH6-24-66	S-165B-2
CS-H7-20-14	S-179-2
CSH7-20-15	No Longer Available
CS-H8-20-14	S-1818-2
CS-H8-20-15	S-1820-2
CS-H8-20-16	S-1820-2
CS-H8-20-20	S-1822-2
CS-H8-20-23	S-1812-2
CS-H8-20-31	No Longer Available
DC126N	No Longer Available
DC131N	No Longer Available
DC135N	No Longer Available
DC141N	No Longer Available
DC141N-1	No Longer Available
DC141N-2	No Longer Available
DC141N-3	No Longer Available
DC148N	No Longer Available
DC148N-1	No Longer Available
DC148N-2	No Longer Available
DC155N-1	No Longer Available
DC155N-2	No Longer Available
DC16N	SERUR25-2
DC17N-2	DC17N
DC2-5	No Longer Available
DC5N-15	No Longer Available
DC5N-16	No Longer Available
DC62N	No Longer Available
DC62N-3	No Longer Available
DC62N-4	No Longer Available
DC62N-7	No Longer Available
DC72N-4	SERUR25-1
DC7N11	No Longer Available
DC82N	No Longer Available
DC82N-1	No Longer Available
DC82N-5	No Longer Available
DC82N-8	No Longer Available
DC92N	No Longer Available
DC92N-1	No Longer Available
DC92N-2	No Longer Available
DCD36-3	No Longer Available
DCD48-2	No Longer Available
DCL6N-3	No Longer Available
DCL6N-4	No Longer Available
DCR20-1	No Longer Available
DEFR22-15	DEFR22-9
DEFR22-7	DEFR22-9
DEFR30-1	No Longer Available
DEFR32-3	No Longer Available
DEFR40-12	No Longer Available
DEFR47-16	2297-K-6303
DEFR47-3	2847-Z-312
DEFR47-9	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
DEFR48-1	No Longer Available
DEFR53-4	DEFR53-5
DEFR54-4	No Longer Available
DEFR56-1	No Longer Available
DEFR61-1	DEFR61-3
DRM57-4	No Longer Available
GCB311016X	No Longer Available
GCP279X	CP279X
GCP280X	CP280X
GCP281X	CP281X
GCP407X	CP407X
GCPL6R-30	GCPL6R-50
HCB-2	DEFR55-1
HCB205	CB210661-1XSA
KIT-20-25-RPL	KIT-RPL-25-20
KIT-2524	KIT-2576
KIT-2576	KIT-2585
KIT-RPL25-CR	No Longer Available
KT101	No Longer Available
KT103	No Longer Available
KT105	No Longer Available
KT109	No Longer Available
KT113	No Longer Available
KT16ES	KT16SB
KT17ES	KT17SB
LP-HC38-1	No Longer Available
M1475X-3	CPL6R-50
M-43117	No Longer Available
M-43118	No Longer Available
M-43119	No Longer Available
N2-86-13	ND2C
NUHX7-20-1	R005961
NUPT12-16-11	NL-112-1
NUPT16-20-4	1227-C-939
NUPT20-18-6	1227-Z-936
NUPT5-18-6	NL-25-1
NUPT6-16-16	NL-26-1
NUSL16-20-1	1227-C-939
NUSL16-20-2	1227-C-939
NUSL20-18-1	1227-Z-936
OCB2-1	DEFR25-4
PB126812	No Longer Available
PB126815	No Longer Available
PB126818	No Longer Available
PLD6-24-1	PLD6-24-2
PLD6-27-4	No Longer Available
PLEX20-1	No Longer Available
PLEX28-2	No Longer Available
PLEX42-1	PLEX42-2
PLEX51-3	No Longer Available
PLNY6-1	No Longer Available
PLWE31-11	No Longer Available
PLWE31-2	No Longer Available
PLWE36-2	No Longer Available
PLWE36-4	No Longer Available
PLWE36-7	No Longer Available
PLWE36-8	No Longer Available

Old Number	New Number
PLWE43-10	No Longer Available
PLWE43-13	No Longer Available
PLWE43-3	No Longer Available
PLWE43-6	No Longer Available
PLWE43-7	No Longer Available
PLWE52-4	No Longer Available
PLWE53-15	No Longer Available
PLWE53-8	No Longer Available
PS18-24-1	No Longer Available
PS20-32-10	No Longer Available
PS20-32-12	No Longer Available
PS20-32-13	No Longer Available
PS20-32-4	No Longer Available
PS20-32-6	No Longer Available
PS20-32-7	No Longer Available
PS22-32-5	No Longer Available
PS24-16-5	No Longer Available
PS24-32-7	No Longer Available
PS25-16-1	148N-40-1571
PS26-32-1	No Longer Available
PS26-32-2	No Longer Available
PS28-16-19	155N-40-761
PS28-16-22	No Longer Available
PS28-16-5	No Longer Available
PS28-16-7	155N-40-761
PS28-16-8	155N-40-721
PS32-16-1	No Longer Available
PS32-16-16	No Longer Available
PS32-16-18	No Longer Available
PS32-16-28	16N-40-1011
PS32-16-31	No Longer Available
PS32-16-43	No Longer Available
PS-32-16-51	No Longer Available
PS40-10-25	No Longer Available
PS40-16-1	17N-40-521
PS40-16-11	No Longer Available
PS40-16-15	17N-40-521
PS40-16-25	17N-40-541
PS40-16-44	PS40-16-61
PS40-16-45	25RPL-SLIP
PS40-16-53	PS40-16-61
PS40-16-54	Contact Specs
PS40-16-55	25RPL-SLIP
PS48-10-1	No Longer Available
PS48-16-10	PS48-16-1
PS48-16-2	No Longer Available
PS48-16-2A	No Longer Available
PS48-16-33	No Longer Available
PS48-16-5	18N-40-191
PS48-16-8	No Longer Available
PS48-23-3	No Longer Available
PS48-23-4	No Longer Available
R102701-SF	R10270-SF
R102702-SF	R10270-SF
R18520	No Longer Available
R18630	No Longer Available
R18633	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
R19050	No Longer Available
R19055	No Longer Available
R19060	No Longer Available
R19065	No Longer Available
R230	No Longer Available
R-280-D	No Longer Available
R28700	No Longer Available
R28730	No Longer Available
R29255	No Longer Available
R29260	No Longer Available
R310	No Longer Available
R38720	No Longer Available
R3R-26-057	R3R-26-57
R3R-2-8268	No Longer Available
R4137268	4137268
R4714X	No Longer Available
R47330	No Longer Available
R58715	No Longer Available
R58730	No Longer Available
R58735	No Longer Available
R58742	No Longer Available
R58750	No Longer Available
R600D	No Longer Available
R800	No Longer Available
R800D	No Longer Available
R-8181A	No Longer Available
R912286	4137268
R913971-2600	R91397-2000
R91397-2001	R913972-2600
R913972-2600	No Longer Available
RBK-10	No Longer Available
RBK-4	No Longer Available
RCB2-1	No Longer Available
REBC131	No Longer Available
REP26-2	No Longer Available
RES1-61-7	No Longer Available
RPL-LUBE-48	RPL-LUBE-65
RRER14-2	No Longer Available
RRER14-3	RRER14-2
RRER16-2	No Longer Available
RRER16-5	SRG-L15
RRIR19-6	No Longer Available
RRIR28-2	No Longer Available
RRIR33-1	No Longer Available
RR-IR44-1	No Longer Available
RS913970-2600	No Longer Available
RSG13P-30	No Longer Available
RT-25-12-72	Contact Specs
RT-3-10-108	No Longer Available
RT-3-10-72	No Longer Available
RT-3-14-108-DOM	RT-3-14-108
RT-3-14-72-DOM	RT-3-14-72
RT-3-156-108	No Longer Available
RT-3-156-72	No Longer Available
RT-35-12-72	No Longer Available
RT-406-165-108	No Longer Available
RT-406-165-72	No Longer Available

Old Number	New Number
S-165-2	S-165B-2
SECR32-1	17N-16-53
SECR38-2	DC92N
SERUR19-3	No Longer Available
SERUR24-2	No Longer Available
SERUR34-1	No Longer Available
SHAS13-2-24-4	No Longer Available
SHAS14-3-42-7	No Longer Available
SHAS14-3-51-3	No Longer Available
SHAS14-7-42-7	No Longer Available
SHAS20-39-20-4	No Longer Available
SHS-16-68	No Longer Available
SHS16-89-13-4	No Longer Available
SHS-16-89-26	No Longer Available
SHS20-126-7	No Longer Available
SHS20-152-65	No Longer Available
SHS20-27	No Longer Available
SHS26-38-24	No Longer Available
SHS28-49-24	No Longer Available
SHS32-38-24	No Longer Available
SHS32-48-12	No Longer Available
SHS32-48-24	No Longer Available
SHS40-26-12	No Longer Available
SHS40-26-24	SH-S40-26-12
SHS40-9-12	No Longer Available
SHS40-9-24	No Longer Available
SHS48-21-12	No Longer Available
SHS48-21-24	No Longer Available
SHS48-23-18	No Longer Available
SL-S20-4	No Longer Available
SL-S22-12	No Longer Available
SL-S28-19	SL-S28-19
SPGR5-4	No Longer Available
SSFL5-18-3	No Longer Available
TU-Q109-108	No Longer Available
TU-Q17-1-108	No Longer Available
TU-Q17-1-72	No Longer Available
TURC68-2	No Longer Available
TURC68-7	Contact Specs
TURC72-10	Contact Specs
WAFR14-5	No Longer Available
WAFR26-1	No Longer Available
WAFS22-1	No Longer Available
WAFS28-2	No Longer Available
WALH5-7	WA-15Z
WALH6-3	WA-46
WALH8-3	WA-48
WAR14-22	No Longer Available
WAR20-3	WAR20-12
WAR32-5	17N-15-33
WAR33-7	17N-15-93
WAR7-4	1229-K-1597
WAS40-10	No Longer Available
WIR38-1	1199-A-3329

How to use this listing:

Look for one digit at a time until you find the part number you wish to interchange. The listing is in alphanumeric sequence and numbers have precedence over letters. Dashes and spaces should be ignored.

EXAMPLES:

1-6301	would be followed by
16-74-101	would be followed by
5-7000X	would be followed by
D2C	would be followed by
N10270-SF	

NOTE: This cross reference has been carefully researched to make it as accurate as possible. However, we cannot guarantee that it is completely and perfectly accurate. To be certain, compare the information in this cross reference to the appropriate catalog pages and double check for part dimensions and application information. Use this cross reference as a guide only. If you are not sure which part to use, always follow the vehicle manufacturer's specifications.

NOTES

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
0505X	Neapco	CP170X	100422	Neapco	10N-4-22
0505X-1	Neapco	CP170X	100423	Neapco	10N-4-23
0505X1	Neapco	CP170X	100432	Neapco	10N-4-32
0605X	Neapco	CP170X	100433	Neapco	10N-4-33
0675X	Neapco	CP170X	100443	Neapco	10N-4-43
1-0046	Neapco	KT17SB	10045	Neapco	KT16SB
1-0134	Neapco	CP134X	100452	Neapco	10N-4-52
1-0153	Neapco	CP153X	100453	Neapco	10N-4-53
1-0170	Neapco	CP170X	10046	Neapco	KT17SB
1-0200	Neapco	CP200X	100463	Neapco	10N-4-63
1-0297	Neapco	CP297X	100473	Neapco	10N-4-73
1-0298	Neapco	CP297-1X	100483	Neapco	10N-4-83
1-0300	Neapco	CP111X	100493	Neapco	10N-4-93
1-050	Neapco	CP3022X	10089	Neapco	KT116
1-0505	Neapco	CP170X	10099	Neapco	KT117
1-0506	Neapco	CP170X	101005	Neapco	R10V5
1-0675	Neapco	CP170X	10105	Neapco	CP105X
1-0676	Neapco	CP170X	10109	Neapco	KT118
1-1153	Neapco	CP153X	10134	Neapco	CP134X
1-1200	Neapco	CP153X	10153	Neapco	CP153X
1-2075	Neapco	CP279X	10170	Neapco	CP170X
1-2185	Neapco	CP2116	10200	Neapco	CP153X
1-4635	Neapco	CP1201X	10200	Neapco	CP200X
1-5900	Neapco	CP1200X	1022029	Dana/Spicer	10N-2-29
1-605X	Neapco	CP170X	10229	Dana/Spicer	10N-2-29
1-6300	Neapco	CP1306-1X	10248	Neapco	CP248X
1-6301	Neapco	CP1306X	10270-1SF	Dana/Spicer	R10270-SF
10-1005	Neapco	R10V5	10270-2SF	Dana/Spicer	R10270-SF
10-2-29	Dana/Spicer	10N-2-29	10270-5729	Dana/Spicer	R10270-SF
10-3-122X	Dana/Spicer	10N-3-122X	102701SF	Dana/Spicer	R10270-SF
10-3-12X	Dana/Spicer	10N-3-12X	102702SF	Dana/Spicer	R10270-SF
10-3-162X	Dana/Spicer	10N-3-162X	102705729	Dana/Spicer	R10270-SF
10-3-163X	Dana/Spicer	10N-3-163X	10297	Neapco	CP297X
10-3-18KX	Dana/Spicer	10N-3-18KX	10298	Neapco	CP297-1X
10-3-22X	Dana/Spicer	10N-3-22X	10300	Neapco	CP111X
10-3-32X	Dana/Spicer	10N-3-32X	10301	Neapco	CP101X
10-3-33X	Dana/Spicer	10N-3-33X	10312	Neapco	10N-3-12X
10-3-81X	Dana/Spicer	10N-3-81X	103122	Neapco	10N-3-122X
10-3-83X	Dana/Spicer	10N-3-83X	103122X	Dana/Spicer	10N-3-122X
10-32-92-108	Dana/Spicer	RT-125-11-108	10312X	Dana/Spicer	10N-3-12X
10-32-92-10800	Dana/Spicer	RT-125-11-108	103162	Neapco	10N-3-162X
10-4-103	Dana/Spicer	10N-4-103	103162X	Dana/Spicer	10N-3-162X
10-4-113	Dana/Spicer	10N-4-113	103163	Neapco	10N-3-163X
10-4-12	Dana/Spicer	10N-4-12	103163X	Dana/Spicer	10N-3-163X
10-4-123	Dana/Spicer	10N-4-123	103183	Neapco	10N-3-183X
10-4-13	Dana/Spicer	10N-4-13	103183X	Dana/Spicer	10N-3-183X
10-4-139	Dana/Spicer	10N-4-139	10318KX	Dana/Spicer	10N-3-18KX
10-4-183	Dana/Spicer	10N-4-183	10322X	Dana/Spicer	10N-3-22X
10-4-193	Dana/Spicer	10N-4-193	10323X	Dana/Spicer	10N-3-23X
10-4-22	Dana/Spicer	10N-4-22	103292108	Dana/Spicer	RT-125-11-108
10-4-282	Dana/Spicer	10N-4-282	10329210800	Dana/Spicer	RT-125-11-108
10-4-32	Dana/Spicer	10N-4-32	1032925400	Dana/Spicer	RT-125-11-72
10-4-43	Dana/Spicer	10N-4-43	10332X	Dana/Spicer	10N-3-32X
10-4-481	Dana/Spicer	10N-4-481	10333X	Dana/Spicer	10N-3-33X
10-4-52	Dana/Spicer	10N-4-52	10381X	Dana/Spicer	10N-3-81X
10-4-63	Dana/Spicer	10N-4-63	10383X	Dana/Spicer	10N-3-83X
10-4-93	Dana/Spicer	10N-4-93	104103	Dana/Spicer	10N-4-103
100322	Neapco	10N-3-22X	104113	Dana/Spicer	10N-4-113
100323	Neapco	10N-3-23X	10412	Dana/Spicer	10N-4-12
100332	Neapco	10N-3-32X	104123	Dana/Spicer	10N-4-123
100333	Neapco	10N-3-33X	10413	Dana/Spicer	10N-4-13
100381	Neapco	10N-3-81X	104133	Dana/Spicer	10N-4-133
100412	Neapco	10N-4-12	104139	Dana/Spicer	10N-4-139
100413	Neapco	10N-4-13	104143	Dana/Spicer	10N-4-143

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
104173	Dana/Spicer	10N-4-173	1875X	Neapco	CP2011X
104183	Dana/Spicer	10N-4-183	2-0053	Neapco	CP178X
104193	Dana/Spicer	10N-4-193	2-0054	Neapco	CP160X
104193	Neapco	10N-4-193	2-075X	Neapco	CP279X
1041932	Dana/Spicer	10N-4-32	2-075X-1A	Neapco	CP279X
1041943	Dana/Spicer	10N-4-43	2-1033J	Neapco	72NYS31-2
1041952	Dana/Spicer	10N-4-52	2-1569	Neapco	CP1204X
1041963	Dana/Spicer	10N-4-63	2-2-329	Dana/Spicer	131N-2-329
1041993	Dana/Spicer	10N-4-93	2-2-479	Dana/Spicer	131N-2-479
1042012	Dana/Spicer	10N-4-12	2-20-1701	Dana/Spicer	131N-40-1701
1042013	Dana/Spicer	10N-4-13	2-28-1177	Dana/Spicer	133N-28-1177
1042022	Dana/Spicer	10N-4-22	2-28-1697	Dana/Spicer	133N-28-1697
10422	Dana/Spicer	10N-4-22	2-28-1707	Dana/Spicer	133N-28-1707
10423	Dana/Spicer	10N-4-23	2-28-1717	Dana/Spicer	133N-28-1717
104282	Dana/Spicer	10N-4-282	2-28-1757	Dana/Spicer	131N-28-1757
10432	Dana/Spicer	10N-4-32	2-28-277	Dana/Spicer	131N-28-277
10433	Dana/Spicer	10N-4-33	2-28-307	Dana/Spicer	131N-28-307
10443	Dana/Spicer	10N-4-43	2-28-327	Dana/Spicer	131N-28-327
10443	Neapco	CP443X	2-28-357	Dana/Spicer	131N-28-357
104443	Dana/Spicer	10N-4-443	2-28-367	Dana/Spicer	131N-28-367
104453	Dana/Spicer	10N-4-453	2-28-397	Dana/Spicer	131N-28-397
104473	Dana/Spicer	10N-4-473	2-28-417	Dana/Spicer	131N-28-417
104481	Dana/Spicer	10N-4-481	2-28-427	Dana/Spicer	131N-28-427
10452	Dana/Spicer	10N-4-52	2-28-437	Dana/Spicer	131N-28-437
10453	Dana/Spicer	10N-4-53	2-3-10621KX	Dana/Spicer	131N-3-7260KX
104573	Dana/Spicer	10N-4-573	2-3-128KX	Dana/Spicer	131N-3-128KX
104611	Dana/Spicer	10N-4-611	2-3-4441KX	Dana/Spicer	131N-3-4441KX
10463	Dana/Spicer	10N-4-63	2-3-4681KX	Dana/Spicer	133N-3-7961KX
104703	Dana/Spicer	10N-4-703	2-3-4951KX	Dana/Spicer	131N-3-7981KX
10473	Dana/Spicer	10N-4-73	2-3-5221KX	Dana/Spicer	131N-3-8001KX
10483	Dana/Spicer	10N-4-83	2-3-5221X	Dana/Spicer	131N-3-8001KX
10493	Dana/Spicer	10N-4-93	2-3-5821X	Dana/Spicer	131N-3-8021KX
1050	Neapco	CP3022X	2-3-7481KX	Dana/Spicer	133N-3-8041KX
10505	Neapco	CP170X	2-3-7481X	Dana/Spicer	133N-3-8041KX
10506	Neapco	CP170X	2-3-7681KX	Dana/Spicer	133N-3-7981KX
10675	Neapco	CP170X	2-3-7961KX	Dana/Spicer	133N-3-7961KX
10676	Neapco	CP170X	2-3-7981KX	Dana/Spicer	131N-3-7981KX
11153	Neapco	CP153X	2-3-8001KX	Dana/Spicer	131N-3-8001KX
11200	Neapco	CP153X	2-3-8021KX	Dana/Spicer	131N-3-8021KX
11475	Neapco	CPL6R-50	2-3-8041KX	Dana/Spicer	133N-3-8041KX
11554	Neapco	CP2031	2-3011	Neapco	CP3147X
11555	Neapco	CP105X	2-3100	Neapco	CP353X
11875	Neapco	CP2011X	2-4-473	Dana/Spicer	131N-4-473
12075	Neapco	CP279X	2-4-503	Dana/Spicer	131N-4-503
12075	Neapco	R279X	2-4-533	Dana/Spicer	131N-4-533
12185	Neapco	CP2116	2-40-1031	Dana/Spicer	131N-40-1031
13600	Neapco	CP2011X	2-40-1701	Dana/Spicer	131N-40-1701
13650	Neapco	CP2140	2-40-1711	Dana/Spicer	131N-40-1711
143012108	Dana/Spicer	RT-175-16-108	2-40-1771	Dana/Spicer	131N-40-1771
14301210800	Dana/Spicer	RT-175-16-108	2-40-1811	Dana/Spicer	131N-40-1811
143052108	Dana/Spicer	RT-175-14-108	2-40-1851	Dana/Spicer	131N-40-1851
14305210800	Dana/Spicer	RT-175-14-108	2-40-1871	Dana/Spicer	131N-40-1871
14475	Neapco	CPL6R-50	2-40-2051	Dana/Spicer	131N-40-2051
14635	Neapco	CP1201X	2-4800	Neapco	CP213X
1475X	Neapco	CPL6R-50	2-4900	Neapco	CP1204X
15900	Neapco	CP1200X	2-6302	Neapco	CP1306X
16-30-62-10800	Dana/Spicer	RT-2-14-108	2-675X	Neapco	CP188X
16-30-62-7400	Dana/Spicer	RT-2-14-72	2-94-28X	Dana/Spicer	KT116
1605X	Neapco	CP170X	20-30-12-10800	Dana/Spicer	RT-25-16-108
16300	Neapco	CP1306-1X	20-30-12-7400	Dana/Spicer	RT-25-16-72
16301	Neapco	CP1306X	20-30-22-10800	Dana/Spicer	RT-25-14-108
16306210800	Dana/Spicer	RT-2-14-108	20-30-22-7400	Dana/Spicer	RT-25-14-72
16306274	Dana/Spicer	RT-2-14-72	20053	Neapco	CP178X
1630627400	Dana/Spicer	RT-2-14-72	20054	Neapco	CP160X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
203012108	Dana/Spicer	RT-25-16-108	2281177	Dana/Spicer	133N-28-1177
20301210800	Dana/Spicer	RT-25-16-108	2281697	Dana/Spicer	133N-28-1697
20301274	Dana/Spicer	RT-25-16-72	2281707	Dana/Spicer	133N-28-1707
2030127400	Dana/Spicer	RT-25-16-72	2281717	Dana/Spicer	133N-28-1717
203022108	Dana/Spicer	RT-25-14-108	2281747X	Dana/Spicer	131N-28-1747X
20302210800	Dana/Spicer	RT-25-14-108	2281757	Dana/Spicer	131N-28-1757
20302274	Dana/Spicer	RT-25-14-72	2281777X	Dana/Spicer	131N-28-1777X
2030227400	Dana/Spicer	RT-25-14-72	2281777X	Dana/Spicer	131N-28-2947X
20527	Neapco	CP527X	228277	Dana/Spicer	131N-28-277
2075X	Neapco	CP279X	2282947X	Dana/Spicer	131N-28-1777X
2075X	Neapco	R279X	2282947X	Dana/Spicer	131N-28-2947X
2075X1A	Neapco	CP279X	2282957X	Dana/Spicer	131N-28-1747X
2075X1A	Neapco	R279X	228307	Dana/Spicer	131N-28-307
210084-2X	Dana/Spicer	CB210084-2X	228327	Dana/Spicer	131N-28-327
2100842X	Dana/Spicer	CB210084-2X	228357	Dana/Spicer	131N-28-357
210088-1X	Dana/Spicer	CB210088-1X	228367	Dana/Spicer	131N-28-367
2100881X	Dana/Spicer	CB210088-1X	228397	Dana/Spicer	131N-28-397
210090-1X	Dana/Spicer	CB210090-1X	228417	Dana/Spicer	131N-28-417
2100901X	Dana/Spicer	CB210090-1X	228427	Dana/Spicer	131N-28-427
2101211X	Dana/Spicer	CB210121-1XSA	228437	Dana/Spicer	131N-28-437
2101301X	Dana/Spicer	CB210207-1X	22899	Dana/Spicer	121N-2-899
210140-1X	Dana/Spicer	CB210140-1X	22939	Dana/Spicer	131N-2-939
2101401X	Dana/Spicer	CB210140-1X	230104	Dana/Spicer	DEFR22-4
210144-1X	Dana/Spicer	CB210144-1X	23011	Neapco	CP3147X
2101441X	Dana/Spicer	CB210144-1X	230118	Dana/Spicer	DEFR33-1
210207-1X	Dana/Spicer	CB210207-1X	230121	Dana/Spicer	DEFR22-5
2102071X	Dana/Spicer	CB210207-1X	230124	Dana/Spicer	DEFR37-1
21033J	Neapco	72NYS31-2	230141	Dana/Spicer	DEFR28-4
210367-1X	Dana/Spicer	CB210367-1X	230151	Dana/Spicer	DEFR41-1
2103671X	Dana/Spicer	CB210367-1X	230166	Dana/Spicer	DEFR35-1
210370-1X	Dana/Spicer	CB210370-1X	230207	Dana/Spicer	DEFR40-5
2103701X	Dana/Spicer	CB210370-1X	230208	Dana/Spicer	DEFR25-2
210391-1X	Dana/Spicer	CB210391-1X	230209	Dana/Spicer	DEFR25-1
2103911X	Dana/Spicer	CB210391-1X	230363	Dana/Spicer	DEFR28-3
210433-1X	Dana/Spicer	CB210433-1X	230386	Dana/Spicer	DEFR38-3
2104331X	Dana/Spicer	CB210433-1X	230746	Dana/Spicer	DEFR55-1
210527X	Dana/Spicer	CB210527X	230794	Dana/Spicer	DEFR47-6
2106601X	Dana/Spicer	CB210661-1XSA	230795	Dana/Spicer	DEFR47-4
2106611X	Dana/Spicer	CB210661-1XSA	230897	Dana/Spicer	DEFR43-1
210797-2X	Dana/Spicer	CB310006-2X	230900	Dana/Spicer	DEFR44-1
2107972X	Dana/Spicer	CB310006-2X	230902	Dana/Spicer	DEFR65-1
210866-1X	Dana/Spicer	CB210866-1X	230909	Dana/Spicer	DEFR42-1
2108661X	Dana/Spicer	CB210866-1X	230910	Dana/Spicer	DEFR47-5
210873-1X	Dana/Spicer	CB210873-1X	230921	Dana/Spicer	DEFR50-2
2108731X	Dana/Spicer	CB210873-1X	23100	Neapco	CP353X
2108751X	Dana/Spicer	CB210875-1XSA	231000	Dana/Spicer	DEFR25-4
2108811X	Dana/Spicer	CB310012-1XSA	231004	Dana/Spicer	DEFR34-1
211016X	Dana/Spicer	CB211016X	231013	Dana/Spicer	DEFR55-2
211187X	Dana/Spicer	CB211187X	231022	Dana/Spicer	DEFR48-5
211355X	Dana/Spicer	131N-CV82-HD	231028	Dana/Spicer	DEFR48-2
21569	Neapco	CP1204X	231046	Dana/Spicer	WIR46-2
22-30-22-10800	Dana/Spicer	RT-275-14-108	231047	Dana/Spicer	DEFR56-2
2201701	Dana/Spicer	131N-40-1701	231058	Dana/Spicer	DEFR48-2
221049	Dana/Spicer	121N-2-1049	2310621KX	Dana/Spicer	131N-3-7260KX
223022108	Dana/Spicer	RT-275-14-108	231101	Dana/Spicer	DEFR47-7
22302210800	Dana/Spicer	RT-275-14-108	231102	Dana/Spicer	DEFR50-4
22329	Dana/Spicer	131N-2-329	231179	Dana/Spicer	DEFR54-1
22349	Dana/Spicer	131N-2-349	231206	Dana/Spicer	DEFR40-4
22479	Dana/Spicer	131N-2-479	23128KX	Dana/Spicer	131N-3-128KX
22579	Dana/Spicer	131N-2-579	231359	Dana/Spicer	DEFR50-7
226367	Dana/Spicer	131N-26-367	231599	Dana/Spicer	DEFR47-13
226367	Dana/Spicer	131N-26-497	231616	Dana/Spicer	DEFR62-1
226427	Dana/Spicer	131N-26-367	231803	Dana/Spicer	DEFR56-7
226427	Dana/Spicer	131N-26-497	23190	Neapco	CP357X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
234441KX	Dana/Spicer	131N-3-4441KX	26302	Neapco	CP1306X
234681KX	Dana/Spicer	133N-3-7961KX	263022108	Dana/Spicer	RT-45-3-108
234951KX	Dana/Spicer	131N-3-7981KX	26302210800	Dana/Spicer	RT-45-3-108
235221KX	Dana/Spicer	131N-3-8001KX	26600	Neapco	CP141N
235221X	Dana/Spicer	131N-3-8001KX	2675X	Neapco	CP188X
235821X	Dana/Spicer	131N-3-8021KX	28-30-22-10800	Dana/Spicer	RT-35-13-108
236061KX	Dana/Spicer	131N-3-6061KX	28-30-22-7400	Dana/Spicer	RT-35-13-72
237171KX	Dana/Spicer	131N-3-7171KX	28-30-42-10800	Dana/Spicer	RT-35-16-108
237481KX	Dana/Spicer	133N-3-8041KX	28-30-42-7200	Dana/Spicer	RT-35-16-72
237481X	Dana/Spicer	133N-3-8041KX	28-30-52-10800	Dana/Spicer	RT-35-156-108
237681KX	Dana/Spicer	133N-3-7681KX	28-30-52-7400	Dana/Spicer	RT-35-156-72
237961KX	Dana/Spicer	133N-3-7961KX	28-30-62-10800	Dana/Spicer	RT-35-14-108
237981KX	Dana/Spicer	131N-3-7981KX	28-30-62-7400	Dana/Spicer	RT-35-14-72
238001KX	Dana/Spicer	131N-3-8001KX	28-30-92-10800	Dana/Spicer	RT-35-10-108
238021KX	Dana/Spicer	131N-3-8021KX	28-30-92-7400	Dana/Spicer	RT-35-10-72
238041KX	Dana/Spicer	133N-3-8041KX	280150	Neapco	CP2031
238861X	Dana/Spicer	121N-3-8861KX	28015X	Neapco	CP153X
238961X	Dana/Spicer	121N-3-8961KX	280194	Neapco	R280194
24-30-12-10800	Dana/Spicer	RT-3-13-108	280196	Neapco	R280196
24-30-12-7400	Dana/Spicer	RT-3-13-72	280200	Neapco	CP153X
24-30-32-10800	Dana/Spicer	RT-3-16-108	280200	Neapco	CP200X
24-30-32-7400	Dana/Spicer	RT-3-16-72	280350	Neapco	CP2011X
24-30-42-10800	Dana/Spicer	RT-3-14-108	28051XB	Neapco	CP153X
24-30-42-7400	Dana/Spicer	RT-3-14-72	28053X	Neapco	CP178X
2401031	Dana/Spicer	131N-40-1031	28053XB	Neapco	CP178X
2401221	Dana/Spicer	131N-40-1221	28054X	Neapco	CP160X
2401231	Dana/Spicer	131N-40-1231	28054XB	Neapco	CP160X
2401291	Dana/Spicer	131N-40-1291	28055X	Neapco	CP115X
2401521	Dana/Spicer	131N-40-1521	28056X	Neapco	CP1301X
2401701	Dana/Spicer	131N-40-1701	28058X	Neapco	CP279X
2401711	Dana/Spicer	131N-40-1711	28058X	Neapco	R279X
2401741	Dana/Spicer	121N-40-1741	28059X	Neapco	CP280X
2401771	Dana/Spicer	131N-40-1771	28059X	Neapco	R280X
2401811	Dana/Spicer	131N-40-1811	280600	Neapco	CP3000
2401851	Dana/Spicer	131N-40-1851	280700	Neapco	CP3012
2401871	Dana/Spicer	131N-40-1871	28100X	Neapco	CP105X
2402051	Dana/Spicer	131N-40-2051	28101X	Neapco	CP101X
2402211	Dana/Spicer	121N-40-2211	28105X	Neapco	CP105X
2402301	Dana/Spicer	121N-40-2301	28108X	Neapco	CP2011X
243012108	Dana/Spicer	RT-3-13-108	281175	Neapco	CP2033
24301210800	Dana/Spicer	RT-3-13-108	28124X	Neapco	CP124X
24301274	Dana/Spicer	RT-3-13-72	28133X	Neapco	CP213X
2430127400	Dana/Spicer	RT-3-13-72	28134X	Neapco	CP134X
24303210800	Dana/Spicer	RT-3-16-108	281400	Neapco	CP51625-2
24303274	Dana/Spicer	RT-3-16-72	28150X	Neapco	CP3022X
2430327400	Dana/Spicer	RT-3-16-72	28153X	Neapco	CP153X
243042108	Dana/Spicer	RT-3-14-108	28153XB	Neapco	CP153X
24304210800	Dana/Spicer	RT-3-14-108	281550G	Neapco	CP105X
24304274	Dana/Spicer	RT-3-14-72	281554	Neapco	CP2031
2430427400	Dana/Spicer	RT-3-14-72	281557	Neapco	CP105X
2432142108	Dana/Spicer	RT-3-11-108	28155X	Neapco	CP155X
243214210800	Dana/Spicer	RT-3-11-108	281569	Neapco	CP3147X
243214274	Dana/Spicer	RT-3-11-72	28165X	Neapco	CP165X
24321427400	Dana/Spicer	RT-3-11-72	28170X	Neapco	CP170X
24473	Dana/Spicer	131N-4-473	28187X	Neapco	CP260X
24503	Dana/Spicer	131N-4-503	28188	Neapco	CP188X
24533	Dana/Spicer	131N-4-533	28200X	Neapco	CP153X
24800	Neapco	CP213X	28200XB	Neapco	CP153X
24900	Neapco	CP1204X	28213X	Neapco	CP213X
253288KX	Dana/Spicer	16N-3-288X	282173	Neapco	CP153X
253711	Dana/Spicer	131N-53-711	28244X	Neapco	CP124X
26-30-22-108	Dana/Spicer	RT-45-3-108	282518	Neapco	CP2116
26-30-22-10800	Dana/Spicer	RT-45-3-108	282600	Neapco	CP4015
26200	Neapco	CP1205X	28278X	Neapco	CP248X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
28279X	Neapco	CP279X	286163	Neapco	CP62N-51
28279X	Neapco	R279X	286200	Neapco	CP1205X
282800	Neapco	CP2033	286300	Neapco	CP1306-1X
28280X-4	Neapco	CP280X	286300G	Neapco	CP1306X
28280X4	Neapco	CP280X	286500	Neapco	CP1306X
28280X4	Neapco	R280X	286600	Neapco	CP141N
28281X	Neapco	CP281X	287126	Neapco	CP72N-HWD
28281X	Neapco	R281X	287205	Neapco	CP72N-DWT
28300X	Neapco	CP111X	287208	Neapco	CP72N-DWT
28300XS	Neapco	CP111X	288105	Neapco	CP82N-HWD
28301X	Neapco	CP101X	288113	Neapco	CP82N-HWD
283022108	Dana/Spicer	RT-35-13-108	288207	Neapco	CP82N-HB
28302210800	Dana/Spicer	RT-35-13-108	289014	Neapco	CP92N-DWT
28302274	Dana/Spicer	RT-35-13-72	289015	Neapco	CP92N-HWD
2830227400	Dana/Spicer	RT-35-13-72	289016	Neapco	CP92N-HWD
283031	Neapco	CP3147X	289017	Neapco	CP92N-HB
283042108	Dana/Spicer	RT-35-16-108	28L6N8	Neapco	CPL6R-50
28304210800	Dana/Spicer	RT-35-16-108	28N6	Neapco	CP111X
28304272	Dana/Spicer	RT-35-16-72	29428X	Dana/Spicer	KT116
2830427200	Dana/Spicer	RT-35-16-72	3-0055	Neapco	CP115X
283052108	Dana/Spicer	RT-35-156-108	3-0155	Neapco	CP155N
28305210800	Dana/Spicer	RT-35-156-108	3-0188	Neapco	CP148N
28305274	Dana/Spicer	RT-35-156-72	3-0332	Neapco	CP332X
2830527400	Dana/Spicer	RT-35-156-72	3-1053	Neapco	CP178X
283062108	Dana/Spicer	RT-35-14-108	3-1054	Neapco	CP160X
28306210800	Dana/Spicer	RT-35-14-108	3-188	Neapco	CP188X
28306274	Dana/Spicer	RT-35-14-72	3-2-119	Dana/Spicer	135N-2-119
2830627400	Dana/Spicer	RT-35-14-72	3-2-159	Dana/Spicer	141N-2-159
28309210800	Dana/Spicer	RT-35-10-108	3-2-429	Dana/Spicer	141N-2-429
28309274	Dana/Spicer	RT-35-10-72	3-28-427	Dana/Spicer	135N-28-427
2830927400	Dana/Spicer	RT-35-10-72	3-28-47	Dana/Spicer	135N-28-47
283100	Neapco	CP353X	3-28-537	Dana/Spicer	148N-28-537
283102	Neapco	CP3012	3-28-547	Dana/Spicer	148N-28-547
283105	Neapco	CP3147X	3-28-557	Dana/Spicer	141N-28-557
283130	Neapco	CP3022X	3-28-57	Dana/Spicer	135N-28-57
283131	Neapco	CP354X	3-28-647	Dana/Spicer	148N-28-547
283152	Neapco	CP3000	3-28-97	Dana/Spicer	141N-28-97
283190	Neapco	CP357X	3-3-118KX	Dana/Spicer	141N-3-118KX
28350	Neapco	CP111X	3-3-1501KX	Dana/Spicer	135N-3-1501KX
283500	Neapco	CP2031	3-3-1561KX	Dana/Spicer	135N-3-1561KX
284103	Neapco	CP2011X	3-3-1601KX	Dana/Spicer	148N-3-1601KX
284140	Neapco	CP4002	3-3-1641KX	Dana/Spicer	148N-3-1641KX
284143	Neapco	CP4143X	3-3-2041KX	Dana/Spicer	141N-3-2041KX
284152	Neapco	CP4102	3-3-2471KX	Dana/Spicer	135N-3-2471KX
284700	Neapco	CP1201X	3-3-488KX	Dana/Spicer	135N-3-488KX
284800	Neapco	CP213X	3-3-508KX	Dana/Spicer	141N-3-508KX
284900	Neapco	CP1204X	3-3-598KX	Dana/Spicer	135N-3-598KX
285122	Neapco	CP5122	3-3130	Neapco	CP3022X
285127	Neapco	CP5101	3-3140	Neapco	CP460X
285132	Neapco	CP5008	3-4-4421X	Dana/Spicer	148N-4-4421X
285177	Neapco	CP5177	3-40-1561	Dana/Spicer	135N-40-1561
28531	Neapco	CP1204X	3-40-1571	Dana/Spicer	148N-40-1571
285554	Neapco	CP1200X	3-53-1031	Dana/Spicer	141N-53-1031
2858WB	Neapco	CP58WB-HWD	3-53-1181	Dana/Spicer	135N-53-1181
285900	Neapco	CP1200X	3-53-1181-1	Dana/Spicer	135N-53-1181-1
286103	Neapco	CP62N-HB	3-53-341	Dana/Spicer	148N-53-451
286107	Neapco	CP5008	3-53-451	Dana/Spicer	148N-53-451
286108	Neapco	CP62N-50	3-6700	Neapco	CP148N
286109	Neapco	CP62N-51	3-70-28X	Dana/Spicer	KT122
286114	Neapco	CP62N-HB	3-70-38X	Dana/Spicer	KT124
286128	Neapco	CP62N-HWD	3-70-99	Dana/Spicer	REBC148-2
286143	Neapco	CP62N-DWT	3-94-18X	Dana/Spicer	KT117
286152	Neapco	CP62N-HB	3-94-28X	Dana/Spicer	KT118
286162	Neapco	CP62N-50	30055	Neapco	CP115X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
30056	Neapco	CP1301X	340971	Dana/Spicer	148N-40-1571
30155	Neapco	CP155N	34102611	Dana/Spicer	148N-4-10261-1
30188	Neapco	CP148N	34104711X	Dana/Spicer	148N-4-10471-1X
30332	Neapco	CP332X	3410471X	Dana/Spicer	148N-4-10471-1X
31053	Neapco	CP178X	341551	Dana/Spicer	NL-112-1
31054	Neapco	CP160X	341841	Dana/Spicer	141N-4-1841
3188	Neapco	CP188X	343061	Dana/Spicer	148N-4-3061
32-30-72-10800	Dana/Spicer	RT-4095-7-108	343081	Dana/Spicer	148N-4-3081
32-30-72-7400	Dana/Spicer	RT-4095-7-72	343091	Dana/Spicer	148N-4-3091
32119	Dana/Spicer	135N-2-119	343191	Dana/Spicer	148N-4-3571
32159	Dana/Spicer	141N-2-159	343331X	Dana/Spicer	148N-4-3081
32202274	Dana/Spicer	RT-4-14-72	343781	Dana/Spicer	148N-4-3781
3220227400	Dana/Spicer	RT-4-14-72	343861	Dana/Spicer	148N-4-3861
323022108	Dana/Spicer	RT-4-14-108	343941	Dana/Spicer	141N-4-3941
32302210800	Dana/Spicer	RT-4-14-108	344421X	Dana/Spicer	148N-4-4421X
3230227400	Dana/Spicer	RT-4-14-72	346221X	Dana/Spicer	148N-4-3781
323052108	Dana/Spicer	RT-4-10-108	346561	Dana/Spicer	141N-4-6561
32305210800	Dana/Spicer	RT-4-10-108	346631X	Dana/Spicer	141N-4-6631X
32305274	Dana/Spicer	RT-4-10-72	347151	Dana/Spicer	141NYS24-4
3230527400	Dana/Spicer	RT-4-10-72	347541	Dana/Spicer	148TYS28A
323072108	Dana/Spicer	RT-4095-7-108	35-30-22-7400	Dana/Spicer	RT-45-3-72
32307210800	Dana/Spicer	RT-4095-7-108	35302274	Dana/Spicer	RT-45-3-72
32307274	Dana/Spicer	RT-4095-7-72	3530227400	Dana/Spicer	RT-45-3-72
3230727400	Dana/Spicer	RT-4095-7-72	3531031	Dana/Spicer	141N-53-1031
32429	Dana/Spicer	141N-2-429	3531081	Dana/Spicer	141N-53-1081
32479	Dana/Spicer	148N-2-479	3531181	Dana/Spicer	135N-53-1181
32736414X	Dana/Spicer	991-10-2	35311811	Dana/Spicer	135N-53-1181-1
32787317X	Dana/Spicer	991-11-2	3531351	Dana/Spicer	135N-53-1351
3281947	Dana/Spicer	135N-28-47	3531361	Dana/Spicer	141N-53-1361
3281957	Dana/Spicer	135N-28-57	3531371	Dana/Spicer	141N-53-1371
3281997	Dana/Spicer	141N-28-97	353151	Dana/Spicer	135N-53-1351
328367	Dana/Spicer	141N-28-367	353151	Dana/Spicer	148N-53-451
328427	Dana/Spicer	135N-28-427	353341	Dana/Spicer	148N-53-451
32847	Dana/Spicer	135N-28-47	353431	Dana/Spicer	148N-53-431
328507	Dana/Spicer	148N-28-507	353451	Dana/Spicer	148N-53-451
328537	Dana/Spicer	148N-28-537	36-30-22-10800	Dana/Spicer	RT-45-3-108
328547	Dana/Spicer	148N-28-547	36-30-22-7400	Dana/Spicer	RT-45-3-72
328557	Dana/Spicer	141N-28-557	36-30-62-10800	Dana/Spicer	RT-45-10-108
328567	Dana/Spicer	148N-28-567	36-30-62-7400	Dana/Spicer	RT-45-10-72
32857	Dana/Spicer	135N-28-57	36202210800	Dana/Spicer	RT-45-3-108
328572	Dana/Spicer	135N-28-57-2	363012108	Dana/Spicer	RT-45-13-108
328647	Dana/Spicer	148N-28-547	36301210800	Dana/Spicer	RT-45-13-108
32897	Dana/Spicer	141N-28-97	36301274	Dana/Spicer	RT-45-13-72
33118KX	Dana/Spicer	141N-3-118KX	3630127400	Dana/Spicer	RT-45-13-72
33125	Neapco	CP3000	36302210800	Dana/Spicer	RT-45-3-108
33130	Neapco	CP3022X	36302274	Dana/Spicer	RT-45-3-72
33131	Neapco	CP354X	3630227400	Dana/Spicer	RT-45-3-72
33140	Neapco	CP460X	36306210800	Dana/Spicer	RT-45-10-108
331481KX	Dana/Spicer	141N-3-1481KX	3630627400	Dana/Spicer	RT-45-10-72
331501KX	Dana/Spicer	135N-3-1501KX	36321210800	Dana/Spicer	RT-45-187-108
33152	Neapco	CP3000	3632127400	Dana/Spicer	RT-45-187-72
331561KX	Dana/Spicer	135N-3-1561KX	36700	Neapco	CP148N
331601KX	Dana/Spicer	148N-3-1601KX	37028X	Dana/Spicer	KT122
331641KX	Dana/Spicer	148N-3-1641KX	37038X	Dana/Spicer	KT124
332041KX	Dana/Spicer	141N-3-2041KX	37099	Dana/Spicer	REBC148-2
332471KX	Dana/Spicer	135N-3-2471KX	3789	Dana/Spicer	RRIR24-2
332J	Dana/Spicer	1227-Z-936	39418X	Dana/Spicer	KT117
33488KX	Dana/Spicer	135N-3-488KX	39428X	Dana/Spicer	KT118
33508KX	Dana/Spicer	141N-3-508KX	4-0058	Neapco	CP279X
33598KX	Dana/Spicer	135N-3-598KX	4-0614	Neapco	CP62N-HB
33758KX	Dana/Spicer	135N-3-758KX	4-0628	Neapco	CP62N-HWD
33788KX	Dana/Spicer	141N-3-788KX	4-0643	Neapco	CP62N-DWT
3401561	Dana/Spicer	135N-40-1561	4-1090	Neapco	US90X
3401571	Dana/Spicer	148N-40-1571	4-5122	Neapco	CP5122

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
4-53-61	Dana/Spicer	155N-53-61	5-160XU	Dana/Spicer	CP160X
4-6062	Neapco	CP62N-50	5-170X	Dana/Spicer	CP170X
4-6103	Neapco	CP62N-HB	5-177X	Dana/Spicer	CP280X
4-6114	Neapco	CP62N-HB	5-178X	Dana/Spicer	CP178X
4-6128	Neapco	CP62N-HWD	5-178XU	Dana/Spicer	CP178X
4-6143	Neapco	CP62N-DWT	5-188X	Dana/Spicer	CP188X
40058	Neapco	CP279X	5-200X	Dana/Spicer	CP153X
40058	Neapco	R279X	5-2116X	Dana/Spicer	CP2116
40165	Neapco	CP165X	5-212X	Dana/Spicer	CP1204X
40614	Neapco	CP62N-HB	5-213X	Dana/Spicer	CP213X
40628	Neapco	CP62N-HWD	5-252	Dana/Spicer	CP153X
40643	Neapco	CP62N-DWT	5-279X	Dana/Spicer	CP279X
41090	Neapco	US90X	5-28-627	Dana/Spicer	16N-28-627
4137268	Neapco	4137268	5-2801	Neapco	R675X
416081X	Dana/Spicer	148N-1-6081X	5-280X	Dana/Spicer	CP280X
42669	Dana/Spicer	155N-2-669	5-281X	Dana/Spicer	CP281X
428307	Dana/Spicer	155N-28-307	5-2971X	Dana/Spicer	CP297-1X
428417	Dana/Spicer	155NY53-5	5-297X	Dana/Spicer	CP297X
431241KX	Dana/Spicer	155N-3-1241X	5-3-1411KX	Dana/Spicer	16N-3-1411X
4401	Dana/Spicer	155N-4-1901	5-3-2261KX	Dana/Spicer	16N-3-2261X
440461	Dana/Spicer	155N-40-761	5-3008X	Dana/Spicer	CP3147X
440591	Dana/Spicer	155N-40-721	5-3009X	Dana/Spicer	CP3147X
440721	Dana/Spicer	155N-40-721	5-3022X	Dana/Spicer	CP3022X
441461	Dana/Spicer	155N-40-761	5-3147X	Dana/Spicer	CP3147X
441891	Dana/Spicer	155N-4-1891	5-324X	Dana/Spicer	CP18N-96
441901	Dana/Spicer	155N-4-1901	5-332X	Dana/Spicer	CP332X
442051	Dana/Spicer	155N-4-2051	5-353X	Dana/Spicer	CP353X
442431	Dana/Spicer	155N-4-2431	5-4-3621	Dana/Spicer	16N-4-3621
443581X	Dana/Spicer	155N-4-1901	5-4-4551	Dana/Spicer	16N-4-4551
444101	Dana/Spicer	155N-4-4101	5-4-4761X	Dana/Spicer	16N-4-4761X
444111X	Dana/Spicer	155NYS28-5A	5-4-5721	Dana/Spicer	16N-4-5721
444211	Dana/Spicer	155N-4-4211	5-4-5731	Dana/Spicer	16N-4-5731
4450311	Dana/Spicer	155N-4-5031-1	5-4-5751	Dana/Spicer	16N-4-5751
4451	Dana/Spicer	155N-4-2051	5-4-6291X	Dana/Spicer	16N-4-6291X
4455511	Dana/Spicer	155N-4-5551-1	5-40-1011	Dana/Spicer	16N-40-1011
4456111X	Dana/Spicer	155N-4-5611-1X	5-40-741	Dana/Spicer	16N-40-1011
4456911X	Dana/Spicer	155N-4-6831-1X	5-4002X	Dana/Spicer	CP4002
4468311X	Dana/Spicer	155N-4-6831-1X	5-407X	Dana/Spicer	CP407X
45122	Neapco	CP5122	5-4143X	Dana/Spicer	CP4143X
453261	Dana/Spicer	BSS24-60A	5-5000X	Dana/Spicer	CP5122
45361	Dana/Spicer	155N-53-61	5-5121X	Dana/Spicer	CP5101
45371	Dana/Spicer	BSS24-53A	5-5177X	Dana/Spicer	CP5177
46062	Neapco	CP62N-50	5-53-141	Dana/Spicer	16N-53-141
46103	Neapco	CP62N-HB	5-5800X	Dana/Spicer	CP58WB-HWD
46107	Neapco	CP5008	5-6000X	Dana/Spicer	CP62N-DWT
46114	Neapco	CP62N-HB	5-6102X	Dana/Spicer	CP62N-HB
46128	Neapco	CP62N-HWD	5-6106X	Dana/Spicer	CP62N-HWD
46143	Neapco	CP62N-DWT	5-6108X	Dana/Spicer	CP62N-50
5-0069	Neapco	CP280X	5-675X	Dana/Spicer	R675X
5-0725	Neapco	CP72N-DWT	5-676X	Dana/Spicer	R676X
5-111X	Dana/Spicer	CP111X	5-677X	Dana/Spicer	R677X
5-115X	Dana/Spicer	CP115X	5-70-28X	Dana/Spicer	KT16SB
5-1200X	Dana/Spicer	CP1200X	5-7000X	Dana/Spicer	CP72N-DWT
5-1201X	Dana/Spicer	CP1201X	5-7105X	Dana/Spicer	CP72N-HWD
5-1204X	Dana/Spicer	CP1204X	5-7126	Neapco	CP72N-HWD
5-1206X	Dana/Spicer	CP141N	5-7202X	Dana/Spicer	CP72N-HB
5-121	Neapco	CP153X	5-7205	Neapco	CP72N-DWT
5-129X	Dana/Spicer	CP279X	5-7206	Neapco	CP72N-HB
5-1306-1X	Dana/Spicer	CP1306-1X	5-7207	Neapco	CP72N-HB
5-1306X	Dana/Spicer	CP1306X	5-7208	Neapco	CP72N-DWT
5-134X	Dana/Spicer	CP134X	5-8105X	Dana/Spicer	CP82N-HWD
5-153X	Dana/Spicer	CP153X	5-8200X	Dana/Spicer	CP82N-DWT
5-155X	Dana/Spicer	CP155X	5-8202X	Dana/Spicer	CP82N-HB
5-160X	Dana/Spicer	CP160X	5-9000X	Dana/Spicer	CP92N-DWT

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
5-9001X	Dana/Spicer	CP92N-HWD	528627	Dana/Spicer	16N-28-627
5-9002X	Dana/Spicer	CP92N-HB	528667	Dana/Spicer	16N-28-887
50069	Neapco	CP280X	52971X	Dana/Spicer	CP297-1X
50069	Neapco	R280X	5297X	Dana/Spicer	CP297X
50725	Neapco	CP72N-DWT	53000X	Dana/Spicer	CP3000
51-1020	Dana/Spicer	NL-112-1	53008X	Dana/Spicer	CP3147X
5100X	Dana/Spicer	CP105X	53009X	Dana/Spicer	CP3147X
5101X	Dana/Spicer	CP101X	53012X	Dana/Spicer	CP3012
5105X	Dana/Spicer	CP105X	53022X	Dana/Spicer	CP3022X
511020	Dana/Spicer	NL-112-1	5306X	Dana/Spicer	R280X
5111X	Dana/Spicer	CP111X	53108KX	Dana/Spicer	16N-3-108X
5115X	Dana/Spicer	CP115X	53128KX	Dana/Spicer	16N-3-128X
51200X	Dana/Spicer	CP1200X	531411KX	Dana/Spicer	16N-3-1411X
51201X	Dana/Spicer	CP1201X	53147X	Dana/Spicer	CP3147X
51203	Dana/Spicer	CP1203X	532261KX	Dana/Spicer	16N-3-2261X
51204X	Dana/Spicer	CP1204X	5324X	Dana/Spicer	CP18N-96
51205X	Dana/Spicer	CP1205X	53288KX	Dana/Spicer	16N-3-288X
51206X	Dana/Spicer	CP141N	5332X	Dana/Spicer	CP332X
5121	Neapco	CP153X	5353X	Dana/Spicer	CP353X
5124X	Dana/Spicer	CP124X	5354X	Dana/Spicer	CP354X
5129X	Dana/Spicer	CP279X	5357X	Dana/Spicer	CP357X
5129X	Dana/Spicer	R279X	54002X	Dana/Spicer	CP4002
51300X	Dana/Spicer	CP51625-2	5401011	Dana/Spicer	16N-40-1011
51301X	Dana/Spicer	CP1301X	54014X	Dana/Spicer	CP4102
513061X	Dana/Spicer	CP1306-1X	54015X	Dana/Spicer	CP4015
51306X	Dana/Spicer	CP1306X	540741	Dana/Spicer	16N-40-1011
5134X	Dana/Spicer	CP134X	5407X	Dana/Spicer	CP407X
5153X	Dana/Spicer	CP153X	5407X	Dana/Spicer	R407X
5155X	Dana/Spicer	CP155N	541051	Dana/Spicer	16N-4-1051
5155X	Dana/Spicer	CP155X	54123X	Dana/Spicer	CP4101
5158X	Dana/Spicer	CP155N	54138X	Dana/Spicer	CP4002
5160X	Dana/Spicer	CP160X	54143X	Dana/Spicer	CP4143X
5160XU	Dana/Spicer	CP160X	541631	Dana/Spicer	16N-4-1631
5165X	Dana/Spicer	CP165X	541721	Dana/Spicer	16N-4-1721
5170X	Dana/Spicer	CP170X	5417211	Dana/Spicer	16N-4-1721-1
5177X	Dana/Spicer	CP280X	541931	Dana/Spicer	16N-4-1931
5177X	Dana/Spicer	R280X	542051	Dana/Spicer	16N-4-1051
5178X	Dana/Spicer	CP178X	542081	Dana/Spicer	16N-4-2081
5178XU	Dana/Spicer	CP178X	542411	Dana/Spicer	16N-4-3681
5188X	Dana/Spicer	CP188X	542501	Dana/Spicer	16N-4-2501
5200X	Dana/Spicer	CP153X	5431	Dana/Spicer	16N-4-1931
52011X	Dana/Spicer	CP2011X	543311	Dana/Spicer	16N-4-3321
52031X	Dana/Spicer	CP2031	543321	Dana/Spicer	16N-4-3321
52033X	Dana/Spicer	CP2033	543601X	Dana/Spicer	16N-4-3601X
52116X	Dana/Spicer	CP2116	543621	Dana/Spicer	16N-4-3621
5212X	Dana/Spicer	CP1204X	543681	Dana/Spicer	16N-4-3681
5213X	Dana/Spicer	CP213X	543861	Dana/Spicer	16N-4-3861
52140X	Dana/Spicer	CP2140	5438X	Dana/Spicer	R674X
52279	Dana/Spicer	16N-2-279	5443X	Dana/Spicer	CP443X
5248X	Dana/Spicer	CP248X	544401	Dana/Spicer	16N-4-4401
5252	Dana/Spicer	CP153X	544441X	Dana/Spicer	16N-4-4441X
5260X	Dana/Spicer	CP260X	544471	Dana/Spicer	16N-4-4471
52629	Dana/Spicer	16N-2-629	544541	Dana/Spicer	16N-4-4541
5279X	Dana/Spicer	CP279X	544551	Dana/Spicer	16N-4-4551
5279X	Dana/Spicer	R279X	544571	Dana/Spicer	16N-4-4571
52801	Neapco	R675X	544741	Dana/Spicer	16NYS36-7
5280X	Dana/Spicer	CP280X	544761X	Dana/Spicer	16N-4-4761X
5280X	Dana/Spicer	R280X	544841X	Dana/Spicer	16N-4-4841X
528167	Dana/Spicer	16N-28-167	544891X	Dana/Spicer	16N-4-6251
5281X	Dana/Spicer	CP281X	545031	Dana/Spicer	16N-4-5031
5281X	Dana/Spicer	R281X	545061	Dana/Spicer	16N-4-6261
528207	Dana/Spicer	16N-28-207	545081X	Dana/Spicer	16N-4-5081X
528217	Dana/Spicer	16N-28-167	545111X	Dana/Spicer	16N-4-2081
528407	Dana/Spicer	16N-28-207	545111X	Dana/Spicer	16NYS28-4A

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
545281X	Dana/Spicer	16N-4-5281X	57205	Neapco	CP72N-DWT
545441	Dana/Spicer	16N-4-5441	57206	Neapco	CP72N-HB
545451X	Dana/Spicer	16N-4-6961X	57207	Neapco	CP72N-HB
545461	Dana/Spicer	16N-4-5461	57208	Neapco	CP72N-DWT
545571	Dana/Spicer	16N-4-5571	58105X	Dana/Spicer	CP82N-HWD
5455711	Dana/Spicer	16N-4-5571-1	58200X	Dana/Spicer	CP82N-DWT
5456211X	Dana/Spicer	16TYS28-13A	58200X	Dana/Spicer	CP85WB-DWT
545621X	Dana/Spicer	16N-4-5621X	58202X	Dana/Spicer	CP82N-HB
545631	Dana/Spicer	16N-4-5631	59000X	Dana/Spicer	CP92N-DWT
545721	Dana/Spicer	16N-4-5721	59001X	Dana/Spicer	CP92N-HWD
545731	Dana/Spicer	16N-4-5731	59002X	Dana/Spicer	CP92N-HB
545741	Dana/Spicer	16N-4-5741	592X	Dana/Spicer	CPL6R-50
545751	Dana/Spicer	16N-4-5751	6-0324	Neapco	CP18N-96
545881	Dana/Spicer	16NYS32-43	6-0407	Neapco	CP407X
545981	Dana/Spicer	16N-4-5981	6-0916	Neapco	CP92N-HWD
545991X	Dana/Spicer	16N-4-5991X	6-0917	Neapco	CP92N-HB
546241	Dana/Spicer	16N-4-6241	6-1141	Neapco	CP62N-HB
546251	Dana/Spicer	16N-4-6251	6-1170	Neapco	US170X
546261	Dana/Spicer	16N-4-6261	6-1250	Neapco	US250X
546271	Dana/Spicer	16N-4-6271	6-1281	Neapco	CP62N-HWD
5462711	Dana/Spicer	16N-4-6271-1	6-1431	Neapco	CP62N-DWT
546281X	Dana/Spicer	16N-4-6281X	6-2-749	Dana/Spicer	17NF20
546291X	Dana/Spicer	16N-4-6291X	6-28-137	Dana/Spicer	17N-28-137
546321	Dana/Spicer	16N-4-6321	6-28-347	Dana/Spicer	17N-28-347
5463211	Dana/Spicer	16N-4-6321-1	6-2811	Neapco	R676X
546341	Dana/Spicer	16NYS28-60	6-3-2261KX	Dana/Spicer	17N-3-2651X
5464211	Dana/Spicer	16N-4-6421-1	6-3-2341KX	Dana/Spicer	17N-3-2671X
5464311X	Dana/Spicer	16N-4-6431-1X	6-3-2401KX	Dana/Spicer	17N-3-2401X
5464411X	Dana/Spicer	16TYS32-86A	6-4-1081	Dana/Spicer	17N-4-2141
546891X	Dana/Spicer	16N-4-6891X	6-4-1551	Dana/Spicer	17N-4-3241
546951X	Dana/Spicer	16N-4-6951X	6-4-1741	Dana/Spicer	17N-4-1981
546961X	Dana/Spicer	16N-4-6961X	6-4-1751	Dana/Spicer	17N-4-2381
5469X	Dana/Spicer	CP677X	6-4-1981	Dana/Spicer	17N-4-1981
5469X	Dana/Spicer	R677X	6-4-2141	Dana/Spicer	17N-4-2141
5473311	Dana/Spicer	16N-4-7331-1	6-4-2381	Dana/Spicer	17N-4-2381
5473411X	Dana/Spicer	16N-4-7341-1X	6-4-3041X	Dana/Spicer	17N-4-3041X
54781	Dana/Spicer	16N-4-781	6-4-3241	Dana/Spicer	17N-4-3241
55000X	Dana/Spicer	CP5122	6-4-3561X	Dana/Spicer	17N-4-4411X
55008X	Dana/Spicer	CP5008	6-4-3611	Dana/Spicer	17N-4-3611
55015X	Dana/Spicer	CP5015	6-4-3791	Dana/Spicer	17N-4-3791
5510X	Dana/Spicer	CP676X	6-4-4091	Dana/Spicer	17N-4-4091
55121X	Dana/Spicer	CP5101	6-4-4191X	Dana/Spicer	17N-4-4411X
5515X	Dana/Spicer	CP675X	6-4-4291X	Dana/Spicer	17N-4-4291X
55177X	Dana/Spicer	CP5177	6-4-4411X	Dana/Spicer	17N-4-4411X
5527X	Dana/Spicer	CP527X	6-4-4421	Dana/Spicer	17N-4-4421
553141	Dana/Spicer	16N-53-141	6-4-4591	Dana/Spicer	17N-4-4591
5541	Dana/Spicer	CP541X	6-4-4601	Dana/Spicer	17N-4-4601
55800X	Dana/Spicer	CP58WB-HWD	6-4-4601-1	Dana/Spicer	17N-4-4601-1
55801X	Dana/Spicer	CP58WB-DWT	6-4-4731X	Dana/Spicer	17N-4-4731X
55802X	Dana/Spicer	CP58WB-HB	6-4-4741X	Dana/Spicer	17N-4-4741X
56000X	Dana/Spicer	CP62N-DWT	6-4-4911X	Dana/Spicer	17N-4-6321
56102X	Dana/Spicer	CP62N-HB	6-4-5061X	Dana/Spicer	17N-4-5061X
56106X	Dana/Spicer	CP62N-HWD	6-4-5071X	Dana/Spicer	17N-4-5071X
56108X	Dana/Spicer	CP62N-50	6-4-5101X	Dana/Spicer	17N-4-6411X
56109X	Dana/Spicer	CP62N-51	6-4-5121X	Dana/Spicer	17N-4-6331
5674X	Dana/Spicer	R674X	6-4-5151X	Dana/Spicer	17N-4-5151X
5675X	Dana/Spicer	R675X	6-4-5451	Dana/Spicer	17N-4-5451
5676X	Dana/Spicer	R676X	6-4-5461X	Dana/Spicer	17N-4-5461X
5677X	Dana/Spicer	R677X	6-4-5501	Dana/Spicer	17N-4-5501
57000X	Dana/Spicer	CP72N-DWT	6-4-5511X	Dana/Spicer	17N-4-6871X
57028X	Dana/Spicer	KT16SB	6-4-5521	Dana/Spicer	17N-4-5521
57105X	Dana/Spicer	CP72N-HWD	6-4-5531X	Dana/Spicer	17N-4-6951X
57126	Neapco	CP72N-HWD	6-4-5791	Dana/Spicer	17N-4-5791
57202X	Dana/Spicer	CP72N-HB	6-4-6031	Dana/Spicer	17N-4-6031

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
6-4-6041X	Dana/Spicer	17N-4-6041X	6.5-4-2711X	Dana/Spicer	18N-4-2711X
6-4-6321	Dana/Spicer	17N-4-6321	6.5-4-2851X	Dana/Spicer	18N-4-1921
6-4-6331	Dana/Spicer	17N-4-6331	6.5-4-3161	Dana/Spicer	18N-4-3161
6-4-6391X	Dana/Spicer	17N-4-6391X	6.5-4-3221X	Dana/Spicer	18N-4-3221X
6-4-6411X	Dana/Spicer	17N-4-6411X	6.5-4-3251	Dana/Spicer	18N-4-3251
6-4-6451	Dana/Spicer	17N-4-6451	6.5-4-3281X	Dana/Spicer	18N-4-3281X
6-4-6481	Dana/Spicer	17N-4-6481	6.5-4-3381X	Dana/Spicer	18N-4-3381X
6-4-6601	Dana/Spicer	17N-4-6601	6.5-4-3441	Dana/Spicer	18NYS38-15
6-4-6871X	Dana/Spicer	17N-4-6871X	6.5-4-3551X	Dana/Spicer	18N-4-3551X
6-4-6921X	Dana/Spicer	17N-4-6921X	6.5-4-3561X	Dana/Spicer	18N-4-3561X
6-4-6931X	Dana/Spicer	17N-4-6931X	6.5-4-3921X	Dana/Spicer	18N-4-3921X
6-4-6951X	Dana/Spicer	17N-4-6951X	6.5-40-151	Dana/Spicer	18N-40-201
6-4-7141-1	Dana/Spicer	17N-4-7141-1	6.5-40-161	Dana/Spicer	18N-40-191
6-4-7161	Dana/Spicer	17N-4-7161	6.5-40-191	Dana/Spicer	18N-40-191
6-4-7181X	Dana/Spicer	17N-4-7181X	6.5-40-201	Dana/Spicer	18N-40-201
6-4-7541	Dana/Spicer	17N-4-7541	6.5-53-51	Dana/Spicer	18N-53-51
6-4-7631-1X	Dana/Spicer	17N-4-7631-1X	6.5-53-91	Dana/Spicer	18N-53-91
6-4-7641-1X	Dana/Spicer	17N-4-7641-1X	60124	Neapco	CP124X
6-4-7851X	Dana/Spicer	17N-4-7851X	60226	Neapco	CP124X
6-40-401	Dana/Spicer	17N-40-541	60324	Neapco	CP18N-96
6-40-451	Dana/Spicer	17N-40-521	60407	Neapco	CP407X
6-40-461	Dana/Spicer	17N-40-541	60407	Neapco	R407X
6-40-521	Dana/Spicer	17N-40-521	60916	Neapco	CP92N-HWD
6-40-541	Dana/Spicer	17N-40-541	60917	Neapco	CP92N-HB
6-4071	Neapco	R677X	61141	Neapco	CP62N-HB
6-53-201	Dana/Spicer	17N-53-201	61170	Neapco	US170X
6-53-311	Dana/Spicer	17N-53-311	61250	Neapco	US250X
6-8113	Neapco	CP82N-HWD	61281	Neapco	CP62N-HWD
6-82-1061-3	Dana/Spicer	17N-82-1061-3	613881	Dana/Spicer	5WCS40-39
6-82-971-1X	Dana/Spicer	17N-82-1061-3	61431	Neapco	CP62N-DWT
6-8205	Neapco	CP82N-DWT	6230047	Neapco	16N-4-4541
6-8207	Neapco	CP82N-HB	6230048	Neapco	16N-4-4551
6-8208	Neapco	CP82N-HWD	6230058	Neapco	17N-28-137
6-9014	Neapco	CP92N-DWT	6230060	Neapco	17N-4-2141
6-9016	Neapco	CP92N-HWD	6230061	Neapco	17N-4-3031
6-9017	Neapco	CP92N-HB	6230062	Neapco	17N-4-3241
6.3-28-17	Dana/Spicer	176N-28-17	6230063	Neapco	17N-4-3791
6.3-3-11	Dana/Spicer	176N-3-21X	6230067	Neapco	17N-4-3041X
6.3-3-21KX	Dana/Spicer	176N-3-21X	6230093	Neapco	18N-4-2531X
6.3-3-41KX	Dana/Spicer	176N-3-41X	6230112	Neapco	17N-4-5071X
6.3-4-161	Dana/Spicer	176N-4-161	6230114	Neapco	17N-4-5151X
6.3-4-161-1	Dana/Spicer	176N-4-161-1	6230118	Neapco	176N-4-161
6.3-4-161B	Dana/Spicer	176N-4-161	6230128	Neapco	17N-4-8551X
6.3-4-331-1X	Dana/Spicer	176N-4-331-1X	6230129	Neapco	17N-4-6411X
6.3-4-331X	Dana/Spicer	176N-4-331X	6230130	Neapco	17NYS32-100A
6.3-4-391	Dana/Spicer	176N-4-391	6230131	Neapco	17N-4-6921X
6.3-4-531	Dana/Spicer	176N-4-531	627175002X	Dana/Spicer	984-23-2
6.3-4-541	Dana/Spicer	176N-4-541X	62739	Dana/Spicer	17N-2-739
6.3-4-541X	Dana/Spicer	176N-4-541X	62749	Dana/Spicer	17NF1
6.3-4-641	Dana/Spicer	176NYS38-10	62749	Dana/Spicer	17NF20
6.3-4-781X	Dana/Spicer	176N-4-781X	62811	Neapco	R676X
6.3-4-791X	Dana/Spicer	176N-4-791X	628137	Dana/Spicer	17N-28-137
6.5-28-117	Dana/Spicer	18N-28-117	62817	Dana/Spicer	17N-28-137
6.5-28-127	Dana/Spicer	18N-28-127	628347	Dana/Spicer	17N-28-347
6.5-3-1351KX	Dana/Spicer	18N-3-1351X	628367	Dana/Spicer	17NY60-15
6.5-3-1371KX	Dana/Spicer	18N-3-1371X	62887	Dana/Spicer	17N-28-137
6.5-4-1891	Dana/Spicer	18N-4-1891	631461KX	Dana/Spicer	17N-3-1461X
6.5-4-1891-1	Dana/Spicer	18N-4-1891-1	63158X	Dana/Spicer	17N-3-1461X
6.5-4-1911	Dana/Spicer	18N-4-1911	632241KX	Dana/Spicer	17N-3-2631X
6.5-4-1921	Dana/Spicer	18N-4-1921	632261KX	Dana/Spicer	17N-3-2651X
6.5-4-1961	Dana/Spicer	18N-4-1961	632341KX	Dana/Spicer	17N-3-2671X
6.5-4-2471	Dana/Spicer	18N-4-3381X	632401KX	Dana/Spicer	17N-3-2401X
6.5-4-2491X	Dana/Spicer	18N-4-3381X	632551KX	Dana/Spicer	17N-3-2401X
6.5-4-2701	Dana/Spicer	18N-4-2701	632571KX	Dana/Spicer	17N-3-2571X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
632591KX	Dana/Spicer	17NLS40-121A	641081	Dana/Spicer	17N-4-2141
632761KX	Dana/Spicer	17N-3-2761X	641151	Dana/Spicer	17N-4-2151
632817	Dana/Spicer	176N-28-17	641211	Dana/Spicer	17N-4-1991
633021KX	Dana/Spicer	17N-3-3021X	641391	Dana/Spicer	17N-4-2211
63311	Dana/Spicer	176N-3-21X	641411	Dana/Spicer	17N-4-3221
63321KX	Dana/Spicer	176N-3-21X	641471	Dana/Spicer	17N-4-2271
63341KX	Dana/Spicer	176N-3-41X	641551	Dana/Spicer	17N-4-3241
633441KX	Dana/Spicer	17N-3-2401X	641611	Dana/Spicer	17N-4-3361
634101	Dana/Spicer	176NYS38-3	641731	Dana/Spicer	17N-4-2371
6341011	Dana/Spicer	176N-4-211-1X	641741	Dana/Spicer	17N-4-1981
6341031	Dana/Spicer	176NYS38-14	641751	Dana/Spicer	17N-4-2381
63410311	Dana/Spicer	176TYS38-27	641771	Dana/Spicer	17N-4-2391
63410411X	Dana/Spicer	176TYS38-27A	641781	Dana/Spicer	17N-4-3271
6341041X	Dana/Spicer	176NYS38-14A	641911	Dana/Spicer	17N-4-2501
63411	Dana/Spicer	176N-4-11	641971	Dana/Spicer	17N-4-1971
63411611X	Dana/Spicer	176N-4-1161-1X	641981	Dana/Spicer	17N-4-1981
6341161X	Dana/Spicer	176N-4-1161X	6419811	Dana/Spicer	17TYS31-54
634121	Dana/Spicer	176N-4-121	641991	Dana/Spicer	17N-4-1991
634151	Dana/Spicer	176N-4-151	642141	Dana/Spicer	17N-4-2141
634161	Dana/Spicer	176N-4-161	642151	Dana/Spicer	17N-4-2151
6341611	Dana/Spicer	176N-4-161-1	642161	Dana/Spicer	17N-4-2161
634161B	Dana/Spicer	176N-4-161	642171	Dana/Spicer	17N-4-3031
63416811	Dana/Spicer	176N-4-1681-1	642181	Dana/Spicer	17N-4-2181
634181X	Dana/Spicer	176N-4-181X	642191	Dana/Spicer	17N-4-2191
6342111X	Dana/Spicer	176N-4-211-1X	642211	Dana/Spicer	17N-4-2211
634211X	Dana/Spicer	176N-4-211X	642231	Dana/Spicer	17N-4-3221
634271	Dana/Spicer	176N-4-271	642271	Dana/Spicer	17N-4-2271
6342911	Dana/Spicer	176N-4-291-1	642291	Dana/Spicer	17N-4-3241
6343211	Dana/Spicer	176N-4-321-1	642311	Dana/Spicer	17N-4-3361
6343311X	Dana/Spicer	176N-4-331-1X	642371	Dana/Spicer	17N-4-2371
634331X	Dana/Spicer	176N-4-331X	64238	Dana/Spicer	17NYS28-11
634381	Dana/Spicer	176N-4-381	642381	Dana/Spicer	17N-4-2381
634391	Dana/Spicer	176N-4-391	642391	Dana/Spicer	17N-4-2391
634411	Dana/Spicer	176N-4-411	642411	Dana/Spicer	17N-4-3271
634421	Dana/Spicer	176N-4-421	642441	Dana/Spicer	17N-4-2441
634441	Dana/Spicer	176N-4-441	642501	Dana/Spicer	17N-4-2501
63452211X	Dana/Spicer	176TYS36-12A	642511	Dana/Spicer	17N-4-2511
634531	Dana/Spicer	176N-4-531	643031	Dana/Spicer	17N-4-3031
6345311	Dana/Spicer	176N-4-531-1	643041X	Dana/Spicer	17N-4-3041X
634541	Dana/Spicer	176N-4-541X	643121	Dana/Spicer	17N-4-3291
6345411X	Dana/Spicer	176N-4-541-1X	643181	Dana/Spicer	17N-4-4721
634541X	Dana/Spicer	176N-4-541X	643221	Dana/Spicer	17N-4-3221
634641	Dana/Spicer	176NYS38-10	643231	Dana/Spicer	17N-4-1991
634651	Dana/Spicer	176N-4-651	643241	Dana/Spicer	17N-4-3241
6346511	Dana/Spicer	176N-4-651-1	643271	Dana/Spicer	17N-4-3271
63471	Dana/Spicer	176N-4-71	643291	Dana/Spicer	17N-4-3291
6347111	Dana/Spicer	176TYS44-4	643361	Dana/Spicer	17N-4-3361
634731X	Dana/Spicer	176N-4-731X	643371	Dana/Spicer	17N-4-4721
6347711X	Dana/Spicer	176N-4-771-1X	643391	Dana/Spicer	17N-4-3391
6347811X	Dana/Spicer	176N-4-781-1X	643501	Dana/Spicer	17N-4-3501
634781X	Dana/Spicer	176N-4-781X	643561X	Dana/Spicer	17N-4-4411X
6347911X	Dana/Spicer	176N-4-791-1X	643611	Dana/Spicer	17N-4-3611
634791X	Dana/Spicer	176N-4-791X	643721	Dana/Spicer	17N-4-3721
6348611X	Dana/Spicer	176N-4-861-1X	643791	Dana/Spicer	17N-4-3791
634861X	Dana/Spicer	176N-4-861X	644091	Dana/Spicer	17N-4-4091
638618	Dana/Spicer	SERUR33-4	644131	Dana/Spicer	17N-4-4131
640101	Dana/Spicer	17N-40-61	644141	Dana/Spicer	17N-4-4141
640401	Dana/Spicer	17N-40-541	644151	Dana/Spicer	17N-4-4151
640451	Dana/Spicer	17N-40-521	644161	Dana/Spicer	17NYS34-5
640461	Dana/Spicer	17N-40-541	644171X	Dana/Spicer	17N-4-2181
640521	Dana/Spicer	17N-40-521	644181X	Dana/Spicer	17N-4-4181X
640541	Dana/Spicer	17N-40-541	644191X	Dana/Spicer	17N-4-4411X
64061	Dana/Spicer	17N-40-61	644291X	Dana/Spicer	17N-4-4291X
64071	Neapco	R677X	644301X	Dana/Spicer	17N-4-4301X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
644361X	Dana/Spicer	17N-4-4361X	645931	Dana/Spicer	17NYS38-17
644371	Dana/Spicer	17N-4-4371	6459311	Dana/Spicer	17N-4-5931-1
644391X	Dana/Spicer	17N-4-4391X	645951	Dana/Spicer	17N-4-7851X
644411X	Dana/Spicer	17N-4-4411X	645961X	Dana/Spicer	17N-4-5961X
644421	Dana/Spicer	17N-4-4421	645991	Dana/Spicer	17N-4-5991
644481X	Dana/Spicer	17N-4-4481X	646001X	Dana/Spicer	17N-4-8531X
644541	Dana/Spicer	17N-4-5351	646011	Dana/Spicer	17N-4-6011
644551	Dana/Spicer	17N-4-4551	646021X	Dana/Spicer	17N-4-6021X
6445511	Dana/Spicer	17TYS44-14	646031	Dana/Spicer	17N-4-6031
644561	Dana/Spicer	17N-4-4561	6460311	Dana/Spicer	17N-4-6031-1
6445611	Dana/Spicer	17N-4-4561-1	6460411X	Dana/Spicer	17N-4-6041-1X
644581	Dana/Spicer	17N-4-4581	646041X	Dana/Spicer	17N-4-6041X
644591	Dana/Spicer	17N-4-4591	646041X	Dana/Spicer	17N-4-8551X
644601	Dana/Spicer	17N-4-4601	646321	Dana/Spicer	17N-4-6321
6446011	Dana/Spicer	17N-4-4601-1	646331	Dana/Spicer	17N-4-6331
644651	Dana/Spicer	17N-4-4651	646371	Dana/Spicer	17NYS32-99
644681X	Dana/Spicer	17N-4-2501	646381X	Dana/Spicer	17NYS32-99A
644721	Dana/Spicer	17N-4-4721	646391X	Dana/Spicer	17N-4-6391X
644731X	Dana/Spicer	17N-4-4731X	646401	Dana/Spicer	17NYS32-100
644741X	Dana/Spicer	17N-4-4741X	6464011	Dana/Spicer	17N-4-7621-1
644771	Dana/Spicer	17N-4-4771	646411X	Dana/Spicer	17N-4-6411X
6447711	Dana/Spicer	17N-4-4771-1	646421X	Dana/Spicer	17NYS32-100A
644831X	Dana/Spicer	17N-4-4831X	646451	Dana/Spicer	17N-4-6451
644851X	Dana/Spicer	17N-4-4851X	646481	Dana/Spicer	17N-4-6481
644861X	Dana/Spicer	17N-4-4861X	646601	Dana/Spicer	17N-4-6601
644911X	Dana/Spicer	17N-4-6321	6466111	Dana/Spicer	17N-4-6611-1
644961	Dana/Spicer	17N-4-4961	646821	Dana/Spicer	17N-4-6821
644971	Dana/Spicer	17NYS32-99	6468211	Dana/Spicer	17N-4-6821-1
644981X	Dana/Spicer	17NYS32-99	646841X	Dana/Spicer	17N-4-6841X
645001	Dana/Spicer	17NYS38-17	6468611	Dana/Spicer	17N-4-6861-1
645031	Dana/Spicer	17N-4-5031	646871X	Dana/Spicer	17N-4-6871X
645041X	Dana/Spicer	17N-4-5041X	646891X	Dana/Spicer	17N-4-6891X
645051X	Dana/Spicer	17NYS32-100	6469211X	Dana/Spicer	17N-4-6921-1X
645061X	Dana/Spicer	17N-4-5061X	646921X	Dana/Spicer	17N-4-6921X
645071X	Dana/Spicer	17N-4-5071X	6469311X	Dana/Spicer	17N-4-6931-1X
645101X	Dana/Spicer	17N-4-6411X	646931X	Dana/Spicer	17N-4-6931X
645111X	Dana/Spicer	17N-4-5111X	646941X	Dana/Spicer	17N-4-6941X
645121X	Dana/Spicer	17N-4-6331	646951X	Dana/Spicer	17N-4-6951X
645131X	Dana/Spicer	17N-4-5131X	6469611X	Dana/Spicer	17N-4-6961-1X
645141	Dana/Spicer	17N-4-5141	6471411	Dana/Spicer	17N-4-7141-1
645151X	Dana/Spicer	17N-4-5151X	647161	Dana/Spicer	17N-4-7161
645311X	Dana/Spicer	17N-4-6891X	6471611	Dana/Spicer	17TYS38-76
645341	Dana/Spicer	17N-4-5341	647171X	Dana/Spicer	17NYS34-9A
645351	Dana/Spicer	17N-4-5351	6471811X	Dana/Spicer	17TYS38-76A
6453511	Dana/Spicer	17N-4-5351-1	647181X	Dana/Spicer	17N-4-7181X
645451	Dana/Spicer	17N-4-5451	6473011	Dana/Spicer	17TYS32-73
6454611X	Dana/Spicer	17N-4-5461-1X	647541	Dana/Spicer	17N-4-7541
645461X	Dana/Spicer	17N-4-5461X	647561X	Dana/Spicer	17NYS34-19A1
645481X	Dana/Spicer	17N-4-5481X	6476211	Dana/Spicer	17N-4-7621-1
645501	Dana/Spicer	17N-4-5501	6476311X	Dana/Spicer	17N-4-7631-1X
645511X	Dana/Spicer	17N-4-6871X	6476411X	Dana/Spicer	17N-4-7641-1X
645521	Dana/Spicer	17N-4-5521	647761	Dana/Spicer	17NYS38-38
645531X	Dana/Spicer	17N-4-6951X	6477711X	Dana/Spicer	17TYS38-75A
645541	Dana/Spicer	17N-4-5541	647771X	Dana/Spicer	17NYS38-38A
645551X	Dana/Spicer	17N-4-6941X	647851X	Dana/Spicer	17N-4-7851X
645591	Dana/Spicer	17N-4-6841X	6489911X	Dana/Spicer	17N-4-8991-1X
645601X	Dana/Spicer	17N-4-6841X	649041X	Dana/Spicer	17N-4-9041X
645711	Dana/Spicer	17N-4-5711	6528117	Dana/Spicer	18N-28-117
645781	Dana/Spicer	17N-4-5781	6528127	Dana/Spicer	18N-28-127
645791	Dana/Spicer	17N-4-5791	6531351KX	Dana/Spicer	18N-3-1351X
645801	Dana/Spicer	17N-4-5801	6531371KX	Dana/Spicer	18N-3-1371X
645821	Dana/Spicer	17N-4-5821	6531431KX	Dana/Spicer	18N-3-1431X
645841	Dana/Spicer	17N-4-5841	653151	Dana/Spicer	17N-53-151
645921	Dana/Spicer	17NYS38-63	653201	Dana/Spicer	17N-53-201

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
653311	Dana/Spicer	17N-53-311	6543551X	Dana/Spicer	18N-4-3551X
6540151	Dana/Spicer	18N-40-201	65435611X	Dana/Spicer	18N-4-3561-1X
6540161	Dana/Spicer	18N-40-191	6543561X	Dana/Spicer	18N-4-3561X
6540191	Dana/Spicer	18N-40-191	6543571X	Dana/Spicer	18N-4-3571X
6540201	Dana/Spicer	18N-40-201	65435811X	Dana/Spicer	18N-4-3581-1X
6541891	Dana/Spicer	18N-4-1891	6543581X	Dana/Spicer	18N-4-3581X
65418911	Dana/Spicer	18N-4-1891-1	6543591	Dana/Spicer	18N-4-3591
6541901	Dana/Spicer	18N-4-3491	6543651X	Dana/Spicer	18NYS38-6A
6541911	Dana/Spicer	18N-4-1911	6543721	Dana/Spicer	18NYS38-27
6541921	Dana/Spicer	18N-4-1921	65437211	Dana/Spicer	18TYS38-27
6541961	Dana/Spicer	18N-4-1961	65437311X	Dana/Spicer	18TYS38-27A
6541971	Dana/Spicer	18N-4-1971	6543731X	Dana/Spicer	18NYS38-27A
6541981	Dana/Spicer	18N-4-1981	6543731X	Dana/Spicer	18TYS38-27A
6541991	Dana/Spicer	18N-4-1991	6543911	Dana/Spicer	18NYS38-21
6542001	Dana/Spicer	18N-4-2001	65439111	Dana/Spicer	18N-4-3911-1
6542011	Dana/Spicer	18N-4-2011	65439211X	Dana/Spicer	18N-4-3921-1X
6542051	Dana/Spicer	18N-4-2051	6543921X	Dana/Spicer	18N-4-3921X
6542101	Dana/Spicer	18NYS40-5	65445711X	Dana/Spicer	18N-4-4571-1X
6542171	Dana/Spicer	18N-4-2171	655351	Dana/Spicer	18N-53-51
65421711	Dana/Spicer	18N-4-2171-1	655391	Dana/Spicer	18N-53-91
6542271X	Dana/Spicer	18N-4-2271X	681113	Neapco	CP82N-HWD
6542291	Dana/Spicer	18N-4-2291	68205	Neapco	CP82N-DWT
6542341X	Dana/Spicer	18N-4-2341X	68207	Neapco	CP82N-HB
6542351X	Dana/Spicer	18N-4-2351X	68208	Neapco	CP82N-HWD
6542361X	Dana/Spicer	18N-4-2361X	68210613	Dana/Spicer	17N-82-1061-3
6542401X	Dana/Spicer	18N-4-2291	68210614	Dana/Spicer	17N-82-1061-4
6542441	Dana/Spicer	18N-4-2441	68210618	Dana/Spicer	17N-82-1061-8
6542451X	Dana/Spicer	18N-4-2451X	68210619	Dana/Spicer	17N-82-1061-9
6542471	Dana/Spicer	18N-4-3371	682109112	Dana/Spicer	17N-82-1171-2
6542471	Dana/Spicer	18N-4-3381X	68210914	Dana/Spicer	17N-82-1171-5
6542481X	Dana/Spicer	18N-4-3371	68211711	Dana/Spicer	17N-82-1171-1
6542491X	Dana/Spicer	18N-4-3381X	682117112	Dana/Spicer	17N-82-1171-12
6542531X	Dana/Spicer	18N-4-2531X	68211712	Dana/Spicer	17N-82-1171-2
6542551X	Dana/Spicer	18N-4-2551X	68211715	Dana/Spicer	17N-82-1171-5
6542581	Dana/Spicer	18N-4-2581	6821211	Dana/Spicer	17N-82-1211
6542651	Dana/Spicer	18N-4-3201	682641	Dana/Spicer	17N-82-1171-5
6542701	Dana/Spicer	18N-4-2701	6829711X	Dana/Spicer	17N-82-1061-3
6542711X	Dana/Spicer	18N-4-2711X	69014	Neapco	CP92N-DWT
6542751	Dana/Spicer	18NYS44-3	69016	Neapco	CP92N-HWD
6542761X	Dana/Spicer	18N-4-3501X	69017	Neapco	CP92N-HB
6542781	Dana/Spicer	18N-4-2781	7-2051	Neapco	CP72N-DWT
6542851X	Dana/Spicer	18N-4-1921	7000100	Neapco	16TYS32-86A
6542931X	Dana/Spicer	18N-4-3491	7000101	Neapco	16N-4-1721-1
6543021	Dana/Spicer	18N-4-3021	7000102	Neapco	16N-4-5731
6543161	Dana/Spicer	18N-4-3161	7000103	Neapco	16N-4-6291X
6543171X	Dana/Spicer	18N-4-3571X	7000104	Neapco	16N-4-5721
6543201	Dana/Spicer	18N-4-3201	7000105	Neapco	16N-4-5751
65432211X	Dana/Spicer	18N-4-3221-1X	7000106	Neapco	16N-4-6241
6543221X	Dana/Spicer	18N-4-3221X	7000107	Neapco	176N-4-161-1
6543251	Dana/Spicer	18N-4-3251	7000108	Neapco	176TYS38-27A
6543271	Dana/Spicer	18N-4-3271	7000109	Neapco	176N-4-791-1X
65432711	Dana/Spicer	18N-4-3271-1	7000110	Neapco	176N-4-541-1X
6543281X	Dana/Spicer	18N-4-3281X	7000111	Neapco	176N-4-821-1
6543371	Dana/Spicer	18N-4-3371	7000112	Neapco	176NYS38-14A
65433711	Dana/Spicer	18N-4-3371-1	7000113	Neapco	176NYS38-10
65433811X	Dana/Spicer	18N-4-3381-1X	7000114	Neapco	176N-4-791X
6543381X	Dana/Spicer	18N-4-3381X	7000115	Neapco	176N-4-541X
6543441	Dana/Spicer	18NYS38-15	7000116	Neapco	176N-4-781-1X
6543451	Dana/Spicer	18N-4-3451	7000117	Neapco	176N-4-331-1X
65434511	Dana/Spicer	18N-4-3451-1	7000118	Neapco	176N-4-331X
6543461	Dana/Spicer	18NYS44-3	7000119	Neapco	176N-4-781X
6543491	Dana/Spicer	18N-4-3491	7000120	Neapco	176N-4-531
6543501X	Dana/Spicer	18N-4-3501X	7000121	Neapco	176N-4-391
65435511X	Dana/Spicer	18N-4-3551-1X	7000122	Neapco	176NYS36-12A

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
7000123	Neapco	17NYS32-100	81-1020	Neapco	CB210527X
7000124	Neapco	17NYS32-99	81-1022	Neapco	CB210527X
7000125	Neapco	17N-4-4561	81-2011	Neapco	CB210088-1X
7000126	Neapco	17N-4-4601	81-2012	Neapco	CB210088-1X
7000128	Neapco	17N-4-6951X	81-2013	Neapco	CB210090-1X
7000129	Neapco	17TYS38-76A	81-2020	Neapco	CB210088-1X
7000130	Neapco	17NYS38-38A	81-2040	Neapco	CB210866-1X
7000131	Neapco	17N-4-6481	81-2041	Neapco	CB210866-1X
7000132	Neapco	17N-4-7181X	81-2042	Neapco	CB210873-1X
7000133	Neapco	17N-4-6931X	81-2121	Neapco	CB210367-1X
7000134	Neapco	17N-4-4601-1	81-2122	Neapco	CB210370-1X
7000135	Neapco	17N-4-6331	81-3011	Neapco	CB210391-1X
7000137	Neapco	17N-4-5461X	81-3012	Neapco	CB210433-1X
7000138	Neapco	17N-4-7141-1	81-3020	Neapco	CB210144-1X
7000139	Neapco	17N-4-8531X	81-3021	Neapco	CB210140-1X
7000140	Neapco	17N-4-6391X	81-3022	Neapco	CB210144-1X
7000141	Neapco	17TYS32-99	81-4010	Neapco	CB210084-2X
7000142	Neapco	17N-4-6451	81-4011	Neapco	CB210084-2X
7000143	Neapco	17N-4-6871X	81-4012	Neapco	CB210207-1X
7000144	Neapco	17N-4-7631-1X	811020	Neapco	CB210527X
7000146	Neapco	17N-4-6021X	811022	Neapco	CB210527X
7000147	Neapco	17N-4-5521	812011	Neapco	CB210088-1X
7000148	Neapco	17N-4-6041-1X	812012	Neapco	CB210088-1X
7000149	Neapco	17N-4-6931-1X	812013	Neapco	CB210090-1X
7000150	Neapco	17N-4-2381	812020	Neapco	CB210088-1X
7000151	Neapco	17N-4-7541	812040	Neapco	CB210866-1X
7000152	Neapco	17N-4-7641-1X	812041	Neapco	CB210866-1X
7000153	Neapco	17TYS31-54	812042	Neapco	CB210873-1X
7000154	Neapco	17TYS32-99A	812121	Neapco	CB210367-1X
7000155	Neapco	17N-4-5711	812122	Neapco	CB210370-1X
7000156	Neapco	17N-4-5791	813011	Neapco	CB210391-1X
7000157	Neapco	17N-4-4551	813012	Neapco	CB210433-1X
7000158	Neapco	17N-4-3221	813020	Neapco	CB210144-1X
7000159	Neapco	17N-4-5131X	813021	Neapco	CB210140-1X
7000160	Neapco	17N-4-5781	813022	Neapco	CB210144-1X
7000161	Neapco	17N-4-5501	814010	Neapco	CB210084-2X
7000162	Neapco	17NYS34-19A1	814011	Neapco	CB210084-2X
7000163	Neapco	17N-4-6921-1X	814012	Neapco	CB210207-1X
7000164	Neapco	17N-4-6841X	814020	Neapco	CB210207-1X
7000165	Neapco	18NYS38-27A	815010	Neapco	CB210121-1XSA
7000166	Neapco	18TYS38-27A	816010	Neapco	CB210661-1XSA
7000167	Neapco	18N-4-1891-1	840101	Dana/Spicer	PS48-16-16
7000168	Neapco	18N-4-3561X	84091	Dana/Spicer	PS48-16-19
7000169	Neapco	18N-4-3591-1	90161	Neapco	CP92N-HWD
7000170	Neapco	18N-4-3561-1X	90171	Neapco	CP92N-HB
7000171	Neapco	18N-4-3591	9199903400	Dana/Spicer	R919990-3400
7000172	Neapco	18N-4-2701	92V	Dana/Spicer	GCPL6R-50
7000173	Neapco	18N-4-3921X	931477	Dana/Spicer	CP153X
7000174	Neapco	18N-4-3381X	943648	Dana/Spicer	CP153X
7000175	Neapco	18N-4-3381-1X	95534724	Dana/Spicer	R9553-SF
7000176	Neapco	18N-4-2711X	981362	Dana/Spicer	DEFR47-2
7000177	Neapco	18N-4-3221X	981368	Dana/Spicer	DEFR47-2
7000178	Neapco	18N-4-3551X	A94633	Dana/Spicer	CP153X
7000179	Neapco	18N-4-3161	D2C	Dana/Spicer	ND2C
7000180	Neapco	18TYS38-27	D3A	Dana/Spicer	ND3A
7000181	Neapco	18N-4-3921-1X	D5A	Dana/Spicer	SERUR25-2
7000182	Neapco	18N-4-3281X	D6A	Dana/Spicer	DC17N
7000183	Neapco	18N-4-2271X	D6B	Dana/Spicer	DC17N
7000184	Neapco	18N-4-3551-1X	D6F	Dana/Spicer	DC17N
7000185	Neapco	18N-4-3251	DS101K	Neapco	CB210527X
7000186	Neapco	18NYS38-15	DS201KF	Neapco	CB210088-1X
7000187	Neapco	18N-4-2171	DS202KD	Neapco	CB210088-1X
70082	Neapco	131N-CV82-HD	DS204KF	Neapco	CB210866-1X
72051	Neapco	CP72N-DWT	DS301KG	Neapco	CB210144-1X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
DS401KF	Neapco	CB210084-2X	N103163	Neapco	10N-3-163X
DS401KG	Neapco	CB210207-1X	N103183	Neapco	10N-3-183X
DS501KF	Neapco	CB210090-1X	N10318KX	Neapco	10N-3-18KX
DS601KF	Neapco	CB210661-1XSA	N10322	Neapco	10N-3-22X
DT101X	Dana/Spicer	CP101X	N10323	Neapco	10N-3-23X
DT1200	Dana/Spicer	CP1200X	N10332	Neapco	10N-3-32X
DT1201	Dana/Spicer	CP1201X	N10333	Neapco	10N-3-33X
DT1204	Dana/Spicer	CP1204X	N10381	Neapco	10N-3-81X
DT1206	Dana/Spicer	CP141N	N10383	Neapco	10N-3-83X
DT1306	Dana/Spicer	CP1306X	N104103	Neapco	10N-4-103
DT134	Dana/Spicer	CP134X	N104113	Neapco	10N-4-113
DT153	Dana/Spicer	CP153X	N10412	Neapco	10N-4-12
DT155	Dana/Spicer	CP155X	N104123	Neapco	10N-4-123
DT160	Dana/Spicer	CP160X	N10413	Neapco	10N-4-13
DT170	Dana/Spicer	CP170X	N104133	Neapco	10N-4-133
DT178	Dana/Spicer	CP178X	N104143	Neapco	10N-4-143
DT188	Dana/Spicer	CP188X	N104173	Neapco	10N-4-173
DT200	Dana/Spicer	CP200X	N104183	Neapco	10N-4-183
DT213	Dana/Spicer	CP213X	N104193	Neapco	10N-4-193
DT279	Dana/Spicer	CP279X	N10422	Neapco	10N-4-22
DT280	Dana/Spicer	CP280X	N10423	Neapco	10N-4-23
DT281	Dana/Spicer	CP281X	N104282	Neapco	10N-4-282
DT297	Dana/Spicer	CP297X	N10432	Neapco	10N-4-32
DT3022	Dana/Spicer	CP3022X	N10433	Neapco	10N-4-33
DT3147	Dana/Spicer	CP3147X	N10443	Neapco	10N-4-43
DT4137268	Dana/Spicer	4137268	N104443	Neapco	10N-4-443
DT6000X	Dana/Spicer	CP62N-DWT	N104453	Neapco	10N-4-453
DT7000	Dana/Spicer	CP72N-DWT	N104473	Neapco	10N-4-473
DT7000X	Dana/Spicer	CP72N-DWT	N104481	Neapco	10N-4-481
DT8200	Dana/Spicer	CP82N-DWT	N10452	Neapco	10N-4-52
DT8200X	Dana/Spicer	CP82N-DWT	N10453	Neapco	10N-4-53
N10-2-29	Neapco	10N-2-29	N104573	Neapco	10N-4-573
N10-2-701SF	Neapco	R10270-SF	N104611	Neapco	10N-4-611
N10-3-12	Neapco	10N-3-12X	N10463	Neapco	10N-4-63
N10-3-122	Neapco	10N-3-22X	N104703	Neapco	10N-4-703
N10-3-162	Neapco	10N-3-162X	N10473	Neapco	10N-4-473
N10-3-163	Neapco	10N-3-163X	N10483	Neapco	10N-4-83
N10-3-18KX	Neapco	10N-3-18KX	N10493	Neapco	10N-4-93
N10-3-22	Neapco	10N-3-22X	N10V5	Neapco	R10V5
N10-3-32	Neapco	10N-3-32X	N2-2-329	Neapco	131N-2-329
N10-3-33	Neapco	10N-3-33X	N2-2-479	Neapco	131N-2-479
N10-3-81	Neapco	10N-3-81X	N2-28-1177	Neapco	133N-28-1177
N10-3-83	Neapco	10N-3-83X	N2-28-1707	Neapco	133N-28-1707
N10-4-103	Neapco	10N-4-103	N2-28-1717	Neapco	133N-28-1717
N10-4-113	Neapco	10N-4-113	N2-28-1757	Neapco	131N-28-1757
N10-4-12	Neapco	10N-4-12	N2-28-307	Neapco	131N-28-307
N10-4-123	Neapco	10N-4-123	N2-28-327	Neapco	131N-28-327
N10-4-13	Neapco	10N-4-13	N2-28-357	Neapco	131N-28-357
N10-4-183	Neapco	10N-4-183	N2-28-367	Neapco	131N-28-367
N10-4-193	Neapco	10N-4-193	N2-28-397	Neapco	131N-28-397
N10-4-22	Neapco	10N-4-22	N2-28-417	Neapco	131N-28-417
N10-4-282	Neapco	10N-4-282	N2-28-427	Neapco	131N-28-427
N10-4-32	Neapco	10N-4-32	N2-28-437	Neapco	131N-28-437
N10-4-43	Neapco	10N-4-43	N2-3-7260KX	Neapco	131N-3-7260KX
N10-4-481	Neapco	10N-4-481	N2-3-7981KX	Neapco	131N-3-7981KX
N10-4-52	Neapco	10N-4-52	N2-3-8001KX	Neapco	131N-3-8001KX
N10-4-63	Neapco	10N-4-63	N2-3-8021KX	Neapco	131N-3-8021KX
N10-4-93	Neapco	10N-4-93	N2-3-8041KX	Neapco	133N-3-8041KX
N10229	Neapco	10N-2-29	N2-4-473	Neapco	131N-4-473
N102701SF	Neapco	R10270-SF	N2-4-503	Neapco	131N-4-503
N10270SF	Neapco	R10270-SF	N2-4-533	Neapco	131N-4-533
N10312	Neapco	10N-3-12X	N2-40-1031	Neapco	131N-40-1031
N103122	Neapco	10N-3-22X	N2-40-1701	Neapco	131N-40-1701
N103162	Neapco	10N-3-162X	N2-40-1711	Neapco	131N-40-1711

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
N2-40-1771	Neapco	131N-40-1771	N22939	Neapco	131N-2-939
N2-40-1811	Neapco	131N-40-1811	N230129	Neapco	WAR13-5
N2-40-1851	Neapco	131N-40-1851	N230686X	Neapco	121N-3-686X
N2-40-1871	Neapco	131N-40-1871	N230794	Neapco	DEFR47-6
N2-40-2051	Neapco	131N-40-2051	N230795	Neapco	DEFR47-4
N203012108	Neapco	RT-25-16-108	N2312241X	Neapco	121N-3-1224-1X
N20301272	Neapco	RT-25-16-72	N231224X	Neapco	121N-3-1224X
N203022108	Neapco	RT-25-14-108	N231502	Neapco	1227-Z-936
N20302272	Neapco	RT-25-14-72	N232321X	Neapco	121N-3-2321X
N2100842X	Neapco	CB210084-2X	N235821X	Neapco	131N-3-8021KX
N2100881X	Neapco	CB210088-1X	N237260KX	Neapco	131N-3-7260KX
N2100901X	Neapco	CB210090-1X	N237981KX	Neapco	131N-3-7981KX
N2101211X	Neapco	CB210121-1XSA	N238001KX	Neapco	131N-3-8001KX
N2101301X	Neapco	CB210207-1X	N238021KX	Neapco	131N-3-8021KX
N2101401X	Neapco	CB210140-1X	N238041KX	Neapco	133N-3-8041KX
N2101441X	Neapco	CB210144-1X	N238861KX	Neapco	121N-3-8861KX
N2102071X	Neapco	CB210207-1X	N238961KX	Neapco	121N-3-8961KX
N2103671X	Neapco	CB210367-1X	N2401031	Neapco	131N-40-1031
N2103701X	Neapco	CB210370-1X	N2401231	Neapco	131N-40-1231
N2103911X	Neapco	CB210391-1X	N2401251	Neapco	131N-40-1251
N2104331X	Neapco	CB210433-1X	N2401291	Neapco	131N-40-1291
N210527X	Neapco	CB210527X	N2401382	Neapco	131N-40-138-2
N2106611X	Neapco	CB210661-1XSA	N2401521	Neapco	131N-40-1521
N2108661X	Neapco	CB210866-1X	N2401701	Neapco	131N-40-1701
N2108731X	Neapco	CB210873-1X	N2401711	Neapco	131N-40-1711
N2108751X	Neapco	CB210875-1XSA	N2401741	Neapco	121N-40-1741
N2108811X	Neapco	CB310012-1XSA	N2401771	Neapco	131N-40-1771
N211016X	Neapco	CB211016X	N2401811	Neapco	131N-40-1811
N211187X	Neapco	CB211187X	N2401851	Neapco	131N-40-1851
N221049	Neapco	121N-2-1049	N2401871	Neapco	131N-40-1871
N221050	Neapco	121N-2-1050	N2402051	Neapco	131N-40-2051
N222323	Neapco	121N-2-2323	N2402091	Neapco	131N-40-2091
N223012108	Neapco	RT-275-14-108	N2402211	Neapco	121N-40-2211
N22329	Neapco	131N-2-329	N2402301	Neapco	121N-40-2301
N22349	Neapco	131N-2-349	N243032108	Neapco	RT-3-16-108
N22479	Neapco	131N-2-479	N24303272	Neapco	RT-3-16-72
N22579	Neapco	131N-2-579	N243042108	Neapco	RT-3-14-108
N226367	Neapco	131N-26-367	N24304272	Neapco	RT-3-14-72
N226367	Neapco	131N-26-497	N24473	Neapco	131N-4-473
N226427	Neapco	131N-26-367	N24503	Neapco	131N-4-503
N226427	Neapco	131N-26-497	N24533	Neapco	131N-4-533
N22686	Neapco	121N-2-686	N253711	Neapco	131N-53-711
N22799	Neapco	131N-2-799	N2537111	Neapco	131N-53-711-1
N227991	Neapco	131N-2-799-1	N283022108	Neapco	RT-35-13-108
N2281177	Neapco	133N-28-1177	N28302272	Neapco	RT-35-13-72
N2281707	Neapco	133N-28-1707	N283042108	Neapco	RT-35-16-108
N2281717	Neapco	133N-28-1717	N28304272	Neapco	RT-35-16-72
N2281747X	Neapco	131N-28-1747X	N283052108	Neapco	RT-35-156-108
N2281757	Neapco	131N-28-1757	N28305272	Neapco	RT-35-156-72
N2281777X	Neapco	131N-28-1777X	N283062108	Neapco	RT-35-14-108
N2281777X	Neapco	131N-28-2947X	N28306272	Neapco	RT-35-14-72
N2282947X	Neapco	131N-28-1777X	N283092108	Neapco	RT-35-10-108
N2282947X	Neapco	131N-28-2947X	N28309272	Neapco	RT-35-10-72
N2282957X	Neapco	131N-28-1747X	N283388X	Neapco	131N-83-388X
N228307	Neapco	131N-28-307	N283489X	Neapco	121N-83-489X
N228327	Neapco	131N-28-327	N3-2-119	Neapco	135N-2-119
N228357	Neapco	131N-28-357	N3-2-159	Neapco	141N-2-159
N228367	Neapco	131N-28-367	N3-2-429	Neapco	141N-2-429
N228397	Neapco	131N-28-397	N3-28-427	Neapco	135N-28-427
N228417	Neapco	131N-28-417	N3-28-47	Neapco	135N-28-47
N228427	Neapco	131N-28-427	N3-28-537	Neapco	148N-28-537
N228437	Neapco	131N-28-437	N3-28-547	Neapco	148N-28-547
N22899	Neapco	121N-2-899	N3-28-557	Neapco	141N-28-557
N228991	Neapco	131N-2-899-1	N3-3-1641KX	Neapco	148N-3-1641KX

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
N3-40-1561	Neapco	135N-40-1561	N431241KX	Neapco	155N-3-1241X
N3-40-1571	Neapco	148N-40-1571	N440721	Neapco	155N-40-721
N3-40-1611	Neapco	135N-40-1611	N440761	Neapco	155N-40-761
N3-53-1031	Neapco	141N-53-1031	N5-28-627	Neapco	16N-28-627
N3-53-1181	Neapco	135N-53-1181	N5-3-1411KX	Neapco	16N-3-1411X
N3-53-1181-1	Neapco	135N-53-1181-1	N5-3-2261KX	Neapco	16N-3-2261X
N32119	Neapco	135N-2-119	N5-4-3621	Neapco	16N-4-3621
N32159	Neapco	141N-2-159	N5-4-4551	Neapco	16N-4-4551
N323022108	Neapco	RT-4-14-108	N5-40-1011	Neapco	16N-40-1011
N32302272	Neapco	RT-4-14-72	N528627	Neapco	16N-28-627
N323052108	Neapco	RT-4-10-108	N531411KX	Neapco	16N-3-1411X
N32305272	Neapco	RT-4-10-72	N532261KX	Neapco	16N-3-2261X
N323072108	Neapco	RT-4095-7-108	N53288KX	Neapco	16N-3-2261X
N32307272	Neapco	RT-4095-7-72	N5401011	Neapco	16N-40-1011
N32429	Neapco	141N-2-429	N541721	Neapco	16N-4-1721
N32479	Neapco	148N-2-479	N541931	Neapco	16N-4-1931
N328367	Neapco	141N-28-367	N543601X	Neapco	16N-4-3601X
N328427	Neapco	135N-28-427	N543621	Neapco	16N-4-3621
N32847	Neapco	135N-28-47	N544401	Neapco	16N-4-4401
N328507	Neapco	148N-28-507	N544541	Neapco	16N-4-4541
N328537	Neapco	148N-28-537	N544551	Neapco	16N-4-4551
N328547	Neapco	148N-28-547	N6-28-137	Neapco	17N-28-137
N328557	Neapco	141N-28-557	N6-28-347	Neapco	17N-28-347
N328567	Neapco	148N-28-567	N6-3-2651KX	Neapco	17N-3-2651X
N328571	Neapco	135N-28-57-1	N6-3-2671KX	Neapco	17N-3-2671X
N328572	Neapco	135N-28-57-2	N6-4-1981	Neapco	17N-4-1981
N32897	Neapco	141N-28-97	N6-4-2141	Neapco	17N-4-2141
N331641KX	Neapco	148N-3-1641KX	N6-4-3041X	Neapco	17N-4-3041X
N33788KX	Neapco	141N-3-788KX	N6-4-3241	Neapco	17N-4-3241
N3401101	Neapco	135N-40-1101	N6-4-3611	Neapco	17N-4-3611
N3401391	Neapco	148N-40-1391	N6-4-3791	Neapco	17N-4-3791
N3401471	Neapco	135N-40-1471	N6-4-4091	Neapco	17N-4-4091
N3401491	Neapco	135N-40-1491	N6-4-4411X	Neapco	17N-4-4411X
N3401531	Neapco	135N-40-1531	N6-4-4741X	Neapco	17N-4-4741X
N3401561	Neapco	135N-40-1561	N6-4-5151X	Neapco	17N-4-5151X
N3401571	Neapco	148N-40-1571	N6-4-6921X	Neapco	17N-4-6921X
N3401611	Neapco	135N-40-1611	N6-40-521	Neapco	17N-40-521
N3401871	Neapco	148N-40-1391	N6-40-541	Neapco	17N-40-541
N3531031	Neapco	141N-53-1031	N6-53-201	Neapco	17N-53-201
N3531081	Neapco	141N-53-1081	N6-53-311	Neapco	17N-53-311
N3531181	Neapco	135N-53-1181	N6.3-28-17	Neapco	176N-28-17
N35311811	Neapco	135N-53-1181-1	N6.3-3-21KX	Neapco	176N-3-21X
N3531361	Neapco	141N-53-1361	N6.3-4-161	Neapco	176N-4-161
N3531371	Neapco	141N-53-1371	N6.5-28-117	Neapco	18N-28-117
N353151	Neapco	135N-53-1351	N6.5-3-1351KX	Neapco	18N-3-1351X
N353451	Neapco	148N-53-451	N6.5-3-1371KX	Neapco	18N-3-1371X
N363062108	Neapco	RT-45-10-108	N6.5-4-1891	Neapco	18N-4-1891
N36306272	Neapco	RT-45-10-72	N6.5-40-191	Neapco	18N-40-191
N3R26057	Neapco	R3R-26-57	N6.5-40-201	Neapco	18N-40-201
N3R28157	Neapco	R3R-28-157	N6.5-53-91	Neapco	18N-53-91
N3R28268	Neapco	R3R-2-8268	N628137	Neapco	17N-28-137
N3R28307	Neapco	R3R-28-307	N628347	Neapco	17N-28-347
N3R28325	Neapco	R3R-28-325	N632651KX	Neapco	17N-3-2651X
N3R28327	Neapco	R3R-28-327	N632671KX	Neapco	17N-3-2671X
N3R28397	Neapco	R3R-28-397	N632817	Neapco	176N-28-17
N3R28427	Neapco	R3R-28-427	N63321KX	Neapco	176N-3-21X
N3R28437	Neapco	R3R-28-437	N634161	Neapco	176N-4-161
N3R28869	Neapco	R3R-28-869	N640521	Neapco	17N-40-521
N3R36081X	Neapco	R3R-3-6081X	N640541	Neapco	17N-40-541
N3R39101X	Neapco	R3R-3-9101X	N641981	Neapco	17N-4-1981
N3R39131X	Neapco	R3R-3-9131X	N641991	Neapco	17N-4-1991
N3R39161X	Neapco	R3R-3-9161X	N642141	Neapco	17N-4-2141
N3R39165KX	Neapco	R3R-3-9165KX	N642441	Neapco	17N-4-2441
N3R83482	Neapco	R3R-83-482	N643031	Neapco	17N-4-3031

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR	NUMBER	COMPETITION	ARVINMERITOR
N643041X	Neapco	17N-4-3041X	N6542531X	Neapco	18N-4-2531X
N643241	Neapco	17N-4-3241	N655391	Neapco	18N-53-91
N643611	Neapco	17N-4-3611	N9038621409W	Neapco	R903862-1409W
N643791	Neapco	17N-4-3791	N9038621602W	Neapco	R903862-1602W
N644091	Neapco	17N-4-4091	N9093632600	Neapco	R909363-2600
N644411X	Neapco	17N-4-4411X	N9093652600	Neapco	R909365-2600
N644741X	Neapco	17N-4-4741X	N9118182600	Neapco	R911818-2600
N645151X	Neapco	17N-4-5151X	N9121701511W	Neapco	R912170-1511W
N646421X	Neapco	17NYS32-100A	N9121701803W	Neapco	R912170-1803W
N646921X	Neapco	17N-4-6921X	N9124423400	Neapco	R919990-3400
N651891	Neapco	18N-4-1891	N912747	Neapco	R912747
N6528117	Neapco	18N-28-117	N912777	Neapco	R912777
N6528127	Neapco	18N-28-127	N9137973400	Neapco	R919976-3400
N6531351KX	Neapco	18N-3-1351X	N91382SF	Neapco	R91382SF
N6531371KX	Neapco	18N-3-1371X	N9141561324W	Neapco	R914156-1324W
N653151	Neapco	17N-53-151	N9553SF	Neapco	R9553-SF
N653201	Neapco	17N-53-201	S9121701803W	Neapco	R912170-1803W
N653311	Neapco	17N-53-311	SPL*100-1X	Dana/Spicer	US90X
N6540191	Neapco	18N-40-191	SPL*170-3X	Dana/Spicer	US170X
N6540201	Neapco	18N-40-201	SPL*250X	Dana/Spicer	US250X
N6541891	Neapco	18N-4-1891	SPL*90X	Dana/Spicer	US90X

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
10N-2-29	15-1	121N-53-471	7-2	131N-83-288X	13-7
10N-3-122X	15-2	121N-53-501	7-2	131N-83-388X	13-6
10N-3-12X	15-2	121N-53-691	7-2	131N-CV82-HD	13-6
10N-3-162X	15-2	121N-83-489X	13-6	131N-2-939	1-2
10N-3-163X	15-2	131N-2-329	1-2	133N-28-1177	5-1
10N-3-183X	15-2	131N-2-349	1-2	133N-28-1697	5-1
10N-3-18KX	15-1	131N-2-479	1-2	133N-28-1707	5-1
10N-3-22X	15-2	131N-2-579	1-2	133N-28-1717	5-1
10N-3-23X	15-2	131N-2-799	1-2	133N-28-1977	5-1
10N-3-32X	15-2	131N-2-799-1	1-2	133N-28-3067X	13-8
10N-3-33X	15-2	131N-2-899-1	1-2	133N-3-7681KX	2-1
10N-3-81X	15-2	131N-28-1617	5-1	133N-3-7961KX	2-1
10N-3-83X	15-2	131N-28-1757	5-1	133N-3-8041KX	2-1
10N-4-103	15-3	131N-28-277	5-1	133N-4-5441	4-2
10N-4-113	15-3	131N-28-307	5-1	135N-2-119	1-2
10N-4-12	15-3	131N-28-327	5-1	135N-28-1327X	13-8
10N-4-123	15-3	131N-28-357	5-1	135N-28-427	5-1
10N-4-13	15-3	131N-28-367	5-1	135N-28-47	5-1
10N-4-133	15-3	131N-28-397	5-1	135N-28-57	5-1
10N-4-139	15-3	131N-28-417	5-1	135N-28-57-1	5-1
10N-4-143	15-3	131N-28-427	5-1	135N-28-57-2	5-1
10N-4-173	15-3	131N-28-437	5-1	135N-3-1501KX	2-1
10N-4-183	15-3	131N-3-128KX	2-1	135N-3-1561KX	2-1
10N-4-193	15-3	131N-3-4441KX	2-1	135N-3-2471KX	2-1
10N-4-22	15-3	131N-3-6061KX	2-1	135N-3-488KX	2-1
10N-4-23	15-3	131N-3-7171KX	2-1	135N-3-598KX	2-1
10N-4-282	15-3	131N-3-7260KX	2-2	135N-3-758KX	2-1
10N-4-32	15-3	131N-3-7981KX	2-1	135N-40-1101	8-1
10N-4-33	15-3	131N-3-8001KX	2-1	135N-40-1471	8-1
10N-4-43	15-3	131N-3-8021KX	2-1	135N-40-1491	8-1
10N-4-443	15-3	131N-4-1233	3-13	135N-40-1531	8-1
10N-4-453	15-3	131N-4-3331	3-1	135N-40-1561	8-1
10N-4-473	15-3	131N-4-4341	4-2	135N-40-1611	8-1
10N-4-481	15-3	131N-4-473	3-13	135N-53-1181	7-2
10N-4-52	15-3	131N-4-503	3-13	135N-53-1181-1	7-2
10N-4-53	15-3	131N-4-533	3-13	135N-53-1181-2	7-2
10N-4-573	15-3	131N-4-573	3-13	135N-53-1351	7-2
10N-4-611	15-3	131N-4-583	3-13	141NYS28-19A	4-3
10N-4-63	15-3	131N-4-783	3-13	141N-2-159	1-2
10N-4-703	15-3	131N-4-803	3-13	141N-2-429	1-2
10N-4-73	15-3	131N-4-8091X	4-2	141N-28-367	5-1
10N-4-83	15-3	131N-40-1031	8-1	141N-28-557	5-1
10N-4-93	15-3	131N-40-1221	8-1	141N-28-97	5-1
121N-2-1049	1-2	131N-40-1231	8-1	141N-3-118KX	2-1
121N-2-1050	1-2	131N-40-1251	8-1	141N-3-1481KX	2-1
121N-2-2323	1-2	131N-40-1291	8-1	141N-3-2041KX	2-1
121N-2-686	1-2	131N-40-138-2	13-8	141N-3-508KX	2-1
121N-2-899	1-2	131N-40-1521	8-1	141N-3-788KX	2-1
121N-28-1947	5-1	131N-40-1701	8-1	141N-4-1841	4-3
121N-3-1224-1X	2-5	131N-40-1711	8-1	141N-4-2241	4-3
121N-3-1224X	2-5	131N-40-1771	8-1	141N-4-2511	4-3
121N-3-2321X	2-5	131N-40-1811	8-1	141N-4-3941	4-3
121N-3-686X	2-5	131N-40-1851	8-1	141N-4-6561	4-3
121N-3-8861KX	2-1	131N-40-1871	8-1	141N-4-6631X	4-3
121N-3-8961KX	2-1	131N-40-2051	8-1	141N-53-1031	7-2
121N-40-1741	8-1	131N-40-2091	8-1	141N-53-1081	7-1,10-1
121N-40-2211	8-1	131N-53-711	7-2	141N-53-1361	7-2
121N-40-2301	8-1	131N-53-711-1	7-2	141N-53-1371	7-2

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
141NYS22A	4-3	155NY53-5	5-1	16N-4-5731	3-3
141NYS24-4	4-3	155NYS24-6	4-5	16N-4-5741	3-3
141NYSB28-4	1-4	155NYS28-5A	4-5	16N-4-5751	3-3
141TYSB22-11A	1-5	155RY62	5-1	16N-4-5981	3-2
141TYSB22-18A	1-5	155TYS28-1A	4-5	16N-4-5991X	3-2
141TYSB24-6	1-4	155TYS28-26	4-5	16N-4-6241	3-2
141TYSB24-6A	1-4	155TYS28-49	4-5	16N-4-6251	3-1
141TYSB29-1A	1-4	155TYS28-49A	4-5	16N-4-6261	3-1
148DYS28A	4-4	155TYS32-6	4-5	16N-4-6271	3-2
148N-1-6081X	1-1	155TYS32-6A	4-5	16N-4-6271-1	4-7
148N-2-479	1-2	155TYS32-6A3	4-5	16N-4-6281X	3-2
148N-28-507	5-1	155TYSB28-14A	1-4	16N-4-6291X	3-2
148N-28-537	5-1	155TYSB28-22A	1-4	16N-4-6321	3-2
148N-28-547	5-1	155TYSB28-40A	1-4	16N-4-6321-1	4-7
148N-28-567	5-1	155TYSB32-13A	1-4	16N-4-6421-1	4-7
148N-3-1601KX	2-1	155TYSC28-43	4-5	16N-4-6431-1X	4-7
148N-3-1641KX	2-1	159N-4-761-1X	4-6	16N-4-6891X	3-3
148N-4-10261-1	4-4	16N-2-629	1-3	16N-4-6951-1X	4-7
148N-4-10471-1X	4-4	16N-28-167	5-3	16N-4-6951X	3-2
148N-4-3061	4-4	16N-28-207	5-3	16N-4-6961X	3-2
148N-4-3081	4-4	16N-28-327	5-3	16N-4-7171-1	4-7
148N-4-3091	4-4	16N-28-627	5-3	16N-4-7331-1	4-7
148N-4-3571	4-4	16N-28-887	5-3	16N-4-7341-1X	4-7
148N-4-3781	4-4	16N-3-108X	2-2	16N-4-781	3-1
148N-4-3861	4-4	16N-3-128X	2-2	16N-40-1011	8-1
148N-4-4421X	4-4	16N-3-1411X	2-2	16N-40-1041	8-1
148N-40-1391	8-1	16N-3-2261X	2-2	16N-40-1051	8-1
148N-40-1571	8-1	16N-3-288X	2-2	16N-40-1191	8-1
148N-53-451	7-2	16N-4-1051	3-1	16N-53-141	7-1,10-1
148NYSB28-17	1-4	16N-4-1631	3-2	16N-53-191	7-1,10-1
148NYSB29	1-4	16N-4-1721	3-1	16N-2-279	1-3
148TYS22A	4-4	16N-4-1721-1	4-7	16NLS32-47A1	2-2
148TYS28A	4-4	16N-4-1931	3-1	16NY61	5-3
148TYS32-4	4-4	16N-4-2081	3-1	16NYS28-4A	3-1
148TYS32-4A	4-4	16N-4-2501	3-2	16NYS28-60	3-2
148TYSB28-11A	1-4	16N-4-3321	3-3	16NYS28-64A	3-2
148TYSB29-1	1-4	16N-4-3601X	3-1	16NYS30A	3-2
148TYSB32-2A	1-4	16N-4-3621	3-1	16NYS32-32A3	3-2
155DYS28-1A	4-5	16N-4-3681	3-2	16NYS32-43	3-2
155DYS32-6	4-5	16N-4-3861	3-1	16NYS32-47	3-2
155DYS32-6A	4-5	16N-4-4401	3-3	16NYS32-74	3-2
155N-2-669	1-2	16N-4-4441X	3-1	16NYS32-74A	3-2
155N-28-307	5-1	16N-4-4471	3-2	16NYS34-23A	3-3
155N-3-1241X	2-1	16N-4-4541	3-2	16NYS36-7	3-3
155N-4-1891	4-5	16N-4-4551	3-2	16NYS38-11A	3-3
155N-4-1901	4-5	16N-4-4571	3-1	16NYS38-12	3-3
155N-4-1941-1	4-5	16N-4-4761X	3-1	16NYS38-12A	3-3
155N-4-2051	4-5	16N-4-4841X	3-2	16NYS38-8A	3-3
155N-4-2431	4-5	16N-4-5031	3-3	16TYS28-13A	4-7
155N-4-4101	4-5	16N-4-5081X	3-1	16TYS32-32A	4-7
155N-4-4211	4-5	16N-4-5281X	3-2	16TYS32-32A3	4-7
155N-4-5031-1	4-5	16N-4-5441	3-2	16TYS32-5	4-7
155N-4-5551-1	4-5	16N-4-5461	3-2	16TYS32-76	4-7
155N-4-5611-1X	4-5	16N-4-5571	3-1	16TYS32-76A	4-7
155N-4-6831-1X	4-5	16N-4-5571-1	4-7	16TYS32-86A	4-7
155N-40-721	8-1	16N-4-5621X	3-1	17N-4-7771-1X	4-9
155N-40-761	8-1	16N-4-5631	3-3	176N-28-17	5-3
155N-53-61	7-2	16N-4-5721	3-2	176N-3-21X	2-3

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
176N-3-41X	2-3	176TYS44-4	4-10	17N-4-4561-1	4-9
176N-4-11	3-10	176TYS45	4-11	17N-4-4581	3-8
176N-4-1161-1X	4-10	176TYS38-4A	4-10	17N-4-4591	3-7
176N-4-1161X	3-10	17N-2-739	1-3	17N-4-4601	3-7
176N-4-121	3-9	17N-28-137	5-3	17N-4-4601-1	4-9
176N-4-1421	3-10	17N-28-347	5-3	17N-4-4651	3-9
176N-4-1481-1X	4-10	17N-3-1461X	2-2	17N-4-4721	3-4
176N-4-151	3-10	17N-3-2401X	2-2	17N-4-4731X	3-4
176N-4-161	3-10	17N-3-2571X	2-2	17N-4-4741X	3-5
176N-4-161-1	4-10	17N-3-2631X	2-2	17N-4-4771	3-8
176N-4-1651-1X	4-10	17N-3-2651X	2-2	17N-4-4771-1	4-9
176N-4-1681-1	4-11	17N-3-2671X	2-2	17N-4-4831X	3-4
176N-4-181X	3-9	17N-3-2761X	2-2	17N-4-4851X	3-5
176N-4-211-1X	4-10	17N-3-3021X	2-2	17N-4-4861X	3-4
176N-4-211X	3-10	17N-4-1971	3-7	17N-4-4961	3-6
176N-4-271	3-10	17N-4-1981	3-4	17N-4-5031	3-4
176N-4-271-1	4-10	17N-4-1991	3-7	17N-4-5041X	3-4
176N-4-291-1	4-10	17N-4-2141	3-7	17N-4-5061X	3-6
176N-4-321-1	4-10	17N-4-2151	3-7	17N-4-5071X	3-7
176N-4-331-1X	4-10	17N-4-2161	3-4	17N-4-5111X	3-4
176N-4-331X	3-10	17N-4-2181	3-7	17N-4-5131X	3-4
176N-4-381	3-10	17N-4-2191	3-5	17N-4-5141	3-5
176N-4-391	3-10	17N-4-2211	3-4	17N-4-5151X	3-5
176N-4-411	3-10	17N-4-2271	3-4	17N-4-5341	3-7
176N-4-421	3-9	17N-4-2371	3-5	17N-4-5351	3-8
176N-4-441	3-10	17N-4-2381	3-4	17N-4-5351-1	4-9
176N-4-531	3-9	17N-4-2391	3-5	17N-4-5451	3-8
176N-4-531-1	4-10	17N-4-2441	3-7	17N-4-5461-1X	4-9
176N-4-541-1X	4-10	17N-4-2501	3-7	17N-4-5461X	3-8
176N-4-541X	3-9	17N-4-2511	3-7	17N-4-5481X	3-7
176N-4-651	3-10	17N-4-3031	3-7	17N-4-5501	3-6
176N-4-651-1	4-10	17N-4-3041X	3-7	17N-4-5521	3-5
176N-4-71	3-9	17N-4-3221	3-5	17N-4-5541	3-5
176N-4-731X	3-10	17N-4-3241	3-5	17N-4-5711	3-7
176N-4-771-1X	4-10	17N-4-3271	3-5	17N-4-5781	3-5
176N-4-781X	3-10	17N-4-3291	3-4	17N-4-5791	3-6
176N-4-791-1X	4-11	17N-4-3361	3-4	17N-4-5801	3-7
176N-4-791X	3-10	17N-4-3391	3-4	17N-4-5821	3-6
176N-4-821-1	4-10	17N-4-3501	3-7	17N-4-5841	3-8
176N-4-851X	3-10	17N-4-3611	3-8	17N-4-5931-1	4-9
176N-4-861-1X	4-10	17N-4-3721	3-4	17N-4-5961X	3-8
176N-4-861X	3-10	17N-4-3791	3-6	17N-4-5991	3-5
176N-53-21	7-1,10-1	17N-4-4091	3-4	17N-4-6011	3-6
176N-4-781-1X	4-10	17N-4-4131	3-5	17N-4-6021X	3-6
176NYS32-3	3-9	17N-4-4141	3-4	17N-4-6031	3-7
176NYS32-3A2	3-9	17N-4-4151	3-5	17N-4-6031-1	4-9
176NYS36-12A	3-10	17N-4-4181X	3-4	17N-4-6041-1X	4-9
176NYS38-10	3-10	17N-4-4171X	3-6	17N-4-6041X	3-7
176NYS38-14	3-10	17N-4-4291X	3-5	17N-4-6321	3-4
176NYS38-14A	3-10	17N-4-4301X	3-4	17N-4-6331	3-4
176NYS38-3	3-10	17N-4-4361X	3-5	17N-4-6391X	3-6
176TYS32-3A1	4-10	17N-4-4371	3-4	17N-4-6411X	3-5
176TYS36-10A1	4-10	17N-4-4391X	3-5	17N-4-6451	3-4
176TYS36-12A	4-10	17N-4-4411X	3-7	17N-4-6481	3-4
176TYS38-27	4-10	17N-4-4421	3-8	17N-4-6601	3-8
176TYS38-27A	4-10	17N-4-4481X	3-5	17N-4-6611-1	4-9
176TYS38-27A2	4-10	17N-4-4551	3-9	17N-4-6821	3-9
176TYS38-5	4-10	17N-4-4561	3-7	17N-4-6821-1	4-9

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
17N-4-6841X	3-9	17N-82-1211	9-2	17TYS32-60A	4-8
17N-4-6861-1	4-8	17NF1	1-3	17TYS32-73	4-8
17N-4-6871X	3-6	17NF20	1-3	17TYS32-92A	4-8
17N-4-6891X	3-7	17NF27	1-3	17TYS32-94A	4-8
17N-4-6901-1X	4-8	17NF28	1-3	17TYS32-95A1	4-8
17N-4-7691-1	4-9	17NLS40-121A	2-2	17TYS32-99	4-8
17N-4-6921-1X	4-9	17NLS40-124A	2-2	17TYS32-99A	4-8
17N-4-6921X	3-8	17NLS40-82DC	2-2	17TYS34-14A1	4-8
17N-4-6931-1X	4-9	17NLS40-98CA	2-2	17TYS34-29	4-8
17N-4-6931X	3-9	17NY60-15	5-3	17TYS34-18A1	4-8
17N-4-6941X	3-5	17NYS26	3-4	17TYS37-1A	4-9
17N-4-6951-1X	4-8	17NYS28-11	3-4	17TYS38-29A	4-9
17N-4-6951X	3-5	17NYS28-66A	3-4	17TYS38-75A	4-9
17N-4-6961-1X	4-9	17NYS32-100	3-5	17TYS38-76	4-9
17N-4-6961X	3-8	17NYS32-100A	3-5	17TYS38-76A	4-9
17N-4-7071X	3-8	17NYS32-100A1	3-5	17TYS38-76A2	4-9
17N-4-7141	3-5	17NYS32-100A2	3-5	17TYS38-78A	4-9
17N-4-7141-1	4-8	17NYS32-40A1	3-6	17TYS44-14	4-9
17N-4-7161	3-8	17NYS32-41A1	3-5	17TYSB32-98A	4-8
17N-4-7171X	3-6	17NYS32-41A2	3-6	17TYS31-54	4-8
17N-4-7181X	3-8	17NYS32-60	3-5	18N-28-117	5-3
17N-4-7231X	3-5	17NYS32-92A	3-6	18N-28-127	5-3
17N-4-7241X	3-7	17NYS32-99	3-6	18N-3-1351X	2-3
17N-4-7321-1X	4-8	17NYS32-99A	3-6	18N-3-1371X	2-3
17N-4-7541	3-6	17NYS32-99A3	3-6	18N-3-1431X	2-3
17N-4-7561-1X	4-8	17NYS34-15	3-6	18N-4-1891	3-11
17N-4-7561X	3-6	17NYS34-18A1	3-6	18N-4-1891-1	4-12
17N-4-7621-1	4-8	17NYS34-19	3-6	18N-4-1911	3-11
17N-4-7631-1X	4-8	17NYS34-19A1	3-6	18N-4-1921	3-11
17N-4-7641-1X	4-8	17NYS34-20	3-6	18N-4-1961	3-12
17N-4-7851X	3-8	17NYS34-29	3-6	18N-4-1971	3-11
17N-4-8461-1	4-9	17NYS34-29A	3-6	18N-4-1981	3-11
17N-4-8521X	3-4	17NYS34-5	3-7	18N-4-1991	3-12
17N-4-8531X	3-5	17NYS34-9A	3-6	18N-4-2001	3-11
17N-4-8551-1X	4-9	17NYS38-17	3-8	18N-4-2011	3-12
17N-4-8551X	3-7	17NYS38-17A2	3-8	18N-4-2051	3-11
17N-4-8991-1X	4-8	17NYS38-31	3-8	18N-4-2171	3-12
17N-4-9001-1X	4-8	17NYS38-32A2	3-8	18N-4-2171-1	4-12
17N-4-9001X	3-6	17NYS38-38	3-8	18N-4-2271X	3-11
17N-4-9041X	3-6	17NYS38-38A	3-8	18N-4-2291	3-11
17N-40-521	8-2	17NYS38-44A1	3-8	18N-4-2341X	3-11
17N-40-541	8-2	17NYS38-61	3-8	18N-4-2351X	3-11
17N-40-61	8-1	17NYS38-61A	3-8	18N-4-2361X	3-12
17N-40-621	8-2	17NYS38-63	3-8	18N-4-2441	3-11
17N-40-631	8-2	17NYS38-78	3-8	18N-4-2451X	3-11
17N-53-151	7-1,10-1	17NYS40-106	3-8	18N-4-2531X	3-11
17N-53-201	7-1,10-1	17NYS40-106A	3-8	18N-4-2551X	3-11
17N-53-241	7-1,10-1	17NYS40-106A1	3-8	18N-4-2581	3-12
17N-53-311	7-1,10-1	17NYS40-37A	3-8	18N-4-2701	3-12
17N-53-411	7-1,10-1	17NYSM40-170	9-2	18N-4-2711X	3-12
17N-82-1061-3	9-2	17NYSM40-172	9-2	18N-4-2781	3-11
17N-82-1061-4	9-2	17NYSM40-173	9-2	18N-4-3021	3-12
17N-82-1061-8	9-2	17NYSM40-177	9-2	18N-4-3161	3-12
17N-82-1061-9	9-2	17TYS28-57	4-8	18N-4-3201	3-12
17N-82-1171-1	9-2	17TYS28-57A	4-8	18N-4-3221-1X	4-12
17N-82-1171-12	9-2	17TYS28-63	4-8	18N-4-3221X	3-12
17N-82-1171-2	9-2	17TYS31-66A	4-8	18N-4-3251	3-12
17N-82-1171-5	9-2	17TYS32-60	4-8	18N-4-3271	3-11

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
18N-4-3271-1	4-11	18TYS45	4-12	25WYS40-3	3-24
18N-4-3281-1X	4-11	20RLS40-11A1S	2-1	25WYS40-4A	3-24
18N-4-3281X	3-11	20RLS40-2A1S	2-1	25WYS44-2	3-24
18N-4-3371	3-11	20RLS40-3A1S	2-1	25WYS44-2A	3-24
18N-4-3371-1	4-11	20RY60-5	5-2	25WYS45	3-24
18N-4-3381-1X	4-11	20RY60-6	5-2	25WYS57-1	3-24
18N-4-3381X	3-11	20RY60-7	5-2	25WYSC38-11	3-24
18N-4-3451	3-12	20RYSM40-24	9-2	3WCS28-93A	1-1
18N-4-3451-1	4-12	20RYSM40-26	9-2	3WCS32-75A1	1-1
18N-4-3491	3-12	20RYSM40-27	9-2	4137268	13-4,13-5
18N-4-3491-1	4-12	20RYSM40-28	9-2	58WBLS28-41A	2-4
18N-4-3501X	3-12	20RYSM40-31	9-2	58WBLS28-42A	2-4
18N-4-3551-1X	4-12	20RYSM40-35	9-2	58WBYS3-1	5-4
18N-4-3551X	3-12	20WYS28-1A	3-22	58WBYS24-6	3-22
18N-4-3561-1X	4-12	20WYS28-2A	3-22	58WBYS26	3-22
18N-4-3561X	3-12	20WYS32-10A	3-22	58WBYS32-34	3-22
18N-4-3571X	3-11	20WYS32-17	3-22	58WBYS22-3	3-13
18N-4-3581-1X	4-12	20WYS32-17A	3-22	58WBYS25-8	3-13
18N-4-3581X	3-12	20WYS32-2	3-22	58WBYS28-1	3-13
18N-4-3591	3-12	20WYS32-2A	3-23	58WBYS28-145	3-13
18N-4-3591-1	4-12	20WYS32-5A	3-22	58WBYS28-172	3-13
18N-4-3621-1X	4-12	20WYS32-6A	3-22	58WBYS28-186A	3-14
18N-4-3691X	3-11	20WYS32-7A	3-22	58WBYS28-51	3-13
18N-4-3911-1	4-12	20WYS32-8A	3-22	58WBYS28-6	3-13
18N-4-3921-1X	4-12	20WYS32-9A	3-22	58WBYS28-82	3-13
18N-4-3921X	3-12	20WYS34-1A	3-23	58WBYS30	3-14
18N-4-4271-1X	4-12	20WYS34-2A	3-23	58WBYS31-13	3-14
18N-4-4351X	3-11	20WYS34-3A	3-23	58WBYS31-21	3-14
18N-4-4571-1X	4-11	20WYS34-4A	3-23	58WBYS34-7	3-14
18N-40-191	8-2	20WYS36-1A	3-23	5WCS31-7A1	1-1
18N-40-201	8-2	20WYS36-2A	3-23	5WCS32-103	1-1
18N-53-171	7-1,10-1	20WYS36-3A	3-23	5WCS32-103A1	1-1
18N-53-51	7-1,10-1	20WYS38-10A	3-23	5WCS32-86A	1-1
18N-53-91	7-1,10-1	20WYS38-10A1	3-23	5WCS38-18A	1-1
18NLS48-13A	2-3	20WYS38-11A	3-23	5WCS38-23A2	1-1
18NYS34-5A	3-11	20WYS38-3A	3-23	5WCS38-24A	1-1
18NYS36-17	3-11	20WYS38-4A	3-23	5WCS40-39	1-1
18NYS36-20A	3-11	20WYS38-8	3-23	5WCS40-45A	1-1
18NYS38-15	3-12	20WYS38-8A	3-23	62NLS28-2A	2-4
18NYS38-21	3-12	20WYS40-2A	3-23	62NLS28-3DC	2-4
18NYS38-27	3-12	20WYS40-3	3-23	62NLS28-43DC	2-4
18NYS38-27A	3-12	20WYS44-2A	3-23	62NLS28-82A	2-4
18NYS38-27A1	3-12	20WYS45	3-23	62NPS28-4	8-1
18NYS38-27A2	3-12	20WYS57-1	3-23	62NY52-7	5-4
18NYS38-6A	3-12	20WYSC38-18	3-23	62NY53-1	5-4
18NYS40-5	3-12	25RLS48-1A1S	2-1	62NYS22-10	3-14
18NYS44-3	3-12	25RPL-SLIP	8-2	62NYS24-17	3-14
18TYS31-5A	4-11	25RY68-3	5-2	62NYS24-17A1	3-14
18TYS32-12A1	4-11	25WYS36-1A	3-24	62NYS26-11A	3-14
18TYS32-12A2	4-11	25WYS36-2A	3-24	62NYS26-13	3-14
18TYS34-5	4-11	25WYS36-3A	3-24	62NYS28-123	3-15
18TYS36-17	4-11	25WYS38-13	3-24	62NYS28-123A	3-15
18TYS38-15	4-12	25WYS38-13A	3-24	62NYS28-155	3-15
18TYS38-27	4-12	25WYS38-6A	3-24	62NYS28-160	3-15
18TYS38-27A	4-12	25WYS38-8A	3-24	62NYS28-202	3-15
18TYS38-27A2	4-12	25WYS38-8A1	3-24	62NYS28-202A	3-15
18TYS38-9	4-12	25WYS38-9A1	3-24	62NYS28-21	3-15
18TYS38-13A	4-12	25WYS40-2A	3-24	62NYS28-26	3-15

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
62NYS28-32	3-15	72NYS34-24	3-17	92NYS38-52	3-20
62NYS31-5	3-15	72NYS34-28	3-17	92NYS38-52A	3-20
62NYS32-48A	3-15	72NYS34-42	3-17	92NYS38-67	3-20
62NYS36-2	3-15	72NYS34-42A1	3-17	92NYS38-69	3-20
72NLS32-142A	2-4	72NYS36-1	3-18	92NYS38-69A	3-20
72NLS32-1DC	2-4	72NYS36-13	3-18	92NYS38-75	3-20
72NLS32-20DC	2-4	72NYS36-19	3-18	92NYS38-75A1	3-20
72NY52-20	5-4	72NYS36-22	3-17	92NYS40-17	3-20
72NYR24-2	3-22	72NYS36-38	3-18	92NYS40-17A	3-20
72NYS24	3-16	72NYS36-40	3-17	92NYS42-4	3-20
72NYS24-22	3-16	72NYS36-54	3-17	92NYS44-18	3-20
72NYS26-3	3-16	72NYS36-54A2	3-17	92NYS44-19	3-21
72NYS26-7	3-16	72NYS40-99	3-18	92NYS44-22	3-20
72NYS28-1	3-16	72NYSM32-58	9-3	92NYS44-22A	3-20
72NYS28-10	3-16	750NYSM27-12	9-1	92NYS45-2	3-20
72NYS28-141	3-16	750NYSM27-13	9-1	92NYS51	3-21
72NYS28-141A	3-16	750NYSM28-112	9-1	92NYSB36-72	1-5
72NYS28-166	3-16	750NYSM28-155	9-1	92NYS38-106	3-20
72NYS28-166A	3-16	82NLS40-83A	2-4	950NYSM38-1	9-1
72NYS28-177	3-16	82NLS40-85A	2-4	950NYSM38-15	9-1
72NYS28-183	3-16	82NPS40	8-1	983-14-2	6-1
72NYS28-2	3-16	82NY58	5-4	983-15-2	6-1
72NYS28-200	3-16	82NY58-2	5-4	984-23-2	6-1
72NYS28-23	3-16	82NY60-19	5-4	BLWP11-2	10-10
72NYS28-5	3-16	82NYS31-16	3-18	BLWP22-1	10-10
72NYS28-51	3-16	82NYS31-32	3-18	BLWP32	10-10
72NYS28-6	3-16	82NYS32	3-18	BLWP32-2	10-10
72NYS28-65	3-16	82NYS32-74A	3-18	BLWP32-3	10-10
72NYS28-84	3-16	82NYS32-74A1	3-18	BLWP33-1	10-10
72NYS30-2	3-16	82NYS36-26	3-18	BLWP33-2	10-10
72NYS30-2A	3-16	82NYS38-15	3-19	BLWR18-1	10-10
72NYS30-3	3-16	82NYS40-28	3-19	BLWR18-2	10-10
72NYS31	3-16	850NYSM30-25	9-1	BLWR18-3	10-10
72NYS31-1	3-17	850NYSM32-18	9-1	BLWR18-4	10-10
72NYS31-2	3-16	850NYSM34-48	9-1	BLWR18-6	10-10
72NYS31-27	3-17	85WBY60-11	5-4	BPS28-16-1	8-1
72NYS31-2A	3-16	85WBYSB36-30	1-5	BSS24-53	7-1,10-1
72NYS31-3	3-16	85WBYSB38-16	1-5	BSS24-53A	7-1,10-1
72NYS31-4	3-16	92NF26	1-3	BSS24-60A	7-1,10-1
72NYS31-4A	3-16	92NLS48-3DC	2-4	BSS31-18	7-1,10-1
72NYS31-8	3-17	92NLS48-47DC	2-4	BSS32-34	7-1,10-1
72NYS31-93	3-16	92NLS48-66A	2-4	CB210084-2X	12-4
72NYS32-104	3-17	92NY64	5-4	CB210088-1X	12-4
72NYS32-110	3-17	92NY66	5-4	CB210090-1X	12-4
72NYS32-12	3-17	92NY68-2	5-4	CB210121-1XSA	12-5
72NYS32-16	3-17	92NYR28-3	3-22	CB210140-1X	12-4
72NYS32-219	3-17	92NYS28-6	3-20	CB210144-1X	12-4
72NYS32-220	3-17	92NYS32-25	3-20	CB210207-1X	12-4
72NYS32-221	3-17	92NYS32-25A	3-20	CB210367-1X	12-4
72NYS32-222	3-17	92NYS32-26	3-20	CB210370-1X	12-4
72NYS32-244	3-17	92NYS32-26A	3-20	CB210391-1X	12-5
72NYS32-244A	3-17	92NYS32-27	3-20	CB210433-1X	12-4
72NYS32-250	3-17	92NYS33-2	3-20	CB210527X	12-5
72NYS32-256	3-17	92NYS36-41	3-20	CB210661-1XSA	12-5
72NYS32-39	3-17	92NYS38-12	3-20	CB210866-1X	12-4
72NYS32-48	3-17	92NYS38-39	3-20	CB210873-1X	12-4
72NYS32-9	3-17	92NYS38-39A	3-20	CB210875-1XSA	12-3
72NYS33	3-17	92NYS38-46A	3-20	CB211016X	12-4

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
CB211187X	12-4	CP297X	11-5	CP82N-HB-PL	11-10
CB310001-1X	12-4	CP3000	11-8	CP82N-HWD	11-10
CB310002-1X	12-4	CP3012	11-11	CP82N-HWD-PL	11-10
CB310003-1X	12-4	CP3022X	11-5	CP850N-4	11-6
CB310005-1X	12-4	CP3121	11-8	CP850N-9	11-6
CB310006-1X	12-4	CP3147X	11-5	CP85WB-DWT	11-9
CB310006-2X	12-4	CP332X	11-5	CP85WB-DWT-PL	11-9
CB310006-3X	12-4	CP353X	11-7	CP85WB-HB	11-9
CB310007-1X	12-4	CP354X	11-7	CP85WB-HB-PL	11-9
CB310008-1X	12-3	CP357X	11-7	CP85WB-HWD	11-9
CB310011-1X	12-3	CP4002	11-8	CP85WB-HWD-PL	11-9
CB310013-1X	12-3	CP4015	11-5	CP92N-70	11-9
CB310015-1X	12-5	CP407X	11-13	CP92N-DWT	11-9
CP443X	11-6	CP4101	11-8	CP92N-DWT-PL	11-9
CP541X	11-7	CP4102	11-11	CP92N-HB	11-9
CP674X	11-14	CP4143X	11-8	CP92N-HB-PL	11-9
CP675X	11-14	CP460X	11-6	CP92N-HWD	11-9
CP676X	11-14	CP5008	11-11	CP92N-HWD-PL	11-9
CP677X	11-14	CP5015	11-11	CP950N	11-6
CP101X	11-6	CP5101	11-8	CP950N-3	11-6
CP105X	11-5	CP5122	11-8	CPL10N-2	11-6
CP111X	11-6	CP51625-2	11-5	CPL15N	11-5
CP115X	11-13	CP5177	11-8	CPL15N-1S	11-5
CP1200X	11-7	CP527X	11-5	CPL6R-50	11-5
CP1201X	11-7	CP58WB-DWT	11-8	CPL6R-51	11-5
CP1204X	11-7	CP58WB-DWT-PL	11-8	CPL6R-53	11-5
CP1205X	11-5	CP58WB-HB	11-8	CSC8-20-52	10-2
CP124X	11-13	CP58WB-HB-PL	11-8	CSH4-28-13	10-2
CP1301X	11-5	CP58WB-HWD	11-8	CSH5-24-27	10-2
CP1306-1X	11-5	CP58WB-HWD-PL	11-8	CSH5-24-28	10-2
CP1306X	11-5	CP62N-50	11-8	CSH5-24-37	10-2
CP134X	11-6	CP62N-51	11-8	CSH5-24-34	10-2
CP141N	11-7	CP62N-DWT	11-8	DC155N	10-4
CP148N	11-6	CP62N-DWT-PL	11-8	DC17N	10-4
CP153X	11-6	CP62N-HB	11-8	DC17N-3	10-4
CP155N	11-6	CP62N-HB-PL	11-8	DC62N-1	10-4
CP155X	11-6	CP62N-HWD	11-8	DC72N	10-4
CP160X	11-6	CP62N-HWD-PL	11-8	DC72N-1	10-4
CP165X	11-6	CP72625-4	11-5	DC82N-1	10-4
CP170X	11-5	CP72N-118	11-9	DC82N-4	10-4
CP178X	11-6	CP72N-136	11-9	DEFR22-4	10-6
CP188X	11-6	CP72N-DWT	11-9	DEFR22-5	10-6
CP18N-96	11-12	CP72N-DWT-PL	11-9	DEFR25-1	10-6
CP20 RPL S	11-15	CP72N-HB	11-9	DEFR25-2	10-6
CP200X	11-6	CP72N-HB-PL	11-9	DEFR25-4	10-6
CP2011X	11-5	CP72N-HWD	11-9	DEFR28-3	10-6
CP2031	11-11	CP72N-HWD-PL	11-9	DEFR28-4	10-6
CP2033	11-11	CP72N-170	11-10	DEFR33-1	10-6
CP2116	11-8	CP750N	11-6	DEFR34-1	10-6
CP213X	11-6	CP750N-1	11-6	DEFR35-1	10-6
CP2140	11-7	CP750N-4	11-6	DEFR35-3	10-6
CP248X	11-7	CP750N-7	11-6	DEFR37-1	10-6
CP25 RPL S	11-15	CP750N-8	11-6	DEFR38-1	10-6
CP260X	11-5	CP82N-68	11-9	DEFR38-3	10-6
CP279X	11-13	CP82N-77	11-9	DEFR38-5	10-6
CP280X	11-13	CP82N-DWT	11-10	DEFR40-4	10-6
CP281X	11-13	CP82N-DWT-PL	11-10	DEFR40-5	10-6
CP297-1X	11-5	CP82N-HB	11-10	DEFR41-1	10-6

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
DEFR42-1	10-6	GCP170X	11-5	NUHX7-20-1	10-3
DEFR43-1	10-6	GCP178X	11-6	NUJA8-20-6	10-3
DEFR44-1	10-6	GCP188X	11-6	PLWE53-4	10-13
DEFR47-12	10-6	GCP212X	11-7	PLEX31-14	10-13
DEFR47-13	10-7	GCP213X	11-6	PLEX33-1	10-13
DEFR47-2	10-7	GCP242X	11-5	PLEX42-2	10-13
DEFR47-4	10-6	GCP3022X	11-5	PLWE30-1	10-13
DEFR47-5	10-6	GCP3147X	11-5	PLWE33-2	10-13
DEFR47-6	10-6	GCP443X	11-6	PLWE36-1	10-13
DEFR47-7	10-7	GCP353X	11-7	PLWE36-6	10-13
DEFR48-10	10-6	GCP62N-DWT	11-8	PLWE36-7	10-13
DEFR48-2	10-6	GCP62N-HB	11-8	PLWE40-5	10-13
DEFR48-5	10-6	GCP62N-HWD	11-8	PLWE43-1	10-13
DEFR49-1	10-6	GCP72N-DWT	11-9	PLWE43-12	10-13
DEFR50-2	10-7	GCP72N-HB	11-9	PLWE43-2	10-13
DEFR50-4	10-6	GCP72N-HWD	11-9	PLWE53-15	10-13
DEFR50-7	10-7	GCP82N-HB	11-10	PS28-16-13	8-1
DEFR53-4	10-6	GCP82N-HWD	11-10	PS28-16-8	8-1
DEFR54-1	10-7	GCP92N-HWD	11-9	PS32-16-30	8-1
DEFR54-5	10-7	KT116	10-8	PS32-16-76	8-1
DEFR55-1	10-7	KT117	10-8	PS32-16-77	8-1
DEFR55-2	10-6	KT118	10-8	PS40-16-15	8-2
DEFR55-3	10-6	KT121	10-7	PS40-16-23	8-2
DEFR56-2	10-6	KT122	10-7	PS40-16-34	8-1
DEFR56-7	10-7	KT123	10-7	PS40-16-61	8-2
DEFR59-1	10-7	KT124	10-7	PS40-16-62	8-2
DEFR59-2	10-6	KT125	10-7	PS48-10-1	8-2
DEFR60-1	10-7	KT126	10-7	PS48-16-1	8-2
DEFR61-3	10-6	KT16SB	10-7	PS48-16-16	8-2
DEFR62-1	10-6	KT17SB	10-7	PS48-16-19	8-2
DEFR65-1	10-7	L6NLS20-127	14-2	PS48-16-38	8-2
DEFR66-1	10-6	L6NLS20-133A	14-2	PS48-16-5	8-2
GCB210084-2X	12-4	L6NLS20-55DC	14-2	R170	11-9
GCB210088-1X	12-4	L6NLS20-63DC1	14-2	R279X	11-13
GCB210090-1X	12-4	L6NLS20-65DC	14-2	R280194	10-5
GCB210121-1X	12-5	L6NYS12-39	14-1	R280195	10-5
GCB210130-1X	12-4	L6NYS13-31	14-2	R280X	11-13
GCB210140-1X	12-4	L6NYS13-34	14-2	R281X	11-13
GCB210144-1X	12-4	L6NYS14-100	14-1	R407X	11-13
GCB210207-1X	12-4	L6NYS14-65	14-1	R490	11-10
GCB210367-1X	12-4	L6NYS16-12	14-1	R490D	11-10
GCB210370-1X	12-4	L6NYS16-16	14-1	R600	11-10
GCB210391-1X	12-4	L6NYS16-18	14-1	R674X	11-14
GCB210433-1X	12-4	L6NYS16-34	14-1	R675X	11-14
GCB210527X	12-5	LPHC37-1	10-9	R676X	11-14
GCB210661-1X	12-5	LPHC39-3	10-9	R677X	11-14
GCB210866-1X	12-4	MS-212030-2	10-2	R10270-SF	15-4
GCB210873-1X	12-4	MS-212060-2	10-2	R10V5	5-3
GCB210875-1X	12-3	ND2C	10-5	R280196	10-5
GCB211187X	12-4	ND2K	10-4	R3R-26-57	13-5
GCP1204X	11-7	ND3A	10-5	R3R-28-157	5-2
GCP1206X	11-5	ND3H	10-5	R3R-28-307	5-2
GCP1306-1X	11-5	ND3K	10-4	R3R-28-325	5-2
GCP1309X	11-5	NL-25-1	10-3	R3R-28-327	5-2
GCP134X	11-6	NL-26-1	10-3	R3R-28-397	5-2
GCP153X	11-6	NL-112-1	10-3	R3R-28-427	5-2
GCP155X	11-6	NUHX6-24-14	10-3	R3R-28-437	5-2
GCP160X	11-6	NUEL8-20-8	10-3	R3R-28-869	13-7

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
R3R-3-6081X	2-5	RT-3-13-108	10-11	SERUR14-16	10-5
R3R-3-9101X	2-5	RT-3-13-72	10-11	SERUR21-3	10-5
R3R-3-9131X	2-5	RT-3-14-108	10-11	SERUR22-4	10-5
R3R-3-9161X	2-5	RT-3-14-72	10-11	SERUR25-1	10-5
R3R-3-9165KX	2-2	RT-3-16-108	10-11	SERUR25-2	10-5
R3R-83-482	13-6	RT-3-16-72	10-11	SERUR25-4	10-5
R903862-1409W	13-3	RT-3-187-108	10-11	SERUR32-7	10-5
R903862-1602W	13-3	RT-3-187-72	10-11	SERUR32-9	10-5
R909363-2600	13-1,13-2	RT-325-11-108	10-11	SERUR33-4	10-5
R909365-2600	13-1,13-2	RT-325-11-72	10-11	SERUR33-5	10-5
R911818-2600	13-1,13-2	RT-325-13-108	10-11	SERUR39-2	10-2
R912170-1511W	13-3	RT-325-13-72	10-11	SERUR40-3	10-5
R912170-1803W	13-3	RT-325-187-72	10-11	SERUR40-8	10-5
R912747	13-4,13-5	RT-35-10-108	10-12	SERUR40-9	10-5
R912777	13-4,13-5	RT-35-10-72	10-12	SERUR40-21	10-5
R91382SF	13-9	RT-35-11-108	10-12	SERUS20	10-5
R914156-1324W	13-3	RT-35-11-72	10-12	SERUS28-4	10-5
R919976-3400	13-1,13-2	RT-35-13-108	10-12	SP-1010	10-2
R919990-3400	13-1,13-2	RT-35-13-72	10-12	SP-1012	10-2
R9553-SF	13-9	RT-35-14-108	10-12	SP-1045	10-2
RBR28-1	10-6	RT-35-14-72	10-11	SP-1049	10-2
REBC141	10-8	RT-35-156-108	10-12	SP-1013	10-2
REBC141-1	10-8	RT-35-156-72	10-12	SP-1014	10-2
REBC148	10-8	RT-35-16-108	10-11	US170X	11-14
REBC148-2	10-8	RT-35-16-72	10-11	US250X	11-14
REBC16S	10-8	RT-4-10-108	10-12	US90X	11-6
REBC17S	10-8	RT-4-10-72	10-12	WA-15Z	10-1
RECP148	10-9	RT-4-12-108	10-12	WA-18	10-1
RECP155	10-9	RT-4-12-72	10-12	WA-48	10-1
RRIR24-2	10-10	RT-4-14-108	10-12	WA-46	10-1
RRIR36-4	10-10	RT-4-14-72	10-12	WALM7-2	10-1
RT-125-11-108	10-11	RT-4-187-108	10-12	WAR13-5	10-1
RT-125-11-72	10-11	RT-4-187-72	10-12	WAR20-1	10-1
RT-15-11-108	10-11	RT-4095-7-108	10-12	WAR8-14	10-1
RT-15-11-72	10-11	RT-4095-7-72	10-12	WIR46-2	10-9
RT-15-13-108	10-11	RT-45-10-108	10-12	40-X-1233	10-3
RT-15-13-72	10-11	RT-45-10-72	10-12	40-X-1236	10-3
RT-175-11-72	10-11	RT-45-13-108	10-12	40-X-1237	10-3
RT-175-14-108	10-11	RT-45-13-72	10-12	1199-H-1620	10-10
RT-175-16-108	10-11	RT-45-187-108	10-12	1199-N-1860	10-10
RT-2-11-72	10-11	RT-45-187-72	10-12	1199-X-1870	10-10
RT-2-14-108	10-11	RT-45-3-108	10-12	1199-B-2576	10-10
RT-2-14-72	10-11	RT-45-3-72	10-12	1199-T-2854	10-10
RT-225-11-108	10-11	RT-45-375-108	10-12	1199-A-3329	10-9
RT-225-11-72	10-11	RT-45-375-72	10-12	1227-N-898	10-3
RT-2375-14-108	10-11	RT-459-7-108	10-12	1227-Q-901	10-3
RT-2375-14-72	10-11	RT-459-7-72	10-12	1227-R-902	10-3
RT-25-14-108	10-11	S-155-2	10-2	1227-Z-936	10-3
RT-25-14-72	10-11	S-168-2	10-2	1227-A-937	10-3
RT-25-16-108	10-11	S-179-2	10-2	1227-C-939	10-3
RT-25-16-72	10-11	S-1616-2	10-2	1227-D-940	10-3
RT-275-10-108	10-11	S-1716-2	10-2	1227-G-943	10-3
RT-275-13-108	10-11	S-1812-2	10-2	1227-J-946	10-3
RT-275-13-72	10-11	S-1818-2	10-2	1227-K-1051	10-3
RT-275-14-108	10-11	S-1820-2	10-2	1229-E-1071	10-4
RT-275-14-72	10-11	S-1822-2	10-2	1229-G-1281	10-4
RT-3-11-108	10-11	S-11212	10-2	1229-E-1331	10-4
RT-3-11-72	10-11	S-165B-2	10-2	1229-S-1397	10-4

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
1229-N-1548	10-4				
1229-S-1605	10-4				
1229-N-1730	10-4				
1229-T-1736	10-4				
1229-A-2653	10-4				
1229-F-2918	10-4				
1229-W-4521	10-4				
1898-R-720	10-10				
1898-Q-771	10-10				

NOTES

MERITOR AFTERMARKET PARTS WARRANTY

We warrant all new parts for one year from date of shipment to the buyer against defective material or workmanship (but not against damage caused by accident, abuse or improper installation, maintenance or repair) when such parts are used on vehicles the specifications of which have been approved by our Engineering Department.

As the exclusive remedy under this warranty, we will, at our option, repair or replace such parts free of charge, or take back the nonconforming parts and refund the monies paid by buyer for such parts, if found on examination by us to be nonconforming and if any necessary return charges are prepaid.

If it is necessary to return any parts under this warranty, buyer agrees not to make any deduction on account thereof from remittances on current accounts while claims are in the process of disposition. Any expense incurred without our consent for repairs or replacement will not be allowed.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. IN NO EVENT SHALL SELLER BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE.

Only genuine Meritor replacement parts are covered by this aftermarket parts warranty.

Distributed by:



ArvinMeritor™

Meritor Heavy Vehicle Systems, LLC
7975 Dixie Highway
Florence, Kentucky 41042 USA
888-725-9355

www.arvinmeritor.com
XpresswayPlus.arvinmeritor.com

Information contained in this publication was in effect at the time the publication was approved for printing and is subject to change without notice or liability. ArvinMeritor reserves the right to revise the information presented or discontinue the production of parts at any time.

Litho in USA
Revised 11/09
PB-9895 (13028/05060)
©2009 ArvinMeritor, Inc.